

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook					
Commercial name *	Lenovo YOGA 900-13ISK for BIZ					
Model number *	80SD					
Issue date *	2015-11-4					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☒ Other EMEA					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	80SD		
Issue date *	2015-11-4	Logo	Lenovo.

Product	Product environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)	l 🖂		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			\boxtimes
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	\boxtimes		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the		∺	X
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	I 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			
	-			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	80SD		
Issue date *	2015-11-4	Logo	Lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		\Box	
P7.2*	Plastic materials in covers/housing have no surface coating.			-#
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		$\frac{\mathcal{H}}{\mathcal{H}}$	∺
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		∺	∺
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		∺	∺
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		∺	∺
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square	$\overline{}$	
P7.8*	Upgrading can be done using commonly available tools		Ħ	∺
P7.9.	Spare parts are available after end of production for: 5 years			旹
P7.10	Service is available after end of production for: 5 years	_		十
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: >PC+ABS-FR(40)< Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free	$\overline{}$		$\neg \Box$
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	$-\overline{\Box}$	Ħ	
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	,		
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):		Ш	
	TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
	ISO 1043-4:			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	·	Ш	\boxtimes
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: CAS #:			
	2. Chemical name: CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
				\square
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	$-$ H $^{-}$	旹	
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		ш	
P7.20	Of total plastic parts' weight >25g, recycled material content is 0.6%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury	\boxtimes		
Do	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg			
P8 P8.1*	Batteries Battery chemical composition: <i>Lithium Polymer</i>			
	Batteries meet the requirements of the following voluntary program/s: <i>US Call2Recycle, and add EPBA</i> ,			
P8.2	JBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	80SD		
Issue date *	2015-11-4	Logo	Lenovo.

Product (Product environmental attributes - Market requirements (continued) Requirement met					
Item						
P9	37					
9.1	<u> </u>				·	
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *]
Peak (On-	Peak (On-max) 65 W 65W Full load		Full load			
Categor	Category I1					
Short Idle	State - WOL Enab	oled 12.03 W	12.61 W	12.53W	Use for ENERGY STAR V6 registration(P _{idle})]
Long Idle	State - WOL Enab	led 6.75 W	6.88 W	6.95W	Use for ENERGY STAR V6 registration(P _{idle})]
Sleep (S3)) - WOL Enabled	0.36 W	0.36 W	0.38W	Use for ENERGY STAR V6 registration (P _{sleep})	
Sleep (S3)	- WOL Disabled	0.35 W	0.35 W	0.37W	Reference	
Off (S5) -	WOL Enabled	0.27 W	0.27 W	0.30W	Use for ENERGY STAR V6 registration(P _{off})	
Off (S5) -	WOL Disabled	0.26 W	0.26 W	0.29W	Use for EuP	J
EPS No-lo	ad	0.128W	0.133 W	0.137 W]
plugged in	power supply / charge the wall outlet but sed from the produc					
PTEC *		W	W	W]
Typical En	ergy Consumption					
TEC *		kWh/week	kWh/week	kWh/week		1
Typical En	ergy Consumption					_
ETEC *		39.22	40.86	40.83	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35)$	\neg
Annual En	ergy Consumption	kWh/year	kWh/year	kWh/year	+ P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)	_
		Poff: Off Mode(S5	5) - WOL Enabled; I	P _{sleep} : Sleep Mode((S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display res	solution* : 3200*18	800 Megapixels				
Print Spee	d * : Ir	mages per minute				
Default tim	e to enter energy s	ave mode: 30 minutes	3			J
P9.2*	Information about	the energy save funct	tion is provided wi	th the product.		Ī
P9.3*	The product meet	s the energy requirem	ents of the followi	ng voluntary pro	gram/s:	
		version: Version 6.1	dated Sep. 2, 20	14 Tier: 1	Product category: 11	<u></u>
P10	Others specify: Emissions					_
1 10		- Declared according	to ISO 9296			
P10.1		Mode description		Declared	5	
				A-weighted sound power		
				level L_{WAd} (- Duntandan masitiana	
				WAU	Desktop X	
					or Desk side (only if product is not operator attended)	
	Idle	* HDD:Idle		* 2.3	15.1]
	Operation	* HDD: Operating		* 2.4	15.6	٦
	Other mode	ODD :Operating		N/A	N/A	-
	Measured accord	ing to: 🔀 ISO7779 🗌	ECMA-74			
		Other			with L _{pAm} measurement distance m)	
P10.2	The product meet	s the acoustic noise re	equirements of the	e following volunt	tary program/s:	1

Model nur	mber *	80SD				
Issue date	sue date * 2015-11-4 Logo		Ler	10V	O .	
Product	environn	nental attributes - Market requirements (continued)	Requ	irem	ent	met
Item		market requirements (continues)			No	n.a.
	Chemic	al emissions from printing products	•			
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard , other specify:	Г	7 1	$\overline{}$	\square
P10.4		emission rate (print phase) is (mg/h):				
F 10.4	• •	Dust Ozone Styrene Benzene TVOC				
P10.5		are met for :		_	_	
F 10.5		Oust Ozone Styrene Benzene TVOC	L			
		nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following voluntary		7 1		$\overline{}$
1 10.0		s: RTPX 4.2		ו ע		Ш
P11		hable materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			$\overline{}$	\boxtimes
P11.2*	Paper c	ontaining post-consumer recycled fibers can be used, provided that it meets the requirements of	of		╡	
	EN1228		_	_		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes
P12	Ergonor	nics for computing products	_			
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			X	$\overline{\Box}$
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			\overline{X}	Ħ
P13	Packagi	ng and documentation				
P13.1*		packaging material type(s): CARTON weight (kg): 0.396				
		packaging material type(s): CUSHION weight (kg): 0.058				
	Product	packaging material type(s): GIFT BOX weight (kg): 0.072				
P13.2*		plastic packaging is free from PVC.				
P13.3*		media for user and product documentation (tick box):				
	Electron					
P13.4*		er user and product documentation, please specify contained percentage of post-consumer recycled				
	fiber: 1					
P14		nal information (See Note B4)		a Para	d	
	NOTE: S	Supplier makes no representations, guarantees, assurances or warranties whether express or implie on contained in this document. All information provided by supplier in this document is provided bas	d, rega	ırdıng	the	
	knowled	ge available at the time of completion, and supplier shall have no obligation to update such informati	on Th	suppii e infoi	cı s rmat	ion
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more					
	informati	on.				
P9		ergy Star Qualified Notebooks & Tablet Computers for the latest information:				
	http://w	ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=C)			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo YOGA 900-13ISK for BIZ	Logo
Model Number	80SD	Lenovo
Issue Date	2015-11-4	
Additional information		

(d)	year of manufacture:	2015					
e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:						
	Category (according to ErP Lot 3): A Etec: 20.17						
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:						
	Category (according to ErP Lot 3): NA Etec: NA						
(g)	idle state power demand (Watts);	6.95					
(h)	sleep mode power demand (Watts);						
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);						
(j)	off mode power demand (Watts);	0.30					
(k)	off mode with WOL enabled power demand (Watts) (where enabled);						
(l)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):						
	10% 20% 50% 100% Average						
(m)	external power supply efficiency (if applicable):						
	10% 20% 50% 100% Average ;						
	or level: 65W:88.91%;89.07%;89.74%						
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook	computers): 800 cycles					
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:						
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: Energy-star requirement by EPA 2.0						
(p-3)	the measurement methodology used to determine information mentioned in points (o) - loadingcycles						
	batteries: Energy-star requirement by EPA 2.0						
(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						

	IEC 6262	3 / IEC E	N50564:2011 measurement methodology					
(q) sequence	of steps for achievin	g a stab	le condition with respect to power demand::					
IEC 62623 / IEC EN50564:2011 measurement methodology								
(r) description	n of how sleep and/o	r off mod	de was selected or programmed:					
Based on user manual								
(s) sequence off mode:	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:							
Based on user manual								
(t) the durati	on of idle state con	dition b	efore the computer automatically reaches sleep mode, or another					
			oplicable power demand requirements for sleep mode (in minutes):	30min				
` '	the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):							
(v) the length	of time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10min				
(w) informatio	n on the energy-savi	ng poter	ntial of power management functionality:					
refer to user manual								
(x) user inform	user information on how to enable the power management functionality:							
refer to user manual								
the electric	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:							
230V/50Hz, Total Harmonic Distortion <2 %								
Addition Notebook B	attery Information:							
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed by a non-professional user.	ed and replaced				
(Battery not user	(Battery user			ad by usara				
replaceable)	replaceable)		The battery[ies] in this product cannot be easily replac themselves	eu by users				

Iditional information	