

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo Logo			
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC			
Commercial name *	Lenovo Z40-75			
Model number *	20360; 80DW			
Issue date *	2015-01-13			
Intended market *	☑ Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	20360; 80DWLenovo Z40-75	20360; 80DV	V
Issue date *	2015-01-13	Logo	lenovo.

Product	duct environmental attributes - Legal requirements			Requirement met		
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.					
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)					
P2.3*	* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medic or data integrity reasons do not have to be "easily removable". (See legal reference)					
P3	Safety, EMC connection to the telephone network and labeling					
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes				
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).					
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		\Box		
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\overline{\mathbb{X}}$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.					
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	20360; 80DWLenovo Z40-75	20360; 80[ow .
Issue date *	2015-01-13	Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design Ro	equirer	nent	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes	<u>Ш</u>	
P7	Design Picacountly as welling			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable		$\overline{}$	
P7.2*		<u> </u>	$\frac{\square}{\square}$	\dashv
	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		 	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			<u> </u>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u></u>	_ <u></u> _
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		_Ц	
	Product lifetime		<u> </u>	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		Щ	
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			Į.
5= 10	Material type: PC+ABS-FR(40) Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.	<u> </u>		
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes	
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):	Ш	Ш	
	TBBPA (additive), TBBPA (reactive) \(\bigcirc \), Other; chemical name: , CAS #:			Į.
	Alt. 2			Į.
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
	ISO 1043-4: Brominated Epoxy Resin See P14	_		
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			
	concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			Į.
	2. Chemical name: , CAS #:			ļ
	3. Chemical name: , CAS #:			Į.
	Alt. 2			ļ
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)	\boxtimes		
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 2.7%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0% .			
P7.22	Light sources are free from mercury	\boxtimes		
20	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8 P8.1*	Batteries Rattory chamical composition: Lithium Ion/Lithium Manganese Dioxide			
	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	20360; 80DW Lenovo Z40-75	20360;	80DW	/
Issue date *	2015-01-13		Logo	lenovo.

Product environmental attributes - Market requirements (continued) Requirement met									
	Item Yes No n.a								
P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported: See P14									
Energy mode *	Power level at 100 V AC		•						
Peak (On-max)	65 W	65 W	65 W	Full load	\Box				
Category I3									
Short Idle State - WOL Enabled	12.13 W	12.73 W	12.70 W	Use for ENERGY STAR V6 registration (Pidle)					
Long Idle State - WOL Enabled	7.99 W	8.21 W	8.11 W	Use for ENERGY STAR V6 registration (Pidle)					
Sleep (S3) - WOL Enabled	0.79 W	0.81 W	0.80 W	Use for ENERGY STAR V6 registration(P _{sleep})					
Sleep (S3) - WOL Disabled	0.81 W	0.80 W	0.81 W	Reference					
Off (S5) - WOL Enabled	0.39 W	0.40 W	0.40 W	Use for ENERGY STAR V6 registration(Poff)					
Off (S5) - WOL Disabled	0.40 W	0.39 W	0.40 W	Use for EuP					
Category D 1/2		1	1	<u> </u>					
Short Idle State - WOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6 registration (Pidle)					
Long Idle State - WOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6 registration (Pidle)					
Sleep (S3) - WOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6 registration (P _{sleep})					
Sleep (S3) - WOL Disabled	NA W	NA W	NA W	Reference					
Off (S5) - WOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6 registration(P _{off})					
Off (S5) - WOL Disabled	NA W	NA W	NA W	Use for EuP					
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	0.07 W	0.07 W	0.12 W						
PTEC * Typical Energy Consumption	W	W	W						
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week						
ETEC * Annual Energy Consumption	42.15 kWh/year	44.01 kWh/year	43.81 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{short idle} x 0.3 + P _{long idle} x 0.1)					
	P _{off} : Off Mode(S5) -	 WOL Enabled; Psiee	a: Sleep Mode(S3)	- WOL Enabled; P _{idle} : Idle State - WOL Enabled					
Display resolution* : 1280*800 Me	gapixels								
Print Speed * : Imag	ges per minute				X				
Default time to enter energy save n	node: 25 minutes								
P9.2* Information about the e	nergy save function is	s provided with the	product.						
P9.3* The product meets the ENERGY STAR® versi	on: Version 6.0 Tie	er: Produ	ict category: 13						
P10 Emissions	Star for External Po	ower Supplies En	gibility Criteria	Version 2					
Noise emission – Dec		O 9296							
P10.1 Mode Mode	description		Declared A-weighted						
			sound power	Dystander positions					
	Desktop Or Desk side Only if product		Desktop (aphy if product is not						
	DD: Operating		* 2.5	22.1	\Box				
Other mode				Energy Star for External Power Supplies Eligibility Criteria Version 2					
Measured according to		CMA-74	hy FCMA-74 w	ith L _{pAm} measurement distance m)					
P10.2 The product meets the									

Model number *	20360; 80DW Lenovo Z40-75	20360; 8	30DW	<i>'</i>
Issue date *	2015-01-13		Logo	lenovo.

Product	environmental attributes - Market requirements (continued)	Require	ment	met		
Item		Yes	No	n.a.		
	Chemical emissions from printing products					
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			X		
P10.4	Typical emission rate (print phase) is (mg/h):			X		
	Dust Ozone Styrene Benzene TVOC					
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes		
	Dust Ozone Styrene Benzene TVOC					
	Electromagnetic emissions					
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: MPR-II	\boxtimes				
P11	Consumable materials for printing products					
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			X		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	f		\boxtimes		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\square		
P12	Ergonomics for computing products					
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes				
P12.2*						
P13	Packaging and documentation					
P13.1*						
	Product packaging material type(s): Polyethylene Cushions weight (kg): 0.081					
5.10 Ot	Product packaging material type(s): Others weight (kg): 0.230					
P13.2*						
P13.3*	Specify media for user and product documentation (tick box):					
	Electronic 🔲, Paper 📐, Other 🗌					
P13.4*	* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%					
P14	Additional information (See Note B4)					
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the					
	information contained in this document. All information provided by supplier in this document is provided based on supplier's					
	knowledge available at the time of completion, and supplier shall have no obligation to update such information			on		
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.					
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:					
. •	http://www.energystar.gov/index.cfm?fuseaction=find a product.showProductGroup&pgw code=CO					

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Z40-75	Logo
Model Number	20360; 80DW	_
Issue Date	2015-01-13	lenovo.
Additional information		

. /	Product environmental attributes					
(d)	year of manufacture: 2014					
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics call disabled and if the system is tested with switchable graphics mode with UMA driving the display: Category (according to ErP Lot 3): A Etec: 24.95					
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics card enabled:	ds (dGfx) are				
	Category (according to ErP Lot 3): B Etec: 26.11					
(g)	idle state power demand (Watts);	8.87				
(h)	sleep mode power demand (Watts);	0.81				
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);					
(j)	off mode power demand (Watts);	0.39				
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.40				
(1)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average					
(m)	external power supply efficiency (if applicable):					
,	Average*: 65W:89.18%,89.04%,89.92%,89.92%,89.18%					
(o)	*internal note: show values for all available external power supplies the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300cycles				
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:					
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:					
	Energy-star requirement					

(p-3)	0-3) the measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries:						
			IEC	61960 measurement methodology			
(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
				Energy-star requirement			
(q)	sequence of steps for achieving a stable condition with respect to power demand::						
				Based on user manual			
(r)	description of how sleep and/or off mode was selected or programmed:						
				Based on user manual			
(s)	sequence of mode:	of events required to	reach th	ne mode where the equipment automatically changes to sleep and/or			
				Based on user manual			
(t)				efore the computer automatically reaches sleep mode, or another oplicable power demand requirements for sleep mode (in minutes):	25		
(u)	(u) the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): NA						
(v)	the length	of time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10		
(w)	w) information on the energy-saving potential of power management functionality:						
				Based on user manual			
(x) user information on how to enable the power management functionality:							
				Based on user manual			
(z)	electricity s	supply system, — inf		test voltage in V and frequency in Hz, — total harmonic distortion of the n and documentation on the instrumentation, set-up and circuits used			
	for electrical testing: 230V/50Hz, Total Harmonic Distortion <2 %						
Addition N	lotebook Ba	attery Information:					
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot be access by a non-professional user.	sed and replaced		
` ,	not user	(Battery user		The battery[ies] in this product cannot be easily repla	rad hy lisars		
replaceable	=)	replaceable)		themselves	oca by ascis		
Additional	informatio	n					
					·		