

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs					
	Alvin L Carter	-				
	1009 Think Place	lenovo				
	Building 2 / 5F1					
	Morrisville, North Carolina 27560					
	nter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at					
	http://www.lenovo.com/social_responsibility/us/en/datasheets_r	notebooks.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook PC				
Commercial name *	Lenovo Z50-75				
Model number *	20356; 80EC				
Issue date *	2015-01-13				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	20356; 80EC 20356; 80EC	
Issue date *	2015-01-13	Logo

|--|

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	\square		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			\square
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	\square		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)	\square		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	20356; 80ECLenovo Z50-75 20356;	80EC			
Issue da	ite *	2015-01-13	Logo	leno	VO	
Produc	t environ	mental attributes - Market requirements - Environmental conscious d	esian R	Requirer	nent	met
Item		atory to fill in. Additional information regarding each item may be found under P14.	oolgii i	Yes	No	n.a.
P6	Treatme	nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\mathbb{X}		
P7	Design					
P7.1*		mbly, recycling It have to be treated separately are easily separable				
						<u> </u>
P7.2*		naterials in covers/housing have no surface coating.				_닏
P7.3*		arts >100g consist of one material or of easily separable materials.				
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		\square		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\square		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
	Product	lifetime				
P7.7*	Upgradir	ig can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes		
P7.9.	-	arts are available after end of production for: 5 years				Ē
P7.10		s available after end of production for: 5 years				H
		and substance requirements				
P7.11*		cover/housing material type:				
		type: PC+ABS-FR(40) Material type: Material	l type:			
P7.12	Electrica	I cable insulation materials of power cables are PVC free.	-21		\boxtimes	
P7.13	Electrica	I cable insulation materials of signal cables are PVC free		— <u> </u>		Ħ
P7.14		/housing plastic parts >25g are free from chlorine and bromine.				⊢≓
P7.15		ed circuit boards (without components) >25g are halogen free. as defined in IEC6	12/0-2-21 (500			┝
17.15	Note B2		1249-2-21. (066			
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)		\boxtimes		
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without componer additive) ☐, TBBPA (reactive) ⊠, Other; chemical name: , CAS #:	nts):			
	ISO 104	I specifications of flame retardants in printed circuit boards (without components) >2 3-4: Brominated Epoxy Resin See P14	25g according			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%:	/preparations in			
	1. Chem 2. Chem	ent: No legal limits exist, this is a market requirement. ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:				
	FR(40)	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	R40, R4	arts >25g are free from flame retardant substances/ preparations above 0.1% class 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	ified as R45,			
P7.20		plastic parts' weight >25g, recycled material content is 2.8% .				
P7.21		plastic parts' weight >25g, biobased material content is 0% .				
P7.22	•	Irces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp:	mg			
P8	Batterie					
P8.1*	Battery o	hemical composition: Lithium Ion/Lithium Manganese Dioxide				
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number* 20356; 80ECLenovo Z50-75 20356; 80EC Issue date * 2015-01-13 Logo Ienovo

Product environmental attributes - Market requirements (continued) Requirement met						
Item Yes No n.a.						
P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported: See P14						
Energy mode * Power level at Power level at Power level at Reference / Standard for energy modes and test						
	100 V AC	115 V AC	230 V AC	method *	modes and test	
Peak (On-max)	65 W	65 W	65 W	Full load		
Category 13						
Short Idle State - WOL Enabled	12.33 W	12.22 W	11.58 W	Use for ENERGY STAR V6 regi	stration (P _{idle})	
Long Idle State - WOL Enabled	8.43 W	8.33 W	7.89 W	Use for ENERGY STAR V6 regi	stration (P _{idle})	
Sleep (S3) - WOL Enabled	0.81 W	0.81 W	0.81 W	Use for ENERGY STAR V6 regi	stration(P _{sleep})	
Sleep (S3) - WOL Disabled	0.80 W	0.79 W	0.79 W	Reference		
Off (S5) - WOL Enabled	0.38 W	0.40 W	0.39 W	Use for ENERGY STAR V6 regi	stration(P _{off})	
Off (S5) - WOL Disabled	0.39 W	0.38 W	0.39 W	Use for EuP		Г
Category D 1/2						
Short Idle State - WOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6 regi	stration (P _{idle})	
Long Idle State - WOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6 regi		_
Sleep (S3) - WOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6 regi		
Sleep (S3) - WOL Disabled	NAW	NAW	NAW	Reference	(- 3100p)	\vdash
Off (S5) - WOL Enabled	NAW	NAW	NAW	Use for ENERGY STAR V6 regi	stration(P ₋ ,	\exists
Off (S5) - WOL Disabled	NAW	NAW	NAW	Use for EuP		\square
EPS No-load	0.07 W	0.07 W	0.14 W			
(External power supply / charger	0.07 W	0.07 11	0.14 11			ш
plugged in the wall outlet but						
disconnected from the product.)						
PTEC *	W	W	W			
Typical Energy Consumption					'	
TEC *	k)M/b/wook	k)A/b/wook	k/M/b/wook			\boxtimes
Typical Energy Consumption ETEC *	kWh/week	kWh/week	kWh/week	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	LD × 0.25	
Annual Energy Consumption	43.10 kWh/year	kWh/year	kWh/year	$+ P_{\text{short idle}} \times 0.3 + P_{\text{long idle}} \times 0.1)$	T P sleep X 0.35	
	Poff: Off Mode(S5) -	WOL Enabled; P _{slee}	_{ap} : Sleep Mode(S3)	- WOL Enabled; Pidle: Idle State - WO	OL Enabled	
Display resolution* : 1280*800 M	egapixels					
Print Speed * : Ima	ages per minute					\boxtimes
Default time to enter energy save	mode: 25 minutes					
P9.2* Information about the	energy save function i	s provided with the	e product.			
P9.3* The product meets the	e energy requirements	of the following ve	oluntary program	/s:		
ENERGY STAR® ver Others specify: <i>Energ</i>			uct category: 13	Version 2		
P10 Emissions		ower Supplies El	igionity criteria			
Noise emission – De	clared according to IS	O 9296				
P10.1 Mode Mod	le description		Declared A-weighted	Declared A-weigh		
			sound powe	er	1	
			level L_{WAd}	D)	tander positions	
				Desktop 🔀	if product is not	
				of Desk side op	erator attended)	_
	HDD:Idle		* 2.5	21.8		口
Operation * / Other mode	IDD: Operating		* 2.6	22.3 Energy Star for External Pe	ower Supplies	Ш
				Eligibility Criteria Ve		
Measured according t		CMA-74			Ţ	
				ith L _{pAm} measurement distance	<u>m)</u>	
P10.2 The product meets the	e acoustic noise requir	ements of the follo	owing voluntary p	rogram/s:		\square

Model number *	20356; 80ECLenovo Z50-75 20356	6; 80EC			
Issue date *	2015-01-13	Logo	leno	VO.	
Product enviror	nmental attributes - Market requirements (continued)	•	Require	ment	met
Item			Yes	No	n.a.
Chemi	cal emissions from printing products				
P10.3* Test p	erformed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\mathbf{X}

P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes		
	Dust Ozone Styrene Benzene TVOC					
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\square		
	Dust Ozone Styrene Benzene TVOC					
	Electromagnetic emissions					
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary					
P11	Consumable materials for printing products					
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\times		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			\square		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes		
P12	Ergonomics for computing products					
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes				
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes				
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): Corrugated Carton weight (kg): 0.359 Product packaging material type(s): Polyethylene Cushions weight (kg): 0.106 Product packaging material type(s): Others weight (kg): 0.230					
P13.2*	Product plastic packaging is free from PVC.	\boxtimes				
P13.3*	Specify media for user and product documentation (tick box): Electronic 🔯, Paper 🔀, Other 🗌					
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%					
P14	Additional information (See Note B4)					
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, re information contained in this document. All information provided by supplier in this document is provided based o knowledge available at the time of completion, and supplier shall have no obligation to update such information. provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative information.	n supp The int	olier's formati	on		
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO					

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Z50-75	Logo
Model Number	20356; 80EC	
Issue Date	2015-01-13	lenovo
Additional information		

(L)		
d)	year of manufacture: 2014	
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics ca disabled and if the system is tested with switchable graphics mode with UMA driving the display:	rds (dGfx) are
	Category (according to ErP Lot 3): A Etec: 23.84	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics car enabled:	ds (dGfx) are
	Category (according to ErP Lot 3): B Etec: 24.61	
(g)	idle state power demand (Watts);	8.03
(h)	sleep mode power demand (Watts);	0.81
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.80
(j)	off mode power demand (Watts);	0.40
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.40
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable): Average*: 45W:87.58%,87.60%,88.32%,87.58%.87.60%,88.32% 65W:89.18%,89.04%,89.92%,89.92%,89.18% *internal note: show values for all available external power supplies	%
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300cycles
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:	
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:	

(p-3) the measu batteries:	urement methodolog		to determine information mentioned in points (o) - loadingcycles				
		IEC	61960 measurement methodology				
			determine information mentioned in maximum, idle, sleep, off mode roduct IT Eco Declaration:				
			Energy-star requirement				
(q) sequence	of steps for achieving	g a stabl	e condition with respect to power demand::				
			Based on user manual				
(r) description	of how sleep and/or	off mod	le was selected or programmed:				
			Based on user manual				
(s) sequence off mode:	of events required to	reach th	ne mode where the equipment automatically changes to sleep and/or				
			Based on user manual				
	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 25						
(u) the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): NA							
(v) the length	of time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10			
(w) information on the energy-saving potential of power management functionality:							
Based on user manual							
(x) user information on how to enable the power management functionality:							
Based on user manual							
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electricity.							
for electrical testing: 230V/50Hz, Total Harmonic Distortion <2 %							
Addition Notebook B	attery Information:						
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed	d and replaced			
(Battery not user	(Battery user		by a non-professional user.	-			
replaceable)	replaceable)		The battery[ies] in this product cannot be easily replace themselves	ed by users			
Additional informatio	n						

Г