

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html
Additional information	The latest version of this document can be found at	
	http://www.lenovo.com/social_responsibility/us/en/datasheets_/	notebooks.html

	ased on product specification or test results based obtained from sample testing), that the product ts given in this declaration.
Type of product *	Server
Commercial name *	System x3250 M6
Model number *	3633,3943
Issue date *	2018/3/15
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number * System x3250 M6 MT: 3633,3943

2018/3/15

Issue date *

Logo

lenovo

Product	environmental attributes - Legal requirements	Require	ement	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	\square		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS) Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference).			
P1.10*	Comment: Max limit in legal reference when tested according to EN1811:1998. REACH Article 33 information about substances in articles is available at (add URL or mail contact):			
Da	http://www.lenovo.com/social_responsibility/us/en/materials.html Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains			
Γ Ζ. Ι	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on th design of the product). Exception: Batteries that are permanently installed for safety, performance, medic or data integrity reasons do not have to be "easily removable". (See legal reference)	e 🖂		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\square		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complie with legally required standards for radio and telecommunication devices (see legal reference).	s 🔀		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.	id 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🛛		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	System x3250 M6				
		MT: 3633,3943				
Issue da	ite *	2018/3/15	Logo	leno	vo	
Produc	t environ	mental attributes - Market requirements - Environmental conscious of	lesian	Require	ment	met
Item		atory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P6		ent information				
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).				
P7	Design	mbly, recycling				
P7.1*		at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				H
P7.3*		arts >100g consist of one material or of easily separable materials.				H
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.			H	⊢⊢
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools		+	⊢⊢
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).			⊢⊢	╶┤┤
		lifetime				
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir	ng can be done using commonly available tools			Ē	Ē
P7.9.	Spare pa	arts are available after end of production for: years				Ē
P7.10		is available after end of production for: years				Ē
		and substance requirements				
P7.11*	Product	cover/housing material type:				
55.40		type: Steel Material type: PC+ABS Materia	l type:			
P7.12		Il cable insulation materials of power cables are PVC free.				<u> </u>
P7.13		I cable insulation materials of signal cables are PVC free				<u> </u>
P7.14		/housing plastic parts >25g are free from chlorine and bromine.				<u> </u>
P7.15	Note B2		1249-2-21. (S			
P7.16	Marking:	etarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17		al specifications of flame retardants in printed circuit boards >25g (without compone (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	nts):			
	ISO 104	al specifications of flame retardants in printed circuit boards (without components) > 3-4: Brominated Epoxy Resin See P14	25g according	J 🗌		
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%:	/preparations	in 🗌		
	1. Chem 2. Chem 3. Chem Alt. 2	ent: No legal limits exist, this is a market requirement. ical name: , CAS #: al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	Plastic p	arts >25g are free from flame retardant substances/ preparations above 0.1% class 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	sified as R45,			
P7.20		plastic parts' weight >25g, recycled material content is 0% .				
P7.20		plastic parts' weight >25g, biobased material content is 0% .				
P7.22	Light sou	urces are free from mercury		\boxtimes		
		ry is used specify: Number of lamps: and max. mercury content per lamp:	mg	<u> </u>		
P8.1*	Batterie					
	-	chemical composition: lithium, Manganese dioxide				<u> </u>
P8.2	Datteries	s meet the requirements of the following voluntary program/s:				

Annex B of ECMA-370 4th edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	-	em x3250 633,3943		6									
Issue date *	2018/3/15								Logo		leno	VO.	
Product environ	mental att	ributes - Mark	et re	equire	ments (continu	ed)				Require	ment	met
Item											Yes	No	n.a.
P9 Energy	consumpti	on											
9.1 For the	product the	following power	levels	s or ene	ergy cons	umptions	s are re	ported: See P14					
Energy mode *		Power level 100 V AC	at		level at V AC		evel at V AC	Reference / Sta method *	andard for e	energy r	modes an	d test	
Maximum Conf	iguratior	<u>1</u>						•					
Off		11.28 W		11.28 V	N	11.28 V	V						

Off		11.28 W	11.28 W	11.28 W	[
ldle		106.29 W	106.60 W	106.04 W	[
Full load	1	271.45 W	272.74 W	265.99 W	[
Minimu	In Configuration	on				
off		10.93 W	10.93 W	10.94 W	[
ldle		46.27 W	45.76 W	45.67 W	[
Full load		129.45 W	130.96 W	127.65 W	[
EPS No-l	oad	W	W	W		
(External charger p	power supply / lugged in the wall disconnected from					
PTEC * Typical E	nergy Consumption	W	W	W		\boxtimes
TEC * Typical E	nergy Consumption	kWh/week	kWh/week	kWh/week	[\boxtimes
Etec * Annual Ei	nergy Consumptior	kWh/year n	kWh/year	kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35)$ + $P_{long_{ldle}} \times 0.10 + P_{short_{ldle}} \times 0.30)$	\boxtimes
			NOL Enabled; Ps	leep: Sleep Mode(S3) -	WOL Enabled; Pidle: Idle State - WOL Enabled	
Display re	esolution* :	Megapixels				
Print Spe	ed * :	Images per minute				\boxtimes
Default tir	me to enter energy	save mode: mir	nutes		[
P9.2*	Information about	ut the energy save func	tion is provided	with the product.		
P9.3*	•	ets the energy requirem ® version: Version 2.0			gram/s: Product category:	
P10	Emissions					
P10.1	Noise emission Mode	Declared according Mode description	to ISO 9296	Declared	Declared A-weighted	
1 10.1	mode			A-weighted sound powe	sound pressure level $L_{\rm pAm}$ (dB)	
				level L_{WAd} (
	Idle	* HDD:Idle		* 5.6	40.0	
	Operation Other mode	* HDD: Operating		* 5.93	44.2	Ī
		ding to: 🔀 ISO7779	ECMA-74	I		
		Other	(only if not co		with L _{pAm} measurement distance m)	
P10.2	The product me	ets the acoustic noise r	equirements of	the following volunt	ary program/s:	\mathbf{X}

Model nu	umber *	-	em x3250								
		MT:	3633,3943								
Issue da	te *	2018/3/1	5					Logo	leno	VO.	
Product	environ	mental a	tributes - Mark	et requireme	ents (contin	ied)			Require	ment	met
Item									Yes	No	n.a.
	Chemic	al emissi	ons from printing	products							
P10.3*	Test per	rformed ac	cording to ECMA-	328 (ISO/IEC :	28360) standa	d 🗌, othe	er specify:				\boxtimes
P10.4	Typical	emission r	ate (print phase) is	s (mg/h):	,		· ·				\square
		Dust	Ozone	Styrene	Benzene	Т	VOC				_
P10.5	Chemic	al emissio	n requirements of t	the following v	oluntary progra	m/s	are met for	:			\square
		Dust 🗌	Ozone 🗌	Styrene		Benzene		TVOC 🗌		_	_
	Electro	magnetic	emissions								
P10.6			meets the requirer	ment for low fre	equency electr	omagnetic	fields of the f	ollowing voluntary			\boxtimes
	program										
P11	Consur	nable mat	erials for printing	j products							
P11.1*	A Safety	y Data She	et (SDS) is availat	ble for the ink/	toner preparati	on, even if	not legally re	quired (see P4.3).			\boxtimes
P11.2*	Paper of	containing	post-consumer re	cvcled fibers	can be used.	provided t	hat it meets	the requirements	of 🗌		

P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.
P11.3*	2-sided (duplex) printing/copying is an integrated product function.
P12	Ergonomics for computing products
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.
P13	Packaging and documentation
P13.1*	Product packaging material type(s): carton weight (kg): 2.092 Product packaging material type(s): EPE weight (kg): 0.436 Product packaging material type(s): Arcel weight (kg): 0.272
P13.2*	Product plastic packaging is free from PVC.
P13.3*	Specify media for user and product documentation (tick box):
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%
P14	Additional information (See Note B4)
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - Workstation/Server -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Workstation, mobile workstation, desktop thin client, small-scale server and computer server

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	System x3250 M6	Logo
Model Number	MT: 3633,3943	
Issue Date	2018/3/15	Lenovo
Additional information		

(d)	year of manufacture:	Please refer to name plate of product
(e)	internal/external power supply efficiency: FSA021 Power Efficiency :10% 85.45% 20% 89.82% 50% 92.32% 100% 91.23%	, ,
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic dist supply system, — information and documentation on the instrumentation, set-up and circuits used -Test Voltage : 230V, Frequency: 50Hz -Total harmonic distortion : <2% - Information and documentation on the instrumentation : <i>Please refer to additional information</i> , - Set-up and circuits used for electrical testing: <i>Please refer to additional information</i>	
g)	maximum power (Watts)	265.99
h)	idle state power (Watts)	106.60
i)	sleep mode power (Watts)	N/A
i)	off mode power (Watts)	11.28
l-1)	the measurement methodology used to determine information mentioned in points (e): 80 Plus / Plugload solutions measurement methodology	
-2)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, defined in Point P9.1 in the Product IT Eco Declaration:	off mode power as
	IEC 62623 / IEC EN50564:2011 measurement methodology	

