

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html		
Additional information	The latest version of this document can be found at			
	http://www.lenovo.com/social_responsibility/us/en/datasheets_i	notebooks.html		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	erver			
Commercial name *	System x3550 M5			
Model number *	8869			
Issue date *	2018-03-22			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	System x3550 M5 MT: 8869		
Issue date *	2018-03-22	Logo	lenovo.

	environmental attributes - Legal requirements	Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).			
P1.10*	Comment: Max limit in legal reference when tested according to EN1811:1998. REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	System x3550 M5 MT: 8869		
Issue date *	2018-03-22	Logo	lenovo.

Product		quirer	nent	met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes			
P7	Design				
P7.1*	Disassembly, recycling Parts that have to be treated congretaly are easily congretaly		_		
	Parts that have to be treated separately are easily separable			<u> </u>	
P7.2*	Plastic materials in covers/housing have no surface coating.			_Ц	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Щ	_Ц	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Щ		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes			
P7.9.	Spare parts are available after end of production for: years				
P7.10	Service is available after end of production for: years				
	Material and substance requirements				
P7.11*	Product cover/housing material type:				
	Material type: Steel Material type: PC+ABS Material type:				
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes		
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes		
D7.40	Note B2)		_	_	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:		Ш		
P7.17	Alt. 1				
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):				
	TBBPA (additive) ☐, TBBPA (reactive) ☒, Other; chemical name: , CAS #:				
	Alt. 2				
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according				
	ISO 1043-4: Brominated Epoxy Resin See P14	ш	ш	ш	
P7.18	Alt. 1				
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in				
	concentrations above 0.1%:				
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #:				
	2. Chemical name: , CAS #:				
	3. Chemical name: , CAS #:				
	Alt. 2				
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
D7.40	Distinguis Of the feet from the control of the best of the control	<u> </u>	屵	<u> </u>	
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	Ш	Ш	Ш	
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.				
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.				
P7.22	Light sources are free from mercury	\boxtimes			
Do	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg				
P8.1*	Battery chemical composition: lithium , Manganese dioxide				
P8 2	Batteries meet the requirements of the following voluntary program/s:			-	

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

	System x3550 M5 MT: 8869		
Issue date *	2018-03-22	Logo	lenovo.

	ct environmental attributes - Market requirements (continued) Requirement met					
Item					Yes No	n.a.
P9	Energy consumpti		la ar anaray aana	umptions are re-	norted: Con D44	
9.1		following power leve	1			
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	Ш
Maximu	m Configuration	<u>1</u>				
Off		22.80 W	22.83 W	21.69 W		
Idle		210.5 W	209.3 W	210.8 W		
Full load		620.3 W	619.3 W	620.0 W		
Minimur	n Configuration	1	•	•		
off		19.5 W	18.2 W	17.8 W		
Idle		78.6 W	77.8 W	78.5 W		
Full load		579.3 W	575.2 W	580.1 W		
EPS No-lo	ad	W	W	W		
	oower supply / ugged in the wall					
outlet but o	disconnected from					
the produc	t.)	10/	10/	10/		
PTEC * Typical En	ergy Consumption	W	W	W		
TEC *	oray Consumption	kWh/week	Is Mile (support	Is Mile free als		\boxtimes
i ypicai En	ergy Consumption		kWh/week	kWh/week		
ETEC *		kWh/year			$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35)$	
Annual En	ergy Consumption		kWh/year	kWh/year	+ P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)	
		P _{off} : Off Mode(S5) - V	l VOL Enabled; P _{sleep}	: Sleep Mode(S3)	- WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display res	solution* : Me	gapixels				
Print Spee	d * : Ima	ages per minute				
Default tim	e to enter energy sa	ve mode: min	utes			
P9.2*	Information about the	he energy save funct	tion is provided wi	th the product.		
P9.3*		the energy requirem				
	ENERGY STAR® \ Others specify:	version: Version 2.0	dated December	r 16, 2013 Tier:	Product category:	\square
P10	Emissions					
		Declared according	to ISO 9296			
P10.1		lode description		Declared	Declared A-weighted	
				A-weighted sound power		
				level L_{WAd} (
				,,,,ta	Desktop (only if product is not	
					or Desk side operator attended)	
	Idle *	HDD:Idle		* 6.3		
	Operation *	HDD: Operating		* 6.3		
	Other mode		7			
	Measured accordin	· _	ECMA-74		with 1	
P10.2	The product meets	Other			with L _{pAm} measurement distance m)	
	The product meets the acoustic noise requirements of the following voluntary program/s:					

Model nu	mber *	System x3550 M5				
		MT: 8869		C-0		
Issue dat	e *	2018-03-22 Logo		leno	VO.	
Dradust	an dran	mental attributes. Market requirements (continued)) o autiro	m o m t	
Item	environi	mental attributes - Market requirements (continued)	·	Require Yes	No.	n.a.
ItCIII	Chemic	al emissions from printing products		103	140	π.α.
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\square
P10.4	Typical e	emission rate (print phase) is (mg/h):				$\overline{\mathbb{X}}$
	• •	Dust Ozone Styrene Benzene TVOC				
P10.5		al emission requirements of the following voluntary program/s are met for :				\boxtimes
		Dust Ozone Styrene Benzene TVOC				
	Electron	magnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following	voluntary			\boxtimes
D44	program					
P11 P11.1*		nable materials for printing products Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (s	oo D4 2\			
P11.1*	-	· · · · · · · · · · · · · · · · · · ·	•	- -	<u> </u>	
P11.2"	EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requ 1.	irements of			\boxtimes
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.				\boxtimes
P12	Ergono	mics for computing products				
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		\boxtimes		
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes		
P13		ing and documentation				
P13.1*	Product	packaging material type(s): Corrugated weight (kg): 3.3				
	Product	packaging material type(s): <i>HDPE</i> weight (kg): <i>0.15</i> packaging material type(s): <i>Arcel</i> weight (kg): <i>0.62</i>				
P13.2*	Product	plastic packaging is free from PVC.		\square		
P13.3*		media for user and product documentation (tick box):				+
		ic \boxtimes , Paper \boxtimes , Other \square				ш
P13.4*		er user and product documentation, please specify contained percentage of post-consumer	er recycled			
	fiber: 0					
P14		nal information (See Note B4)				
	NOTE: S	Supplier makes no representations, guarantees, assurances or warranties whether expres ion contained in this document. All information provided by supplier in this document is pr	s or implied	, regardir	ng the	
		ge available at the time of completion, and supplier shall have no obligation to update suc				tion
	provided	here is approximate and provided for informational purposes only. See a Lenovo Accoun				
	informat		-			
P9		ergy Star Qualified Notebooks & Tablet Computers for the latest information:				
	nttp://w	ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw	_coae=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- Workstation/Server -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Workstation, mobile workstation, desktop thin client, small-scale server and computer server

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	System x3550 M5	Logo
Model Number	MT: 8869	
Issue Date	2018-03-22	Lenovo
Additional information		

(d)	year of manufacture:	Please refer to name plate of product	
(e)	internal/external power supply efficiency: DPS-1500AB-2		
	Power Efficiency :10% 92.23 % 20% 94.28 % 50% 94.38 % 100% 92.11 % DPS-750AB-28		
	Power Efficiency :10% 89.16% 20% 92.78% 50% 94.38% 100% 92.96%		
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: -Test Voltage: 230V, Frequency: 50Hz -Total harmonic distortion: <2% - Information and documentation on the instrumentation: Please refer to additional information, - Set-up and circuits used for electrical testing: Please refer to additional information		
(g)	maximum power (Watts)	620.0	
(h)	idle state power (Watts)	210.8	
(i)	sleep mode power (Watts)	N/A	
(j)	off mode power (Watts)	21.69	
(I-1)	the measurement methodology used to determine information mentioned in points (e): 80 Plus / Plugload solutions measurement methodology		
(I-2)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:		
	IEC 62623 / IEC EN50564:2011 measurement methodology	,	

Additional information
-Information and documentation on the instrumentation

Instrument I.D.	Instrument Type	Range Used	Make and Model
A8	AC POWER SOURCE	1~280VAC;1~550HZ;1000V A	EC1000S; SN:9136092
B43	Digital Watch	Full range	HS-70W; SN:107Q05R
B45	Power Meter	0~600V;0~20A	WT210;SN:27D941999
B48	Humidity/Temperature Sensor	15~30°C;12~89%RH	Watchport/H;SN:W11492318

- Set-up and circuits used for electrical testing:

