

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_monitors.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Display				
Commercial name *	<b>T2220 Wide</b>				
Model number *	MT: 60B7-HA*1-**				
Issue date *	2013.12.05				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (	Requireme	ent met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	T2220wA MT: 60B7		
Issue date *	2013.12.05	Logo	lenovo

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\square$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			$\boxtimes$
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).  Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			
	aromatic amines. (See legal reference and Note B1)	ш	ш	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\boxtimes$
	pentachlorophenol and derivatives (see legal reference).			
P1.9*	Comment: Legal reference has no maximum concentration values.  Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			$\overline{}$
1 1.5	microgram/cm <sup>2</sup> /week (see legal reference).	$\boxtimes$	ш	Ш
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$		
	http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			$\boxtimes$
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the			$\boxtimes$
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medic			
P3	or data integrity reasons do not have to be "easily removable". (See legal reference)  Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).		$\overline{}$	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\square$	╫	-
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies	<u> </u>	<del>  </del>	
F 3.3	with legally required standards for radio and telecommunication devices (see legal reference).	Ш	Ш	
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these			
P5	requirements is available (see legal reference).  Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	$\overline{\mathbb{X}}$	$\dashv$	$\dashv$
. 0.0	Protocol (see legal reference).		Ш	
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	T2220wA MT: 60B7		
Issue date *	2013.12.05	Logo	lenovo

Product	environmental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		
P7	Design			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	$\square$	+	<u> </u>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		+	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\square$	+	
17.0	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools		∺	∺
P7.9.				$\dashv$
P7.10	Spare parts are available after end of production for: 5 years  Service is available after end of production for: 5 years	_		╫
1 7.10	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: <b>ABS</b> Material type: <b>PC</b> Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		$\boxtimes$	
P7.13	Electrical cable insulation materials of signal cables are PVC free		$\boxtimes$	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)	;		
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>FR(16)</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	ı 🗌		
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:		П	$\boxtimes$
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is <b>75</b> %.	_		
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury			
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg  Batteries mg			
P8.1*	Battery chemical composition:			
P8.2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	T2220wA	MT: 60B7		
Issue date *	2013.12.05		Logo	lenovo.

	duct environmental attributes - Market requirements (continued)  Requirement met						
Item P9	Yes No n.a.						
9.1	Energy consum	ne following power leve	els or energy cons	umntions are re	norted: See P14		
Energy mo		Power level at					
		100 V AC	115 V AC	230 V AC	method *		
Peak (On-	Peak (On-max)         20.8W         20.6 W         20.4 W         Full load						
Categor	<u>y A</u>	<u>.</u>					
Idle State	- WOL Enabled	<b>20.8</b> W	<b>20.6</b> W	<b>20.4</b> W	Use for ENERGY STAR V5 registration (P <sub>idle</sub> )		
Sleep (S3)	- WOL Enabled	0.21W	<b>0.21</b> W	0.22W	Use for ENERGY STAR registration(P <sub>sleep</sub> )		
Sleep (S3)	- WOL Disabled	0.21W	0.21W	0.22 W	Reference		
Off (S5) - 1	WOL Enabled	0.14 W	0.14 W	0.15 W	Use for ENERGY STAR V5 registration(Poff)		
Off (S5) -	WOL Disabled	0.14 W	0.14 W	<b>0.15</b> W	Use for EuP		
Categor	<u>у В</u>	<u>'</u>	•	•			
Idle State	- WOL Enabled	W	W	W	Use for ENERGY STAR V5 registration(Pidle)		
Sleep (S3)	- WOL Enabled	W	W	W	Use for ENERGY STAR V5 registration (P <sub>sleep</sub> )		
Sleep (S3)	- WOL Disabled	W	W	W	Reference		
Off (S5) -	WOL Enabled	W	W	W	Use for ENERGY STAR V5 registration(Poff)		
Off (S5) - 1	WOL Disabled	W	W	W	Use for EuP		
EPS No-lo		W	W	W			
	ower supply /					Ì	
	ligged in the wall						
the produc							
PTEC *		W	W	W			
i ypicai En	ergy Consumption						
TEC *		kWh/week					
Typical En	ergy Consumption		kWh/week	kWh/week		_	
ETEC *		55.58	55.06	54.60	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 +$		
-	ergy Consumption	kWh/year	kWh/year	kWh/year	P <sub>idle</sub> x 0.3)		
		-	,	•			
Display res	solution* : 1920*1		WOL Enabled; P <sub>slee</sub>	<sub>sp</sub> : Sleep Mode(S3)	) - WOL Enabled; P <sub>idle</sub> : Idle State - WOL Enabled	$\overline{}$	
Print Spee							
		mages per minute	_				
		save mode: 15 second		th the man direct		屵	
P9.2*		the energy save func	<u> </u>				
P9.3*		eets the energy requir R® version:					
	Others specify			.o. oa.ogo.y. <b>2.0</b>		H	
P10	Emissions						
P10.1	Mode Mode	<ul> <li>Declared according</li> <li>Mode description</li> </ul>	to ISO 9296	Declared	Declared A-weighted		
1 10.1	Wode	Wode description		A-weighted	sound pressure level $L_{mAm}$ (dB)		
				sound power	EI		
				level $L_{WAd}$ (		Ì	
					Desktop Only if product is not		
	Idle	* HDD:Idle		*	operator attended)		
	Operation	* HDD: Operating		*		$\boxtimes$	
	Other mode	operating					
	Measured accord	ling to: XISO7779	ECMA-74	L	•		
		Other	(only if not cove		with L <sub>pAm</sub> measurement distance m)	<u> </u>	
P10.2	The product mee	ts the acoustic noise re	equirements of the	following volunt	ary program/s:	$\boxtimes$	

wodei nu	mber *	T2220wA	MT: 60B7						
Issue dat	e *	2013.12.05				Logo	leno	10.	
Product	environr	nental attributes	s - Market requirer	nents (continued	I)		Require	ment	met
Item							Yes	No	n.a.
	Chemic	al emissions from	printing products						
P10.3*	Test per	formed according to	o ECMA-328 (ISO/IE	C 28360) standard	, other specify:				$\boxtimes$
P10.4	Typical e	emission rate (print	phase) is (mg/h):						$\boxtimes$
		Dust Ozor		Benzene	TVOC				
P10.5	[	Oust Oz	ments of the following zone Styre		are met for :	TVOC			
		magnetic emissior							
P10.6	program	/s: CE		frequency electroma	agnetic fields of the fol	lowing voluntary			
P11			r printing products						
P11.1*		, ,			even if not legally req	,			$\boxtimes$
P11.2*	Paper c EN1228		sumer recycled fiber	s can be used, pro	ovided that it meets t	he requirements	of		
P11.3*	2-sided	(duplex) printing/co	pying is an integrated	product function.					$\boxtimes$
P12		mics for computin							
P12.1*	The disp	lay meets the ergo	nomic requirements of	of ISO 9241-307 for	visual display technolo	ogies.			
P12.2*	The phys	sical input device m	neets the requirement	s of ISO 9995 and I	SO 9241-410.				$\boxtimes$
P13	Packagi	ing and document	ation						
P13.1*	Product Product	packaging material packaging material packaging material packaging material	type(s): Paper	weight (kg): 0.200 weight (kg): 0.020 weight (kg): 0.013 weight (kg): 0.720	3 3				
P13.2*	Product	plastic packaging is	s free from PVC.				$\boxtimes$		
P13.3*		media for user and ic $\boxtimes$ , Paper $\boxtimes$ , $\bigcirc$	product documentation	on (tick box):					
P13.4*		er user and product		se specify contained	I percentage of post-c	onsumer recycled	t		
P14	Addition	nal information (Se	ee Note B4)						
	informati knowled provided informati	ion contained in this ge available at the I here is approxima ion.	s document. All inforn time of completion, a te and provided for in	nation provided by s nd supplier shall hav formational purpose	or warranties whether upplier in this docume re no obligation to upd is only. See a Lenovo	nt is provided bas ate such informa	sed on supp tion. The inf	olier's format	tion
P9					e latest information:	n&naw_code=C	0		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19