

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkCentre	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

	based on product specification or test results based obtained from sample testing), that the product ts given in this declaration.			
Type of product *	Personal Computer			
Commercial name *	ThinkCentre A70			
Model number *	Tower: 7099, 7846, 0864, 7844, 5023 SFF: 0889, 1746, 7844			
Issue date *	2010-June-14			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met	
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\square		

ThinkCentre A70 MTs: Tower: 7099, 7846, 0864, 7844, 5023, Model number SFF: 0889, 1746, 7844 2010-June-14

Issue date

Logo

lenovo

				met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html	\boxtimes		
P2	Batteries	-		
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	\boxtimes		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\times		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\square		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Issue date *		SFF: 0889, 1746, 7844 2010-June-14 Logo			lenovo			
Produc	tenvironme	ntal attributes - Market requirements - Environmental conscious des	ian	Require	ment	met		
Item		y to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.		
P6	Treatment i	nformation						
P6.1*	Information	for recyclers/treatment facilities is available (see legal reference).		\boxtimes				
P7	Design							
P7.1*		ly, recycling						
P7.1		ave to be treated separately are easily separable erials in covers/housing have no surface coating.						
P7.2 P7.3*		5						
	•	s >100g consist of one material or of easily separable materials.			ᆜ	<u> </u>		
P7.4*	-	s>25g have material codes according to ISO 11469 referring ISO 1043.			<u> </u>	<u> </u>		
P7.5	-	are free from metal inlays or have inlays that can be removed with commonly avai	llable tools.					
P7.6*		easily separable. (This requirement does not apply to safety/regulatory labels).						
D7 7*	Product life							
P7.7*		an be done e.g. with processor, memory, cards or drives			<u> </u>			
P7.8*		an be done using commonly available tools		$\mathbf{\boxtimes}$		<u> </u>		
P7.9.		are available after end of production for: 5 years		_		ᆜ		
P7.10		vailable after end of production for: 5 years						
D7 44*		d substance requirements						
P7.11*		er/housing material type: rial type: ABS, PC Material type: PC+ABS Material ty	ne: Steel					
P7.12		ble insulation materials of power cables are PVC free.	/pe. Stee/		\square			
P7.13		ble insulation materials of signal cables are PVC free				⊢⊢		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.				⊢⊢			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See							
P7.16	Note B2) Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:				\boxtimes			
P7.17	Alt. 1 Chemical sp TB Alt. 2	becifications of flame retardants in printed circuit boards >25g (without components BPA (additive), TBBPA (reactive) ⊠, Other; chemical name: , CAS #:						
P7.18		Brominated Epoxy Resin See P14	,					
	concentratic Comment: N Provide a lis complete ch 1. Chemical 2. Chemical	name: , CAS #: , Supplier:						
	3. Chemical Alt. 2 Chemical sp	name: , CAS #: , Supplier: pecifications of flame retardants in plastic parts >25g according ISO 1043-4:						
P7.19		s>25g are free from flame retardant substances/ preparations above 0.1% classifie 848, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	ed as R45,					
P7.20		tic parts' weight >25g, recycled material content is 0%.						
P7.21		tic parts' weight >25g, biobased material content is 0%.						
P7.22		es are free from mercury s used specify: Number of lamps: and max. mercury content per lamp: r	ma			\boxtimes		
P8	Batteries	and max. mercury content per lamp.	mg					
P8.1*		nical composition: Lithium Manganese Dioxide						
P8.2		eet the requirements of the following voluntary program/s:						

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number * ThinkCentre A70 MTs: Tower: 7099, 7846, 0864, 7844, 5023, SFF: 0889, 1746, 7844 Issue date * 2010-June-14 Logo

Product environmental attributes - Market requirements (continued)					Requirement	met	
Item						n.a.	
P9							
9.1 For the product the following power levels or energy consumptions are reported:							
Energy mode		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *		
Peak (On- max)		87.4 W	88.3 W	90.9 W	Full load		
Idle State)	49.7 W	50.9 W	48.3 W	Idle State		
Sleep(S3)	- WOL Enable	1.97 W	2.15 W	2.06 W	Sleep Mode		
Off(S4/S5)) - WOL Enable	0.92 W	1.0 W	1.13 W	Off Mode		
		W	W	W			
		W	W	W			
EPS No-lo	ad	W	W	W			
charger plu	oower supply / ugged in the wall disconnected from t.)						
PTEC		W	W	W	(Workstation Levels)		
Typical En	ergy Consumption				$P_{TEC} = 0.35 * P_{off} + 0.10 * P_{sleep} + 0.55 * P_{idle}$		
TEC Typical En	ergy Consumption	kWh/week	kWh/week	kWh/week			
ETEC *		kWh/year	kWh/year	kWh/year	(Desktop, Integrated Desktop, and Notebook Levels)		
Annual En	ergy Consumption				$E_{TEC} = (8760/1000) * (P_{off} * T_{off} + P_{sleep} * T_{sleep} + P_{idle} * T_{idle})$		
Display res	solution : M	legapixels					
Print Spee	d : In	nages per minute					
Default tim	e to enter energy sa	ave mode: 10 minute	S				
P9.2*	Information about	the energy save fund	tion is provided with	the product.			
P9.3*	The product meets ENERGY STAR® Others specify:	s the energy requiren version: Produc	nents of the following t category:	g voluntary program	/s:		
P10	Emissions						
		- Declared according	to ISO 9296				
P10.1	Mode	Mode description		Declared A-weighted	Declared A-weighted sound pressure level L_{pAm} (dB)	P1 0.1	
				sound power		-	
				level L_{WAd} (B)	Operator position		
					Desktop 🔀 or Desk side 🗌		
	Idle	* HDD: Idle		* 3.1 - SFF	25 – SFF	-	
	1010	TIDD. Tale		3.1 - Tower	27 - Tower		
	Operation	* HDD: Operating		* 3.1 – SFF 3.3 - Tower	25 – SFF 27 - Tower		
	Other mode]	
	Measured accordi	ng to: 🔀 ISO7779 [ECMA-74				
		Other			h L _{pAm} measurement distance m)		
P10.2	The product meets	s the acoustic noise r	equirements of the f	ollowing voluntary p	orogram/s:		

	ThinkCentre A70 MTs: Tower: 7099, 78 SFF: 0889, 1746, 7844	846, 0864, 1	7844, 5023,
Issue date *	2010-June-14	Logo	lenovo

Product	environmental attributes - Market requirements (continued)	Require	ment	met
ltem				n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard 🔲, other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\times
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary			\boxtimes
	program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\square
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			\square
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated paper weight (kg): 1.26			
	Product packaging material type(s): PE weight (kg): 0.01			
D (a at	Product packaging material type(s): EPS weight (kg): 0.51			
P13.2*	Product plastic packaging is free from PVC.	\square		
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic 🔀, Paper 🔀, Other 🗌			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled			
D4.4	fiber: 0%(Japan only 70%)			
P14	Additional information (See Note B4)	l no no nelle		
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied information contained in this document. All information provided by supplier in this document is provided based	i, regaruli	lig the	
	knowledge available at the time of completion, and supplier shall have no obligation to update such information			on
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representa			
	information.			
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.			
P9	See Energy Star Qualified Computers for the latest information:			
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&pgw_code=CO			

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19