

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

| Brand *                | ThinkCentre   | Logo   |
|------------------------|---|--------|
| Company name *         | Lenovo  |        |
| Contact information *  | Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter @lenovo.com | lenovo |
| Internet site *        | http://www.lenovo.com/social_responsibility/us/en/environment   | .html  |
| Additional information |   |        |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. |  |  |  |  |
|--|--|--|--|--|
| Type of product *  | Personal Computer  |  |  |  |
| Commercial name *  | ThinkCentre M70e SFF   |  |  |  |
| Model number *   | MT: 0804, 0809, 0811, 0822, 0825, 0828, 0830, 0833, 0837, 0843, 0845, 0847, 0849 |  |  |  |
| Issue date *   |  |  |  |  |
| Intended market *  | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other                     |  |  |  |
| Additional information   | ENERGY STAR® 5.0 Qualified; EPEAT Gold Rating, GREENGUARD Certification          |  |  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| Quality ( | Quality Control  |      |    |
|-----------|--|------|----|
| Item      |  | Yes  | No |
| QC1 *     | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration  |      |    |
| QC2 *     | The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org). | ol 🔀 |    |

| Model number * | ThinkCentre M70e SFF: MT: 0804, 0809, 081 | 1, 082 | 22, 0825, 0828, |
|----------------|---|--------|-----------------|
|                | 0830, 0833, 0837, 0843, 0845, 0847, 0849  |        |                 |
| Issue date *   | 2010.6.22                                 | Logo   | lenovo          |

| Product |   |             |    | met         |
|---------|---|-------------|----|-------------|
| Item    |   | Yes         | No | n.a.        |
| P1      | Hazardous substances and preparations   |             |    |             |
| P1.1*   | Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)   |             |    |             |
| P1.2*   | Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.   |             |    |             |
| P1.3*   | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.   |             |    |             |
| P1.4*   | Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).   |             |    |             |
| P1.5*   | Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  | $\boxtimes$ |    |             |
| P1.6*   | Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.  |             |    |             |
| P1.7*   | Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)  |             |    |             |
| P1.8*   | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.  |             |    |             |
| P1.9*   | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.   |             |    |             |
| P1.10*  | REACH Article 33 information about substances in articles is available at (add URL or mail contact):<br>http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment  |             |    |             |
| P2      | Batteries   |             |    |             |
| P2.1*   | If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) |             |    |             |
| P2.2*   | Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  |             |    |             |
| P2.3*   | Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)  |             |    |             |
| P3      | Safety, EMC connection to the telephone network and labeling  |             |    |             |
| P3.1*   | The product complies with legally required safety standards as specified (see legal reference).   | $\boxtimes$ |    |             |
| P3.2*   | The product complies with legally required standards for electromagnetic compatibility (see legal reference).   | X           |    |             |
| P3.3*   | If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).   |             |    |             |
| P3.4*   | The product is labeled to show conformance with applicable legal requirements (see legal reference).  | $\boxtimes$ |    |             |
| P4      | Consumable materials  |             |    |             |
| P4.1*   | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).   |             |    |             |
| P4.2*   | If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  |             |    | $\boxtimes$ |
| P4.3*   | If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  |             |    |             |
| P5      | Product packaging   |             |    |             |
| P5.1*   | Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.   |             |    |             |
| P5.2*   | Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).   |             |    |             |
| P5.3*   | The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.  |             |    |             |

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

| Model number * | ThinkCentre M70e SFF: MT: 0804, 0809, 081 | 1, 0822 | 2, 0825, 0828, |
|----------------|---|---------|----------------|
|                | 0830, 0833, 0837, 0843, 0845, 0847, 0849  |         |                |
| Issue date *   | 2010.6.22                                 | Logo    | lenovo         |

| Produc        | ct environmental attributes - Market requirements - Environmental conscious design   | Require | ment                   | met      |
|---------------|--|---------|------------------------|----------|
| Item          | *=mandatory to fill in. Additional information regarding each item may be found under P14.   | Yes     | No                     | n.a.     |
| P6            | Treatment information  |         |                        |          |
| P6.1*         | Information for recyclers/treatment facilities is available (see legal reference).   |         | <u> </u>               | Щ        |
| P7            | Design Disassembly, recycling  |         |                        |          |
| P7.1*         | Parts that have to be treated separately are easily separable  |         | $\Box$                 | П        |
| P7.2*         | Plastic materials in covers/housing have no surface coating.   |         | $\overline{\boxtimes}$ | Ħ        |
| P7.3*         | Plastic parts >100g consist of one material or of easily separable materials.  | X       |                        | Ħ        |
| P7.4*         | Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.  | X       | Ħ                      | Ħ        |
| P7.5          | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.   | X       | $\forall$              | Ħ        |
| P7.6*         | Labels are easily separable. (This requirement does not apply to safety/regulatory labels).  |         | $\forall$              | Ħ        |
|               | Product lifetime   |         |                        |          |
| P7.7*         | Upgrading can be done e.g. with processor, memory, cards or drives   |         | $\Box$                 | П        |
| P7.8*         | Upgrading can be done using commonly available tools   |         | 一百                     | 一百       |
| P7.9.         | Spare parts are available after end of production for: 5 years   |         |                        | Ħ        |
| P7.10         | Service is available after end of production for: 5 years  |         |                        | Ħ        |
|               | Material and substance requirements  |         |                        |          |
| P7.11*        | Product cover/housing material type:   |         |                        |          |
| <b>D</b> = 10 | Material type: ABS Material type: PC/ABS Material type: Steel  |         |                        |          |
| P7.12         | Electrical cable insulation materials of power cables are PVC free.  |         |                        |          |
| P7.13         | Electrical cable insulation materials of signal cables are PVC free  |         |                        | <u>Ц</u> |
| P7.14         | All cover/housing plastic parts >25g are free from chlorine and bromine.   |         | <u>Ц</u>               | <u>Ш</u> |
| P7.15         | All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)  |         |                        |          |
| P7.16         | Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:<br>Marking:  |         |                        |          |
| P7.17         | Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:   |         |                        |          |
|               | Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <b>Brominated Epoxy Resin See P14</b>   |         |                        |          |
| P7.18         | Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:   |         |                        |          |
|               | Comment: No legal limits exist, this is a market requirement.  Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier.  1. Chemical name: , CAS #: , Supplier:  2. Chemical name: , CAS #: , Supplier: |         |                        |          |
|               | 3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:  |         |                        |          |
| P7.19         | Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)  |         |                        |          |
| P7.20         | Of total plastic parts' weight >25g, recycled material content is 37%  |         |                        |          |
| P7.21         | Of total plastic parts' weight >25g, biobased material content is 0%.  |         |                        |          |
| P7.22         | Light sources are free from mercury  |         |                        |          |
| P8            | Batteries  Pattery chamical composition:   |         |                        |          |
| P8.1*         | Battery chemical composition:  |         |                        |          |
| P8.2          | Batteries meet the requirements of the following voluntary program/s:  |         |                        | XI       |

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

| Model number * | ThinkCentre M70e SFF: MT: 0804, 0809, 081 | 11, 082 | 22, 0825, 0828, |
|----------------|---|---------|-----------------|
|                | 0830, 0833, 0837, 0843, 0845, 0847, 0849  |         |                 |
| Issue date *   | 2010.6.22                                 | Logo    | lenovo          |

| Product environmental at  | tributes - Market  | requirements (co   | ontinued)  | Requirement  | met         |  |  |  |
|---|--|--|--|--|-------------|--|--|--|
| Item  |  |  |  | Yes No   | n.a.        |  |  |  |
| P9 Energy consumption   |  |  |  |  |             |  |  |  |
|   | following power level<br>ped w/ WOL Enable   |  | nptions are reported   | d: See P14   |             |  |  |  |
| Energy mode *   | Power level at 100 V AC  | Power level at 115 V AC  | Power level at 230 V AC  | Reference / Standard for energy modes and test method *  |             |  |  |  |
| Category D  |  |  |  |  |             |  |  |  |
| Idle State - WOL Enabled  | 71.3 W   | <b>70.72</b> W   | <b>71.07</b> W   | Use for Energy Star V5 registration(P <sub>idle</sub> )  |             |  |  |  |
| Sleep (S3) - WOL Enabled  | 1.71 W   | 1.71 W   | 1.88 W   | Use for Energy Star V5 registration(P <sub>sleep</sub> )   |             |  |  |  |
| Off (S5) - WOL Enabled  | 1.58 W   | 1.59 W   | 1.74 W   | Use for Energy Star V5 registration(Poff)  |             |  |  |  |
| Peak (On-max)   | 142.9 W  | <b>142.7</b> W   | 147.3 W  | Full load  |             |  |  |  |
| Category C  |  |  |  |  |             |  |  |  |
| Idle State - WOL Enabled  | <b>62.41</b> W   | 61.97 W  | <b>62.02</b> W   | Use for Energy Star V5 registration(P <sub>idle</sub> )  |             |  |  |  |
| Sleep (S3) - WOL Enabled  | 1.55 W   | 1.56 W   | 1.72 W   | Use for Energy Star V5 registration(P <sub>sleep</sub> )   |             |  |  |  |
| Off (S5) - WOL Enabled  | 1.58W  | 1.58 W   | 1.75 W   | Use for Energy Star V5 registration(Poff)  |             |  |  |  |
| Peak (On-max)   | 138.3 W  | 137.9 W  | 140.8 W  | Full load  |             |  |  |  |
| Category B  |  |  |  |  |             |  |  |  |
| Idle State - WOL Enabled  | <b>62.70</b> W   | <b>62.62</b> W   | <b>64.09</b> W   | Use for Energy Star V5 registration(P <sub>idle</sub> )  |             |  |  |  |
| Sleep (S3) - WOL Enabled  | 1.71 W   | 1.70 W   | 1.89 W   | Use for Energy Star V5 registration(P <sub>sleep</sub> )   |             |  |  |  |
| Off (S5) - WOL Enabled  | 1.61 W   | 1.61 W   | 1.78 W   | Use for Energy Star V5 registration(Poff)  |             |  |  |  |
| Peak (On-max)   | <b>94.5</b> W  | 92.3 W   | <b>94.7</b> W  | Full load  |             |  |  |  |
| Category A  |  |  |  |  |             |  |  |  |
| Idle State - WOL Enabled  | 44.21 W  | <b>43.7</b> W  | <b>46.75</b> W   | Use for Energy Star V5 registration(P <sub>idle</sub> )  |             |  |  |  |
| Sleep (S3) - WOL Enabled  | 1.54 W   | 1.59 W   | 1.70 W   | Use for Energy Star V5 registration(P <sub>sleep</sub> )   |             |  |  |  |
| Off (S5) - WOL Enabled  | 1.58 W   | 1.58W  | 1.74 W   | Use for Energy Star V5 registration(Poff)  |             |  |  |  |
| Peak (On-max)   | <b>72.0</b> W  | <b>71.4</b> W  | <b>73.1</b> W  | Full load  |             |  |  |  |
|   |  |  |  |  |             |  |  |  |
| EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from | W  | W  | W  |  |             |  |  |  |
| TEC Typical Energy Consumption  | kWh/week   | kWh/week   | kWh/week   |  | $\boxtimes$ |  |  |  |
| ETEC * Annual Energy Consumption  | Cat D: 254.5;<br>Cat C: 226.5;<br>Cat B: 227.9;<br>Cat A: 163.1;<br>kWh/year<br>Poff: Off Mode(S5) - 1 | Cat D: 254.4;<br>Cat C: 225.5;<br>Cat B: 227.7;<br>Cat A: 161.4;<br>kWh/year | Cat D: 258.1;<br>Cat C: 230.3;<br>Cat B: 233.6;<br>Cat A: 172.8<br>kWh/year<br>Sleep Mode(S3) - WO | $E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$ $L Enabled; P_{idle}: Idle State - WOL Enabled$ |             |  |  |  |
| Display resolution : Me   | ı<br>egapixels   |  |  |  |             |  |  |  |
| Print Speed :   | Images per minut   | e  |  |  |             |  |  |  |
| Default time to enter energy sa   | ve mode: 25 minute:  | S  |  |  |             |  |  |  |
| P9.2* Information about t   | he energy save func  | tion is provided with  | the product.   |  |             |  |  |  |
| P9.3* The product meets ENERGY STAR® Others specify:  | s:   |  |  |  |             |  |  |  |

| Model number * | ThinkCentre M70e SFF: MT: 0804, 0809, 081 0830, 0833, 0837, 0843, 0845, 0847, 0849 | 1, 082 | 22, 0825, 0828, |
|----------------|--|--------|-----------------|
| Issue date *   | 2010.6.22  | Logo   | lenovo          |

| P10         | Emissions   |  |                                       |                                      |                          |                   |               |
|-------------|---|--|---------------------------------------|--------------------------------------|--------------------------|-------------------|---------------|
|             | Noise emission  | - Declared according to ISO 9296   |                                       |                                      |                          |                   |               |
| P10.1       | Mode  | Mode description   | Declared                              | Declared A-                          | 0                        |                   |               |
|             |   |  | A-weighted                            | sound pressure le                    | vel $L_{p{\sf Am}}$ (dB) |                   |               |
|             |   |  | sound power                           | Operator position                    | Bystander posi           | tions             |               |
|             |   |  | level $L_{WAd}$ (B)                   |                                      | 2) otaao. poo.           |                   |               |
|             |   |  |                                       | Desktop 🔀                            | (only if product is      | s not             |               |
|             |   |  |                                       | or Desk side                         | operator atten           | ded)              |               |
|             | Idle  | * HDD: Idle  | * 3.5                                 | 27                                   |                          |                   |               |
|             | Operation   | * HDD: Operating   | * 4.2                                 | 30                                   | <u> </u>                 |                   |               |
|             | Other mode  |  |                                       |                                      |                          |                   |               |
|             | Measured accord   | ding to: 🔀 ISO7779 🔲 ECMA-74   |                                       |                                      |                          |                   |               |
|             |   | Other (only if not covere  | ed by ECMA-74 wi                      | th L <sub>pAm</sub> measurement dist | tance m)                 |                   |               |
| P10.2       | The product mee   | ts the acoustic noise requirements of the fo   | ollowing voluntary                    | program/s:                           |                          |                   | $\boxtimes$   |
|             |   |  |                                       |                                      |                          |                   |               |
|             | environmental a   | attributes - Market requirements (co   | ntinued)                              |                                      | Requirer                 |                   |               |
| Item        |   |  |                                       |                                      | Yes                      | No                | n.a.          |
| D40.0*      |   | ions from printing products  |                                       |                                      |                          | _                 |               |
| P10.3*      |   | according to ECMA-328 (ISO/IEC 28360) st   | andard, other                         | specify:                             |                          |                   | <u> </u>      |
| P10.4       |   | rate (print phase) is (mg/h):  |                                       |                                      |                          |                   | $\boxtimes$   |
| D40 F       | Dust Chaminal aminai  |  | zene TV0                              |                                      |                          |                   |               |
| P10.5       | Dust  | on requirements of the following voluntary p   | orogram/s<br>Benzene                  | are met for :                        |                          | Ш                 | $\boxtimes$   |
|             | Electromagnetic   | Ozone Styrene Styrene  | Benzene L                             | 1700                                 |                          |                   |               |
| P10.6       |   | y meets the requirement for low frequency of   | electromagnetic fie                   | elds of the following volun          | itary 🔀                  | $\overline{}$     | $\overline{}$ |
|             | program/s:  | ,  | 5100tt 0111dg.10tt0 11t               | nad or the remember of resum.        | ,                        | ш                 | ш             |
| P11         |   | aterials for printing products   |                                       |                                      |                          |                   |               |
| P11.1*      | A Safety Data Sh  | neet (SDS) is available for the ink/toner prep   | paration, even if n                   | ot legally required (see Pa          | 1.3).                    |                   | $\boxtimes$   |
| P11.2*      | EN12281.  | g post-consumer recycled fibers can be u   |                                       | at it meets the requirem             | ents of                  |                   |               |
| P11.3*      | 2-sided (duplex)  | printing/copying is an integrated product fur  | nction.                               |                                      |                          |                   | $\boxtimes$   |
| P12         |   | computing products   |                                       |                                      |                          |                   |               |
| P12.1*      | The display mee   | ts the ergonomic requirements of ISO 9241  | -307 for visual dis                   | play technologies.                   | $\square$                |                   |               |
| P12.2*      | The physical inpu   | ut device meets the requirements of ISO 99   | 95 and ISO 9241-                      | 410.                                 | $\boxtimes$              |                   |               |
| P13         | Packaging and   |  |                                       |                                      |                          |                   | _             |
| P13.1*      |   | ng material type(s): Corrugated paper we   | 0 ( 0,                                |                                      |                          |                   |               |
|             |   | · · · · · ·  | ight (kg): <b>0.287</b><br>ight (kg): |                                      |                          |                   |               |
| P13.2*      |   | ackaging is free from PVC.   | igit (kg).                            |                                      | $\square$                | $\overline{\Box}$ |               |
| P13.3*      | •   | r user and product documentation (tick box)  | ):                                    |                                      |                          |                   | Ħ             |
|             | Electronic N, Paper N, Other  |  |                                       |                                      |                          |                   | ш             |
| P13.4*      | For paper user and product documentation, please specify contained percentage of post-consumer recycled   |  |                                       |                                      |                          |                   |               |
|             | fiber: 0% (Japan only 70%)  |  |                                       |                                      |                          |                   |               |
| P14         | Additional information (See Note B4)  NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the |  |                                       |                                      |                          |                   |               |
|             |   | inakes no representations, guarantees, as an aimed in this document. All information provi |                                       |                                      |                          |                   |               |
|             |   | able at the time of completion, and supplier   |                                       |                                      |                          |                   | on            |
|             | provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more                                       |  |                                       |                                      |                          |                   |               |
| D7 47       | information.  |  |                                       |                                      |                          |                   |               |
| P7.17<br>P9 | Product does not contain free TBBPA in printed circuit boards(without components)>25g.  See Energy Star Qualified Computers for the latest information:       |  |                                       |                                      |                          |                   |               |
|             | http://www.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&pgw_code=CO  |  |                                       |                                      |                          |                   |               |

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

| Reference  | Declaration item             |
|--|------------------------------|
| 2002/95/EC (ROHS Directive)  | P1.1, P4.1                   |
| REACH, Annex XVII  | P1.6, P1.8, P4.2             |
| REACH, Annex XVII  | P1.4                         |
| REACH, Annex XVII  | P1.2                         |
| REACH, Annex XVII  | P1.7                         |
| REACH, Annex XVII  | P1.9                         |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000  | P1.3                         |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5                         |
| 2006/66/EC (Battery and accumulators Directive)  | P2.1, P2.2, P2,3, P3.4, P8.1 |
| 2006/95/EC (Low Voltage Directive)   | P3.1, 3.4                    |
| 2004/108/EEC (New EMC Directive)   | P3.2, 3.4                    |
| 1999/5/EC (R&TTE Directive)  | P3.3, 3.4                    |
| "REACH" Regulation (1907/2006), annex VII  | P1.10                        |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)                       | P4.3                         |
| REACH article 31, annex II   | P4.3                         |
| 2004/12/EC (Directive on packaging and packaging waste)  | P5.1                         |
| (97/129/EC) (Commission Decision on Identification<br>System for Packaging Materials               | P5.2                         |
| 2037/2000/EC Regulation on Substances that Deplete the Ozone Layer                                 | P5.3                         |
| 2002/96/EC (WEEE directive)  | P3.4, P6.1                   |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)                       | P7.19                        |