

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkCentre	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Personal Computer			
Commercial name *	ThinkCentre M70z			
Model number *	7570, 7577, 7578, 7580, 7583, 7584, 7589, 7594, 7595, 7597, 7598			
Issue date *	2010.09.19			
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information	ENERGY STAR® Qualified; EPEAT GOLD Rating; GREENGUARD Certified			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀			

ThinkCentre M70z MTs: 7570, 7577, 7578, 7580, 7583, 7584, Model number **7589, 7594, 7595, 7597, 7598** 2010.09.19

Issue date

Logo

lenovo

Product	Product environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromiur 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	\boxtimes		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			\boxtimes
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			\square
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\boxtimes		
	microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in upper manual. (See logal reference)			
P2.2*	provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	\square		
P2.3*	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the	\boxtimes		
1 2.0	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference)		Ħ	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	k 🖂		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	I 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	ThinkCentre M70z MTs: 7570, 7577, 7578, 7580, 7583, 7589, 7589, 7594, 7595, 7597, 7598	3, 758	4,	
Issue da	ite *	2010.09.19 Logo	lend	vo)
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6		nt information			
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design				
		mbly, recycling			
P7.1*	Parts that	t have to be treated separately are easily separable	\square		
P7.2*	Plastic m	aterials in covers/housing have no surface coating.		\times	
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.			\Box
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.			Ħ
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).		H	H
	Product				
P7.7*		ig can be done e.g. with processor, memory, cards or drives			
P7.8*		ig can be done using commonly available tools		⊢⊢	⊢⊢
P7.9.					⊢⊢
P7.10	<u> </u>	arts are available after end of production for: 5 years			⊢⊢
F7.10		s available after end of production for: 5 years			
P7.11*		and substance requirements cover/housing material type:			
F7.11		type: Steel Material type: ABS, PC/ABS Material type:			
P7.12		I cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13		I cable insulation materials of signal cables are PVC free	<u> </u>		╞
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			╞
					╘
P7.15	Note B2)				
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\boxtimes		
P7.17		l specifications of flame retardants in printed circuit boards >25g (without components): additive), TBBPA (reactive) ⊠, Other; chemical name: , CAS #:			
	ISO 1043	l specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/preparations ations above 0.1%:	in 🗌		
	Provide complete 1. Chem	 it: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must conta e chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier: 	in		
	3. Chemi Alt. 2	ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier: I specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	R40, R46	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 5, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	\square		
P7.20		plastic parts' weight >25g, recycled material content is 46.8%.			
P7.21		plastic parts' weight >25g, biobased material content is 0%.		<u> </u>	
P7.22	Light sou	Irces are free from mercury			
P8	Batterie				
P8.1*		hemical composition: Lithium Manganese Dioxide			
P8.2	Batteries	meet the requirements of the following voluntary program/s:			\boxtimes

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number * ThinkCentre M70z MTs: 7570, 7577, 7578, 7580, 7583, 7584, 7589, 7594, 7595, 7597, 7598 Issue date * 2010.09.19 Logo

Product	environmental a	attributes - Market	requirements (c	ontinued)	Requirement	met
Item					Yes No	n.a.
P9	Energy consum					
9.1		ne following power lev ipped w/ WOL Enable		mptions are reporte		
Energy m	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On	n-max)	82.1 W	82.7 W	83.6 W	Full load	
Catego	ry A					
Idle State	e - WOL Enabled	27.5 W	27.8 W	28.6 W	Use for Energy Star V5 registration(P _{idle})	
Sleep (S3	3) - WOL Enabled	1.66 W	1.74 W	1.87 W	Use for Energy Star V5 registration(P _{sleep})	
Sleep (S3	3) - WOL Disabled	W	W	W	Reference	
Off (S5) -	WOL Enabled	0.78 W	0.80 W	0.98 W	Use for Energy Star V5 registration(Poff)	
Off (S5) -	WOL Disabled	W	W	W	Use for EuP	
Catego	ry B	1				
Idle State	e - WOL Enabled	28.3 W	28.8 W	30.6 W	Use for Energy Star V5 registration(P _{idle})	
Sleep (S3	3) - WOL Enabled	1.85 W	1.86 W	1.96 W	Use for Energy Star V5 registration(P _{sleep})	
Sleep (S3	3) - WOL Disabled	W	W	W	Reference	
Off (S5) -	WOL Enabled	0.80 W	0.88 W	0.99 W	Use for Energy Star V5 registration(Poff)	
Off (S5) -	WOL Disabled	0.27 W	0.28 W	0.45 W	Use for EuP	
EPS No-lo	oad	W	W	W		
(External power supply / charger plugged in the wall outlet but disconnected from the product.)						
TEC Typical Energy Consumption		kWh/week	kWh/week	kWh/week		
ETEC * Annual Er	nergy Consumption	100.85 kWh/year (category A)	102.03 kWh/year	105.76 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	
		103.83 kWh/year (category B)	105.97 kWh/year	112.85 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	
		Poff: Off Mode(S5) -	WOL Enabled; P _{sleep} :	Sleep Mode(S3) - WC	DL Enabled; P _{idle} : Idle State - WOL Enabled	
Display re	esolution : 1440x	900 Megapixels				
Print Spee	ed :	Images per minu	te			\times
Default tin	ne to enter energy s	ave mode: 25 minute	S			
P9.2*		t the energy save fund		n the product.		Π
P9.3*	ENERGY STAR®	ts the energy requirer version: Version 5.0				
P10	Others specify:					
P10	Emissions Noise emission	- Declared according	to ISO 9296			
P10.1	Mode	Mode description		Declared	Declared A-weighted	
				A-weighted sound power	sound pressure level $L_{p{\rm Am}}$ (dB)	
				level L_{WAd} (B)	Operator position Bystander positions Desktop Image: Constraint of the sector of the	
	Idle	* HDD: Idle		* 3.3	21.7	
	Operation	* HDD: Operating		* 3.4	21.9	
	Other mode					
	Measured accord					
D10.0	The second state	Other			h L _{pAm} measurement distance m)	
P10.2	The product mee	ts the acoustic noise	requirements of the	tollowing voluntary	program/s:	\times

Model number *	ThinkCentre M70z MTs: 7570, 7577, 7578, 7580, 7583, 7584, 7589, 7594, 7595, 7597, 7598		
Issue date *	2010.09.19	Logo	lenovo

Product	duct environmental attributes - Market requirements (continued)			Requirement met		
ltem		Yes	No	n.a.		
	Chemical emissions from printing products					
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard 📃, other specify:			\boxtimes		
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes		
	Dust Ozone Styrene Benzene TVOC					
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\times		
	Dust Ozone Styrene Benzene TVOC					
	Electromagnetic emissions					
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:					
P11	Consumable materials for printing products					
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements e EN12281.	of 🗌		\boxtimes		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes		
P12	Ergonomics for computing products					
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.					
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.					
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): Corrugated cardboard weight (kg): 1.2					
	Product packaging material type(s): Thermal plastic weight (kg): 0.45					
	Product packaging material type(s): weight (kg):					
P13.2*	Product plastic packaging is free from PVC.	\square				
P13.3*	Specify media for user and product documentation (tick box):					
	Electronic 🔀, Paper 🔀, Other 📃					
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% (<i>Japan only 70%</i>)					
P14	Additional information (See Note B4)		<u> </u>			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.					
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.					
P9	See Energy Star Qualified Computers for the latest information:					
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&pgw_code=CC)				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19