

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkCentre	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Personal Computer				
Commercial name *	ThinkCentre M71e Tower				
Model number *	3129, 3133, 3136, 3141, 3146, 3150, 3156, 3166, 3169,3175, 3177, 5036, 7338				
Issue date *	2011.05.23				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information	ENERGY STAR® Qualified (select models); EPEAT Gold Rating, GREENGUARD Certification				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control Requ				
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀		

	ThinkCentre M71e Tower MT's: 3129, 3133, 3136, 3141, 3146, 3150, 3156, 3166, 3169,31	75, 3177	7, 5036, 7338		
Issue date *	2011.05.23 Logo				

Product	environmental attributes - Legal requirements	Require	men	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations		•	-
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X	П	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference).			
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5		_	_
P1.9	microgram/cm²/week (see legal reference).	\boxtimes	Ш	
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\boxtimes		
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	\boxtimes		
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	\boxtimes		
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).		$\overline{}$	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		H	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies		H	-
	with legally required standards for radio and telecommunication devices (see legal reference).		Ш	Ш
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Mod	del number *	ThinkCentre M71e Tower MT's: 3129, 3133, 3136, 3141, 3146, 3150, 3156, 3166, 3169,3175	5, 3177	7, 5036, 7338
Issu	ıe date *	2011.05.23 Lo	.ogo	lenovo

Product	t environmental attributes - Market requirements - Environmental conscious design Re	quire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			_
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		Ш	<u>Ш</u>
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	Ħ	\boxtimes	Ħ
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			П
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Ħ	Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		H	\blacksquare
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		∺	Ħ
17.0	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square		П
P7.8*	Upgrading can be done using commonly available tools		+	\blacksquare
P7.9.	Spare parts are available after end of production for: 5 years			H
P7.10	Service is available after end of production for: 5 years			Ħ
	Material and substance requirements		-	
P7.11*	Product cover/housing material type:			
	Material type: PC/ABS Material type: Steel			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):			
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
D7.40	ISO 1043-4: Brominated Epoxy Resin See P14			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier.			
	1. Chemical name: , CAS #: , Supplier:			
	2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier:	\square		
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 32.98 %			
P7.21	Of total plastic parts' weight >25g, biobased material content is %.			
P7.22	Light sources are free from mercury			\boxtimes
P8	Batteries			
P8.1*	Battery chemical composition:			\boxtimes
P8.2	Batteries meet the requirements of the following voluntary program/s:			$\overline{\mathbf{X}}$

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkCentre M71e Tower MT's: 3129, 3133, 3136, 3141, 3146, 3150, 3156, 3166, 3169,31	75, 3177	7, 5036, 7338
Issue date *	2011.05.23	Logo	lenovo

Product environmental at	tributes - Market	requirements (co	ontinued)	Requirement	met
Item				Yes No	n.a.
P9 Energy consumpt					
The product is ship	e following power level oped w/ WOL Enable	٠,	mptions are reported	d: See P14	
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Category D					
Idle State - WOL Enabled	36.81 W	36.64 W	36.68 W	Use for Energy Star V5 registration(Pidle)	
Sleep (S3) - WOL Enabled	1.60 W	1.62 W	1.81W	Use for Energy Star V5 registration(P _{sleep})	
Off (S5) - WOL Enabled	0.82 W	0.83 W	0.99W	Use for Energy Star V5 registration(Poff)	
Peak (On-max)	142.74W	143.13w	141.22w	Full load	
Category C					
Idle State - WOL Enabled	W	W	W	Use for Energy Star V5 registration(P _{idle})	
Sleep (S3) - WOL Enabled	W	W	W	Use for Energy Star V5 registration(P _{sleep})	
Off (S5) - WOL Enabled	W	W	W	Use for Energy Star V5 registration(Poff)	
Peak (On-max)	W	W	W	Full load	
Category B					
Idle State - WOL Enabled	32.71 W	32.52 W	32.50 W	Use for Energy Star V5 registration(P _{idle})	
Sleep (S3) - WOL Enabled	1.60 W	1.62 W	1.81W	Use for Energy Star V5 registration(P _{sleep})	
Off (S5) - WOL Enabled	0.82W	<i>0.83</i> W	0.99W	Use for Energy Star V5 registration(Poff)	
Peak (On-max)	86.61W	87.72 W	87.58 W	Full load	
Category A					
Idle State - WOL Enabled	W	W	W	Use for Energy Star V5 registration(P _{idle})	
Sleep (S3) - WOL Enabled	W	W	W	Use for Energy Star V5 registration(P _{sleep})	
Off (S5) - WOL Enabled	W	W	W	Use for Energy Star V5 registration(P _{off})	
Peak (On-max)	W	W	W	Full load	
EPS No-load (External power supply /	W	W	W		
charger plugged in the wall outlet but disconnected from					
TEC Typical Energy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumption	Cat D: 133.63; Cat C: NA Cat B: 119.27; Cat A: NA	Cat D: 133.10; Cat C: NA; Cat B: 118.66; Cat A: NA	Cat D: 134.09; Cat C: NA; Cat B: 119.44; Cat A: NA	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	
	kWh/year	kWh/year	kWh/year		
	P _{off} : Off Mode(S5) - V	NOL Enabled; P _{sleep} :	Sleep Mode(S3) - WOI	Enabled; P _{idle} : Idle State - WOL Enabled	
Display resolution : Me	egapixels				
Print Speed :	Images per minut	e			\boxtimes
Default time to enter energy sa	ve mode: 30 minutes	S			
	he energy save func				
•	the energy requirem version: Version 5.2	s:			

Model number *	ThinkCentre M71e Tower		
	MT's: 3129, 3133, 3136, 3141, 3146, 3150, 3156, 3166, 3169,31	<i>75, 3177</i>	⁷ , 5036, 7338
Issue date *	2011.05.23	Logo	lenovo

P10	Emissions						
	Noise emission	- Declared according to ISO 9296					
P10.1	Mode	Mode description	Declared	Declared A-weighted			
			A-weighted sound power	sound pressure level $L_{p{ m An}}$	n (dB)		
			level $L_{W\!Ad}$ (B)	Operator position Bystano	der position	S	
			W/Ad · ·	Desktop 🔀		_	
				Or I lock cide ' ' '	roduct is no tor attended		
	Idle	* HDD: Idle	* Tower: 3.5	Tower: 24			
	Operation	* HDD: Operating	* Tower: 3.8	Tower: 26			
	Other mode						
	Measured accord	ding to: ISO7779 ECMA-74	=0 =				
P10.2	The product man	Other (only if not covere ets the acoustic noise requirements of the fo	•	th L _{pAm} measurement distance	m)	1 🔽	
F 10.2	The product mee	ets the acoustic hoise requirements of the ic	bilowing voluntary	program/s:			
Product	environmental a	attributes - Market requirements (co	ntinued)	Re	equireme	nt met	
Item		,	•		Yes No		
	Chemical emiss	sions from printing products					
P10.3*	Test performed a	according to ECMA-328 (ISO/IEC 28360) st	andard, other	specify:			
P10.4	Typical emission	rate (print phase) is (mg/h):					
	Dust	, , , , , , , , , , , , , , , , , , , ,	zene TVC				
P10.5	Chemical emission requirements of the following voluntary program/s are met for :						
	Electromagnetic		201120110				
P10.6		y meets the requirement for low frequency (electromagnetic fie	elds of the following voluntary			
P11	Consumable ma	aterials for printing products					
P11.1*	A Safety Data Sh	neet (SDS) is available for the ink/toner prep	paration, even if no	ot legally required (see P4.3).			
P11.2*	Paper containing EN12281.	g post-consumer recycled fibers can be u	used, provided that	at it meets the requirements of			
P11.3*	2-sided (duplex)	printing/copying is an integrated product full	nction.				
P12		computing products					
P12.1*	The display meet	ts the ergonomic requirements of ISO 9241	-307 for visual dis	play technologies.			
P12.2*	The physical inpu	ut device meets the requirements of ISO 99	95 and ISO 9241-	410.			
P13	Packaging and						
P13.1*	Product packagir	ng material type(s): Corrugated paper ng material type(s): Fabricated PE ng material type(s): HDPE	weight (kg): 1.42 weight (kg): 0.3 weight (kg):0.01				
P13.2*	Product plastic p	ackaging is free from PVC.					
P13.3*	Specify media for user and product documentation (tick box):						
P13.4*	Electronic , Paper , Other For paper user and product documentation, please specify contained percentage of post-consumer recycled						
	fiber: 0% (Japai	n only 70%)	contained percent	age of post-consumer recycled			
P14		mation (See Note B4)					
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.					s ation	
P7.17		ot contain free TBBPA in printed circuit		omponents)>25g.			
P9	See Energy Star Qualified Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&pgw_code=CO						

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19