

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkCentre	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Personal Computer			
Commercial name *	ThinkCentre M71z			
Model number *	1654,1664,1665,1677,1738,1739,1938,1942,1741,1761,1762,			
	1763,1782,1837,1962,1966			
Issue date *	2011-06-30			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information	ENERGY STAR® Qualified; EPEAT Gold Rating; GreenGuard			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control F	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🔲	

Model number *	ThinkCentre M71s MTs:1654,1664,1665,1677,17	<mark>'38,17</mark> .	39,1938,1942,			
	1741,1761,1762,1763,1782,1837,1962,1966 ThinkCentre					
	M71z					
	1654,1664,1665,1677,1738,1739,1938,1942,1	741,1	761,1762,1763,			
	1782,1837,1962,1966					
Issue date *	2011-08-30	Logo	lenovo.			

Product	Product environmental attributes - Legal requirements			t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).		<u> </u>	
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	l 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal			Ī

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Protocol (see legal reference).
Comment: Legal reference has no maximum concentration values.

lee	ue date *	1782,1837,1962,1966	Logo	lenovo
		1654,1664,1665,1677,1738,1739,1938,1942,1	741,1	761,1762,1763,
		M71z		
		1741,1761,1762,1763,1782,1837,1962,1966 Thi	nkC	entre
Мо	del number *	ThinkCentre M71s MTs:1654,1664,1665,1677,17		

Product	environmental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\boxtimes}$	$\overline{\sqcap}$	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square	П	
P7.8*	Upgrading can be done using commonly available tools		Ħ	
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years	-		
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: ABS Material type: ABS+PMMA Material type: Steel			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		$\overline{\boxtimes}$	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		$\overline{\sqcap}$	
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See			Ħ
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\boxtimes		
	Marking:			
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:		Ш	
	TBBPA (additive), TBBPA (reactive), Other, Chemical Hame. , CAS #.			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
	ISO 1043-4: Brominated Epoxy Resin See P14			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			
	concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
D = 10			<u>Ц</u>	
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	\boxtimes		
D7 00	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20 P7.21	Of total plastic parts' weight >25g, recycled material content is 26%. Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.21	Light sources are free from mercury			
	If mercury is used specify: Number of lamps: 2 and max. mercury content per lamp: 2.6 mg		\boxtimes	
P8	Batteries			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

P8.1*	Battery chemical composition: Lithium Manganese Dioxide	
P8.2	Batteries meet the requirements of the following voluntary program/s:	

Model number *	ThinkCentre M71s MTs:1654,1664,1665,1677,17 1741,1761,1762,1763,1782,1837,1962,1966 Thi M71z 1654,1664,1665,1677,1738,1739,1938,1942,1 1782,1837,1962,1966	nkC	entre
Issue date *	2011-06-30	Logo	lenovo

Product environmental at	tributes - Market	requirements (continued)	Requirement	met
Item				Yes No	n.a.
P9 Energy consumpt				newtody Coo D44	
· · · · · · · · · · · · · · · · · · ·	following power leve		•		
Energy mode *	Power level at 100 V AC	115 V AC	230 V AC	Reference / Standard for energy modes and test method *	
Category A					
Idle State - WOL Enabled	28.67 W	28.34 W	27.88 W	Use for ENERGY STAR V5 registration (P _{idle})	
Sleep (S3) - WOL Enabled	1.34 W	1.35 W	1.48 W	Use for ENERGY STAR registration(P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	0.77 W	0.78 W	0.90 W	Use for ENERGY STAR V5 registration(P _{off})	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
Peak (On-max)	87.84 W	87.18 W	83.38 W	Full load	
Category B					
Idle State - WOL Enabled	26.13 W	25.01 W	25.36 W	Use for ENERGY STAR V5 registration(P _{idle})	
Sleep (S3) - WOL Enabled	1.06 W	1.62 W	1.76 W	Use for ENERGY STAR V5 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	0.77 W	0.78 W	0.90 W	Use for ENERGY STAR V5 registration(Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
Peak (On-max)	81.86 W	82.04 W	79.87 W	Full load	
Category C					
Idle State - WOL Enabled	29.92 W	28.40 W	28.44 W	Use for ENERGY STAR V5 registration(P _{idle})	
Sleep (S3) - WOL Enabled	1.42 W	1.44 W	1.57 W	Use for ENERGY STAR V5 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	0.77 W	0.78 W	0.90 W	Use for ENERGY STAR V5 registration(Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
Peak (On-max)	90.17 W	84.46 W	86.18 W	Full load	
Category D	П		1		
Idle State - WOL Enabled	28.74 W	28.79 W	28.77 W	Use for ENERGY STAR V5 registration(Pidle)	
Sleep (S3) - WOL Enabled	1.60 W	1.62 W	1.76 W	Use for ENERGY STAR V5 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	0.77 W	0.78 W	0.90 W	Use for ENERGY STAR V5 registration(Poff)	$\overline{\Box}$
Off (S5) - WOL Disabled	W	W	W	Use for EuP	T
Peak (On-max)	88.52 W	84.50 W	85.84 W	Full load	$\overline{\Box}$
EPS No-load	W	W	W		
PTEC * Typical Energy Consumption	W	W	W		
TEC *	kWh/week				
Typical Energy Consumption ETEC *	Cot D:105 12:	kWh/week	kWh/week CatD: 105.92;	E _ /9760/4000) v /Poff v 0 55 + Poloop v	
Annual Energy Consumption	Cat D:105.12; CatC:109.17; CatB: 95.97; CatA: 104.76 kWh/year	CatD: 105.35; CatC: 103.90; CatB: 92.10; CatA: 103.65; kWh/year	CatC: 104.68; CatB: 93.97; CatA: 102.68 kWh/year	E _{TEC} = (8760/1000) x (Poff x 0.55 + Psleep x 0.05 + Pidle x 0.4)	
Display resolution* : Me		WOL Enabled; P _{slee}	_p : Sleep Mode(S3)	- WOL Enabled; P _{idle} : Idle State - WOL Enabled	┼
	egapixels				닏
Print Speed * : Im	ages per minute				

Default tim	e to enter energy	save mode: 25 minutes				
P9.2*	Information abou	t the energy save function is provided with	the product.			
P9.3*		ets the energy requirements of the following ® version: Version 5.2 Tier: Produ	g voluntary prograr uct category: A, B ,			
P10	Emissions					
	Noise emission	 Declared according to ISO 9296 				
P10.1	Mode	Mode description	Declared A-weighted sound power level L_{WAd} (B)		A-weighted level $L_{p{\rm Am}}$ (dB) Bystander positions (only if product is not operator attended)	-
	Idle	* HDD:Idle	* 3.4	2	5.5	
	Operation	* HDD: Operating	* 3.4	20	6.0	
	Other mode					
Measured according to: SO7779 ☐ ECMA-74 ☐ Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)					istance m)	
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s:					

Model number *	ThinkCentre M71s MTs:1654,1664,1665,1677,17 1741,1761,1762,1763,1782,1837,1962,1966 Thi M71z 1654,1664,1665,1677,1738,1739,1938,1942,1 1782,1837,1962,1966	nkC	entre
Issue date *	2011-06-30	Logo	lenovo

Product environmental attributes - Market requirements (continued)			Requirement met		
Item		Yes	No	n.a.	
	Chemical emissions from printing products				
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes	
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes	
	Dust Ozone Styrene Benzene TVOC			_	
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes	
	Dust Ozone Styrene Benzene TVOC				
	Electromagnetic emissions				
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:				
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes	
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	of			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes	
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.				
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): Corrugated paper weight (kg): 1.6				
	Product packaging material type(s): Fabricated PE weight (kg): 0.277				
P13.2*	Product packaging material type(s): <i>PP</i> weight (kg): <i>0.06</i> Product plastic packaging is free from PVC.				
				<u> </u>	
P13.3*	Specify media for user and product documentation (tick box):			Ш	
D40.4*	Electronic , Paper , Other .			_	
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			Ш	
P14	Additional information (See Note B4)				
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.				
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:				
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=C0	<u>) </u>			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19