

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo.	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html		
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Desktop				
Commercial name *	ThinkCentre M900				
Model number *	10FL 10FM 10FR 10FS 10ND 10NE 10NF 10NG				
Issue date *	2016-09-20				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information	Tiny;ENERGY STAR® Qualified; GREENGUARD Certification;TUV Green Mark;ULE;EPEAT				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requireme	ent met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	ThinkCentre M900 10NF 10NG	10FL 10FM 10F	R 10	FS 10ND 10NE
Issue date *	2016-09-20		Logo	Lenovo.

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	; <u></u>		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkCentre M900 10NF 10NG	10FL 10FM 10FR 1	OFS 10ND 10NE
Issue date *	2016-09-20	Logo	Lenovo

Product	environmental attributes - Market requirements - Environmental conscious design R	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		$\overline{\boxtimes}$	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	一声	Ħ	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	∺	Ħ	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\overline{}$	Ħ	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		十	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square	\Box	П
P7.8*	Upgrading can be done using commonly available tools		Ħ	Ħ
P7.9.	Spare parts are available after end of production for: 5 years			Ħ
P7.10	Service is available after end of production for: 5 years			Ħ
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: ABS Material type: PC Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			\boxtimes
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: <i>Brominated Epoxy Resin</i> , CAS #: 26265-08-7			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Brominated Epoxy Resin See P14			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is see P14%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			\boxtimes
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batteries			
P8.1*	Battery chemical composition: Lithium manganese dioxide coin battery			
P8.2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkCentre M900 10NF 10NG	10FL 10FM 10FI	R 10FS 1	OND 10NE
Issue date *	2016-09-20	L	_ogo	Lenovo.

Product environmental attributes - Market requirements (continued) Requirement met							
Item Yes No n.a.							
P9 Energy consumption9.1 For the product the f		ls or energy cons	umntions are re	norted: See P14			
Energy mode *	Power level at 100 V AC						
Peak (On-max)	W	W	W	Full load	\vdash		
Category I3				<u> </u>			
Short Idle State - WOL Enable	d 12.94 W	12.87 W	13.23 W	Use for ENERGY STAR V6 registration (Pidle)			
Long Idle State - WOL Enabled		12.07 W	12.39 W	Use for ENERGY STAR V6 registration (P _{idle})	H		
Sleep (S3) - WOL Enabled	2.28 W	2.3 W	2.37 W	Use for ENERGY STAR V6 registration(P _{Sleep})	H		
Sleep (S3) - WOL Disabled	W	W	W	Reference			
Off (S5) - WOL Enabled	1.28 W	1.27W	1.33 W	Use for ENERGY STAR V6 registration(Poff)			
Off (S5) - WOL Disabled	W	W	W	Use for EuP			
Category I1							
Short Idle State - WOL Enable	d 8.94 W	8.86 W	8.95 W	Use for ENERGY STAR V6 registration(P _{idle})			
Long Idle State - WOL Enabled	d 8.94 W	7.95 W	8.2 W	Use for ENERGY STAR V6 registration(P _{idle})			
Sleep (S3) - WOL Enabled	2.22 W	2.22 W	2.27 W	Use for ENERGY STAR V6 registration (P _{sleep})			
Sleep (S3) - WOL Disabled	W	W	W	Reference			
Off (S5) - WOL Enabled	0.9 W	0.9 W	0.91 W	Use for ENERGY STAR V6 registration(Poff)			
Off (S5) - WOL Disabled	W	W	W	Use for EuP			
Category I2							
Short Idle State - WOL Enable	d 9 W	8.93 W	9.18 W	Use for ENERGY STAR V6 registration(P _{idle})			
Long Idle State - WOL Enabled	d 8.09 W	8.11 W	8.09 W	Use for ENERGY STAR V6 registration(Pidle)			
Sleep (S3) - WOL Enabled	2.22 W	2.22 W	2.27 W	Use for ENERGY STAR V6 registration (P _{sleep})			
Sleep (S3) - WOL Disabled	W	W	W	Reference			
Off (S5) - WOL Enabled	0.9 W	0.9 W	0.90 W	Use for ENERGY STAR V6 registration(Poff)			
Off (S5) - WOL Disabled	W	W	W	Use for EuP			
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	W	W				
PTEC * Typical Energy Consumption	W	W	W				
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week				
ETEC * Annual Energy Consumption	61.56 kWh/year	61.31 kWh/year	63.1 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.45 + P _{sleep} x 0.05 + P _{long_Idle} x 0.15 + P _{short_Idle} x 0.35)			
	42.56	42.14	42.77				
	kWh/year	kWh/year	kWh/year				
	42.8	42.6	43.4				
	kWh/year	kWh/year	kWh/year				
Disabas as abd.		5) - WOL Enabled; I	P _{sleep} : Sleep Mode((S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled			
	gapixels 						
Print Speed * : Images per minute							
	Default time to enter energy save mode: 25 minutes						

P9.3*		ets the energy requirements of the follow version: Version 6.1 Tier:	owing voluntary progran Product category: I1 I2			
P10	Emissions					
	Noise emission – Declared according to ISO 9296					
P10.1	Mode	Mode description	Declared A-weighted sound power level L_{WAd} (B)		A-weighted level $L_{p{\rm Am}}$ (dB) Bystander positions (only if product is not operator attended)	
	Idle	* HDD:Idle	* 3.1	2	22	
	Operation	* HDD: Operating	* 3.2	2	24	
	Other mode					
	Measured according to: ☐ ISO7779 ☐ ECMA-74 ☐ Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)					
P10.2						

Model number * ThinkCentre M900 10FL 10FM 10FR 1		R 10FS 1	OND	10N	IE	
		10NF 10NG				
Issue date	e *	2016-09-20	Logo	Lenov	10 .	
	environn	mental attributes - Market requirements (continued)		Require		
Item	01 .			Yes	No	n.a.
P10.3*		al emissions from printing products			_	
		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				
P10.4	• •	emission rate (print phase) is (mg/h):				\boxtimes
D40.5		Dust Ozone Styrene Benzene TVOC				
P10.5		al emission requirements of the following voluntary program/s are met for :	T) (00 🗆			\boxtimes
		Dust Ozone Styrene Benzene magnetic emissions	TVOC			
P10.6		nagnetic emissions er display meets the requirement for low frequency electromagnetic fields of the foll	owing voluntary			
1 10.0	program		owing voluntary		Ш	
P11		nable materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	ired (see P4.3).		$\overline{\Box}$	\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.					
P11.3*	2-sided (\square	
P12	Ergonor	mics for computing products				
P12.1*		olay meets the ergonomic requirements of ISO 9241-307 for visual display technolo	gies.		$\overline{\Box}$	\square
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				Ħ
P13	Packagi	ing and documentation				
P13.1*	Product	packaging material type(s): EPE weight (kg): 0.08				
	Product	packaging material type(s): PAPER weight (kg): 0.93				
D40.0*		packaging material type(s): weight (kg):				
P13.2*		plastic packaging is free from PVC.			Ш	<u> </u>
P13.3*		media for user and product documentation (tick box):				
D40.4*		ic N, Paper N, Other N				
P13.4*	fiber: 0		nsumer recycled			Ш
P14		nal information (See Note B4)				
	informati knowled	Supplier makes no representations, guarantees, assurances or warranties whether or contained in this document. All information provided by supplier in this documer ge available at the time of completion, and supplier shall have no obligation to updather is approximate and provided for informational purposes only. See a Lenovo A	nt is provided bas te such informati	ed on suppon. The int	plier's format	tion

http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO
No plastic parts in chassis >25g. The recycled material of the total plastic parts is 22.5%(EPEAT/TCO Certified)

See Energy Star Qualified Notebooks & Tablet Computers for the latest information:

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

information.

P9

P7.20

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M900	Logo	
Model Number	10FL 10FM 10FR 10FS 10ND 10NE 10NF 10NG	Lenovo	
Issue Date	2016-09-20	2011010	
Additional information	Tiny;ENERGY STAR® Qualified; GREENGUARD Certification;TUV Green Mark;ULE;EPEAT		

(d)		lable on product label					
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:						
	Category (according to ErP Lot 3): B Category (according to ErP Lot 3): C Category (according to ErP Lot 3): B Etec: 36.73kWh Etec: 38.2kWh Etec: 46.56kWh						
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:						
	Category (according to ErP Lot 3): N/A Etec: N/A						
(g)	idle state power demand (Watts);	B:8.96 C:9.37 D:11.41					
h)	sleep mode power demand (Watts);	B:2.23 C:1.53 D:2.11					
i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	B:2.23 C:1.53 D:2.12					
j)	off mode power demand (Watts);	B:0.77 C:0.97 D:0.98					
k)	off mode with WOL enabled power demand (Watts) (where enabled);	B:0.91 C:0.97 D:1.17					
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average	N/A					
(m)	external power supply efficiency (if applicable): Average*: level V *internal note: show values for all available external power supplies						
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	N/A					
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:						
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: refer to ErP lot7						

(n 2) th	a magauramant mathadala	av. 1100	l to determine information	mentioned in points (a) leadings rela						
	the measurement methodology used to determine information mentioned in points (o) - loadingcycles batteries:									
	N/A									
(p-4) th	ne measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode ower as defined in Point P9.1 in the Product IT Eco Declaration:									
	IEC 62623/IEC EN50564:2011 measurement methodology									
(q) s	sequence of steps for achieving a stable condition with respect to power demand::									
	Power on->Walt 5 minutes->Stable condition									
(r) d	description of how sleep and/or off mode was selected or programmed:									
Begin menu->Power->Select sleep or off mode										
	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:									
	Control Panel->Power Options->Change Settings->Restore default settings for this plan									
	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 25 minutes									
	the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): 25 minutes									
(v) th	the length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10 minutes									
(w) ir	formation on the energy-sav	ng potei	ntial of power management	functionality:						
			N/A							
(x) u	ser information on how to en	able the	power management function	onality:						
			Refer to User Guide							
th	ne electricity supply system, -			ency in Hz, — total harmonic distortion of in the instrumentation, set-up and circuits						
	sed for electrical testing:	ou in Um	2201//501/-							
1	est voltage in V and frequen otal harmonic distortion of th	e electri	city supply system ≤2%							
<u>I</u>	nformation and documentation	n on the	instrumentation, set-up an	d circuits used for electrical testing						
			BIII							
	Instrument Type		Range Used Or ***	Make and Model **						
	AC Power Source	1~	280VAC;1~550HZ;1000V	NF;EC1000S; SN:9152124						
	Digital Watch		A. Full range	CASIO; HS-70W; SN:208Q08R						
	Power Meter		0~600V;0~20A	YOKOGAWA;WT210;SN:91M94456 0						
	Hygrothermograph		15~35°C/15~90%	testo; 608-H1,SN:1034895602						
	Thermal anemometer		0~20m/s,-20~70°C	Testo;425;SN:02591883						
	Light Measuring		1°;1-300cd/ m²	Konica Minolta;LS-110;						
Addition Not	ebook Battery Information:									
Yes	No	n/a		s operated by battery/ies that cannot be ac	ccessed and replaced					
(Battery no	ot user (Battery user		by a non-professional use	er.						
replaceable)	replaceable)		The battery[ies] in themselves	this product cannot be easily re	placed by users					
			1							
A 1 12-2										
Additional information										
1										