

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkCentre	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo		
Internet site *	ttp://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Personal Computer				
Commercial name *	ThinkCentre M91/M91p uSFF				
Model number *	MT: 7516, 7519, 5027, 5067, 0266, 4168, 0384				
Issue date *	2011.02.08				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information	NERGY STAR® Qualified; EPEAT Gold Rating, GREENGUARD Certification				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requirement met		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀 lo	

Model nu	umber *	ThinkCentre M91/M91p uSFF				
Issue da	ite *	MT: 7516, 7519, 5027, 5067, 0266, 4168, 0384 2011.02.08 Logo	lend	DVC	>	
Product	t environ	mental attributes - Legal requirements	Require	ement	met	
Item			Yes	No	n.a.	
P1		ous substances and preparations				
P1.1*	0.1% po	s do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromiun lybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal e and Note B1)	n, 🔀			
P1.2*	Products	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes			
P1.3*	Products hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*		s do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated /l (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*		s do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀			
P1.6*	Tris-(azi	Ind leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). ht: Legal reference has no maximum concentration values.				
P1.7*		Ind leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split camines. (See legal reference and Note B1)			\boxtimes	
P1.8*	pentach	parts do not contain arsenic and chromium as a wood preservation treatment as well as lorophenol and derivatives (see legal reference). ht: Legal reference has no maximum concentration values.			\square	
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 Imicrogram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.					
P1.10*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): ww.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment	\boxtimes			
P2	Batterie	S	, i			
P2.1*	more tha marked provided	oduct contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains an 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is I in user manual. (See legal reference)				
P2.2*		ells used in the product do not contain more than 2% by weight of mercury. Other batteries or ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes			
P2.3*	Batteries design c	s and accumulators are easily removable by either users or service providers (as dependent on the f the product). Exception: Batteries that are permanently installed for safety, performance, medica ntegrity reasons do not have to be "easily removable". (See legal reference)				
P3		EMC connection to the telephone network and labeling				
P3.1*	The pro	duct complies with legally required safety standards as specified (see legal reference).	\square			
P3.2*	The proc	duct complies with legally required standards for electromagnetic compatibility (see legal reference). 🔀			
P3.3*		t is intended for connection to a public telecom network or contains a radio transmitter, it complies ally required standards for radio and telecommunication devices (see legal reference).				
P3.4*		duct is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes			
P4 P4.1*	Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see Image: Consumation of the product of the pr					
P4.2*		er is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5		packaging				
P5.1*	hexaval	ng and packaging components do not contain more than 0.01% lead, mercury, cadmium ar ent chromium by weight of these together.	nd 🔀			
P5.2*	Plastic p	ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified in the Montre (see legal reference). nt: Legal reference has no maximum concentration values.	al 🔀			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	ThinkCentre M91/M91p uSFF MT: 7516, 7519, 5027, 5067, 0266, 4168, 0384			
Issue da	ite *	2011.02.08 Logo	lend	DVO	•
Produc		mental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a
P6		nt information			
P6.1*	Informat	on for recyclers/treatment facilities is available (see legal reference).			
P7	Design				
P7.1*		mbly, recycling It have to be treated separately are easily separable			_
P7.2*		naterials in covers/housing have no surface coating.			╞
P7.3*		arts >100g consist of one material or of easily separable materials.			
P7.4*				<u> </u>	
		arts >25g have material codes according to ISO 11469 referring ISO 1043.		<u> </u>	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u> </u>	
P7.6*	_	re easily separable. (This requirement does not apply to safety/regulatory labels).			
D7 7*	Product				
P7.7*		ng can be done e.g. with processor, memory, cards or drives		<u> </u>	
P7.8*	10	ng can be done using commonly available tools			
P7.9.	Spare pa	arts are available after end of production for: 5 years			
P7.10	Service i	s available after end of production for: 5 years			
P7.11*	Product	and substance requirements cover/housing material type: type: ABS Material type: PC/ABS, ABS Material type: Steel			
P7.12		I cable insulation materials of power cables are PVC free.		\square	
P7.13		I cable insulation materials of signal cables are PVC free			+
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			+
P7.15		ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (S			
	Note B2				
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			
P7.17		additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
		Il specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: Brominated Epoxy Resin See P14			
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparations ations above 0.1%:	in 🗌		
	Provide complete 1. Chem	 nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must contact chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier: 	ain		
	3. Chem Alt. 2	ical name: , CAS # , Supplier: ical name: , CAS #: , Supplier: Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20		plastic parts' weight >25g, recycled material content is 36.45%			
P7.21		plastic parts' weight >25g, biobased material content is 0%.			
P7.22	0	Irces are free from mercury			\mathbf{X}
P8	Batterie				
P8.1*	-	hemical composition:			
P8.2	Batteries	meet the requirements of the following voluntary program/s:			\geq

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

	kCentre M9 16, 7519, 5027,								
Issue date * 2011.02.		0007, 0200, 410	, 0304		Logo	14	eno	vo	
Product environmental at	tributes - Market	requirements (co	ontinued)			R	equirer Yes	ment No	
P9 Energy consumption	tion						res	INO	n.a.
9.1 For the product the	e following power lev oped w/ WOL Enable		mptions are reported	d: See P14					
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference and test me		rd for e	nergy m	odes	
Category D									
Idle State - WOL Enabled	27.85 W	27.66 W	27.6 W	Use for Er	nergy Star	V5 regis	tration(F	P _{idle})	
Sleep (S3) - WOL Enabled	3.70W	3.65 W	3.37 W	Use for En	nergy Star	V5 regis	tration(F	P _{sleep})	
Off (S5) - WOL Enabled	1.88W	1.82 W	1.67W	Use for En	nergy Star	V5 regis	tration(F	P _{off})	
Peak (On-max)	155.25W	154.50w	160.24 w	Full load					
Category C									
Idle State - WOL Enabled	26.77 W	44.8 W	44.63 W	Use for En	nergy Star	V5 regis	tration(F	P _{idle})	
Sleep (S3) - WOL Enabled	3.03W	2.97 W	2.86W	Use for Er	nergy Star	V5 regis	tration(F	P _{sleep})	
Off (S5) - WOL Enabled	1.17 W	1.12W	1.04 W	Use for En	nergy Star	V5 regis	tration(F	P _{off})	
Peak (On-max)	155.25W	154.50 W	160.24W	Full load					
Category B									
Idle State - WOL Enabled	26.06W	26.01W	25.6 W	Use for En	nergy Star	V5 regis	tration(F	P _{idle})	
Sleep (S3) - WOL Enabled	3.70 W	3.65 W	3.37 W	Use for Er	nergy Star	V5 regis	tration(F	P _{sleep})	Π
Off (S5) - WOL Enabled	1.88W	1.82 W	1.67 W	Use for En	nergy Star	V5 regis	tration(F	Poff)	
Peak (On-max)	157.05W	147.68W	147.46 W	Full load				-	
Category A									
Idle State - WOL Enabled	24.52W	24.13W	23.44 W	Use for En	nergy Star	V5 regis	tration(F	P _{idle})	
Sleep (S3) - WOL Enabled	2.78W	2.76 W	2.81 W	Use for Er	nergy Star	V5 regis	tration(F	P _{sleep})	
Off (S5) - WOL Enabled	1.12W	1.03W	0.97 W	Use for En	nergy Star	V5 regis	tration(F	P _{off})	
Peak (On-max)	80.62W	80.88W	79.17 W	Full load					
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from	W	W	W						
TEC Typical Energy Consumption	kWh/week	kWh/week	kWh/week						
ETEC * Annual Energy Consumption	Cat D: 108.26; Cat C:100.77; Cat B: 101.99; Cat A: 92.53; kWh/year Poff: Off Mode(S5) - 1	Cat D: 107.29; Cat C: 98.89; Cat B: 101.51; Cat A: 90.72; kWh/year WOL Enabled; P _{sleep} :	Cat D: 184.31; Cat C: 102.97; Cat B: 99.22; Cat A: 88.04 kWh/year Sleep Mode(S3) - WO	E _{TEC} = (87 0.1 + P _{idle}) L Enabled; P	x 0.3)			leep X	
Display resolution : M	egapixels								
Print Speed :									
Print Speed : Images per minute Default time to enter energy save mode: 30 minutes									
	the energy save func		the product				\square		님
		•	•						
	the energy requiren version: Version 5.2			5.					

Model n	umber *		inkCentre M91/M91						
MT: 7516, 7519, 5027, 5067, 0266, 4168, 0384 Issue date* 2011.02.08 Logo						ovo	,		
P10	Emissio		n – Declared according to ISO 9296						
P10.1	Mode	1115510	Mode description	Declared A-weighted sound power level L_{WAd} (B)		oressure le	-weighted evel $L_{p{\sf Am}}$ (dE Bystander po		
						ktop 🔀	(only if produce operator at	ct is not	t
	Idle		* HDD: Idle	* 3.6		2	5		
	Operatio		* HDD: Operating	* 3.8		2	7		
B (0.0		ed acco		ot covered by ECMA-74 wit		ement dis	stance n	n)	
P10.2	The pro	duct me	eets the acoustic noise requirements	of the following voluntary	program/s:				\boxtimes
Droduc	tonviron	monto	I attributes - Market requireme	nts (continued)			Requir	omore	tmot
Item	tenviron	nenta	attributes - Market requireme	nts (continued)			Yes		n.a.
nom	Chemic	al emis	ssions from printing products				100		n.a.
P10.3*			according to ECMA-328 (ISO/IEC 2	8360) standard other :	specify:				
P10.4			on rate (print phase) is (mg/h):		opeony.				
		Dust	Ozone Styrene	Benzene TVC	C				
P10.5							\square		
			tic emissions						
P10.6	Comput program		ay meets the requirement for low fre	quency electromagnetic fie	elds of the follo	wing volu	ntary 🔀		
P11			naterials for printing products						
P11.1*			Sheet (SDS) is available for the ink/to						\square
P11.2*	EN1228	81.	ng post-consumer recycled fibers of	•	at it meets the	e requirer	nents of		\square
P11.3*	2-sided	(duple>	x) printing/copying is an integrated pr	oduct function.					\square
P12			or computing products						
P12.1*	-		ets the ergonomic requirements of IS			ies.	\square		
P12.2*	The phy	sical in	put device meets the requirements of	of ISO 9995 and ISO 9241-	410.				
P13		<u> </u>	d documentation						
P13.1*	Product packaging material type(s): Corrugated paper weight (kg): 1.01 Product packaging material type(s): Thermoformed LDPE weight (kg): 0.29 Product packaging material type(s): weight (kg):								
P13.2*	Product plastic packaging is free from PVC.								
P13.3*	Specify media for user and product documentation (tick box):								
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled [] fiber: 0% (Japan only 70%)								
P14			ormation (See Note B4)						
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.								
P7.17			not contain free TBBPA in printed	circuit boards(without c	omponents)>	25g.			
P9			tar Qualified Computers for the late ergystar.gov/index.cfm?fuseaction		roductGroup	spgw co	de=CO		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19