

Ecma/TC38-TG3/2015/026 (Rev. 1 - 15 April 2015)

Annex B2 - Product environmental attributes **Computers and computer monitors**

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	D	
Company name *	Lenovo			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html		
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook					
Commercial name *	ThinkPad E575					
Model number *	20H8					
Issue date *	2016/10/19					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	20H8	Logo			
Issue date *		2016/10/19		Lenovo		
Product	environ	mental attributes - Legal requirements		Require		t met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\square		
P1.3*	Products hydrobro trichloro concent					
P1.4*	Products terpheny	\square				
P1.5*	Products chain co					
P1.6*	Parts wi (see leg Comme	eek 🔀				
P1.7*	REACH	nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail	contact):	\boxtimes		
		w.lenovo.com/social_responsibility/us/en/environment.html				
P2	Batterie					
P2.1*	symbol.	buck contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	-			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn e)	nium. (See le	gal 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	•	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) and laration of Conformity can be requested at (add link or e-mail address):	gal reference).		
P3.2*	The proc	luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	, U	d information is; available at (add URL):				
P5	Product	packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercur ant chromium by weight of these together.	y, cadmium	and 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the materia	al(s) 🔀		
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference).	in the Mont	real 🔀		
DC		nt: Legal reference has no maximum concentration values.				
P6		nt information				_
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square		

Annex B1 of ECMA-370 5th edition (Lenovo) 2015-04-08

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	20H820H8	Logo			
Issue dat	te *	2016/10/19		Len	ovc	Тм
Product		mental attributes - Market requirements (See General NOTE GN	below)	Doguiro	mont	mat
ltom		onmental conscious design tory to fill in. Additional information regarding each item may be found under P14.		Require		
Item P7	-manua Design	tory to him in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
F1	•	mbly, recycling				
P7.1*		at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				-#-
						<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\square		
P7.5	Plastic p	available tools.	\square			
P7.6*	Labels a	\square				
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgradir	ng can be done using commonly available tools			Ē	Ē
P7.9		arts are available after end of production for: 5 years				<u> </u>
P7.10		s available after end of production for: 5 years				<u> </u>
F7.10						
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type: PC+ABS+15%Talc Materia	altura			
P7.12		type: PC+ABS Material type: PC+ABS+15%Talc Materia n materials of external electrical cables are PVC free.	ai type:			
						<u> </u>
P7.13		n materials of internal electrical cables are PVC free.			<u> </u>	<u> </u>
P7.14	weight (' polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ng more than 25% post-consumer recycled content.	e retardants, a	ind		
P7.15	Printed	circuit boards, PCBs (without components) are low halogen: all 🛛 PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🗌 are I	ow 🔀		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\boxtimes		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive),TBBPA (reactive) (See NOTE B3),Other: <i>DOPO</i> , CAS #: 3594				
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR</i> (40)	ents) > 25 g			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: Phosphorus compounds , CAS #: confidential (See NOTE B4) ical name: , CAS #: "	es/preparations	in 🔀		
		<pre>ical name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 104</pre>	3-4: FR(40)	\boxtimes		
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which			Ē	Ē
-	•	I the following Risk phrases; and Hazard statements:				
	-	· · · · · · · · · · · · · · · · · · ·	See note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):		\square		
	a) Of t a pe or	t least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material contene ercentage of total plastic by weight) is <i>11.59</i> %. The weight of recycled material is <i>119.2</i> g.	nt (calculated as		_	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20H8				Logo	
Issue date *	2016/10/	19				Lenovo
Product environm	nental at	tributes - Market r	equirements (cont	inued)	·	Requirement met
Item			- 1 (Yes No n.a.
Material	and subs	stance requirements	(continued)			
P7.21* Biobased	d plastic m	aterial content is used	d in the product (See N	,		
a) Of t	otal plasti	c parts' weight > 25 g	es below shall be answ , the biobased plastic	material content (calcu	ulated as a percen	tage
b) The		the biobased plastic	material is g. less than 0,1 mg/lamp).		
If mercur	y is used	specify: Number of lar		num mercury content pe	er lamp: mg	
	-	omposition: Lithium I	on / Lithium Mangan	ese Dioxide		
		•	equirements (cont			Requirement met
Item				· · · /		Yes No n.a.
		tion (See NOTE B8)				
	product the		ls or energy consumpt			
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	modes and test	dard for energy
Peak (On-max)		45 W	45 W	45 W	Full load	
Category -I1-						
Short Idle State - We Enabled	-	7.75 W	7.73 W	7.78 W	Use for ENERO registration (P _i	
Long Idle State - Wo Enabled	OL	4.64 W	5.34 W	5.53 W	Use for ENERC registration (P _i	
Sleep (S3) - WOL Er	nabled	0.72 W	0.72 W	0.76 W	Use for ENERO registration(P _{si}	
Off (S5) - WOL Enab	bled	0.41 W	0.41 W	0.44 W	Use for ENERC registration(P _o	
Category –I3-						
Peak (On-max)		65 W	65 W	65 W	Full load	
Short Idle State - We Enabled	OL	8.05 W	7.71 W	8.18 W	Reference	
Long Idle State - Wo Enabled	OL	5.35 W	5.67 W	5.36 W	Reference	
Sleep (S3) - WOL Er	nabled	0.74 W	0.74 W	0.79 W	Reference	
Off (S5) - WOL Enab	bled	0.42 W	0.42 W	0.45 W	Reference	
EPS No-load (External power supply / charger wall outlet but disconnected from	plugged in the	3.31 W	3.24 W	3.40 W		
PTEC * Typical Energy Const		0.55 kWh/week	0.54 kWh/week	0.57 kWh/week		
ETEC * Annual Energy Const	umption	29.03 kWh/year	28.42 kWh/year	29.84 kWh/year	+ P _{sleep} x 0.35 + P _{short Idle} x 0.30)	
Fotomal D: 0	L			p Mode(S3) - WOL Enable	ed; P _{idle} : Idle State -	WOL Enabled
	•		I Efficiency Marking Pr			<u> </u>
Display resolution * :		÷ .				<u>L</u>
Default time to enter						<u>_</u>
			on is provided with the	e product.		
÷.		class (monitors only):				
P10 Emissio	IIS					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

	Noise emissio	on – Declared according to ISO 9296	
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)
	Idle	* HDD Idle	* 3.0 (dB)
	Operation	* HDD * CPU	* 3.0 (dB) * 3.3 (dB)
	Other mode	Declared A-weighted sound pressure level (dB) L_{pAm}	
	Other mode	Declared A-weighted sound pressure level (dB) L_{pAm}	24 (operator position desktop – operating)
	Measured acco	ording to: ISO 7779 ECMA-74	y ECMA-74)

Model nu	mber *	20H8			Logo			
Issue date *		2016/10/19				Lenc	enovo.	
Product	environ	nental attribute	es - Market requirements (co	ntinued)		Require	ment	met
Item						Yes	No	n.a.
		magnetic emissio						
P10.4			ne requirement for low frequency o pin adapter only)/MPR-II (3pin a		s of the following volun	tary 🔀		
P12		mics for computi						
P12.1*	•		onomic requirements of ISO 9241			\square		
P12.2*	The phy	sical input device	meets the requirements of ISO 99	95 and ISO 9241-41).	\boxtimes		
P13	Packag	ing and documer	itation					
P13.1*	Product	Product packaging material type(s): Corrugated Cardboard weight (kg): 0.426 Product packaging material type(s): 100% Recycled Polyethylene weight (kg): 0.216 Product packaging material type(s): Others (Plastic Bag) weight (kg): 0.025						
P13.2*	Product	Product plastic primary packaging is free from PVC.						
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 70% (only for Japan) %							
P13.4*	Specify media for user and product documentation (tick box):							
P13.5	Ùser an		item if paper documentation used ntation on paper media is chlorine					
	Element	hlorine-free al chlorine-free ed chlorine-free						
P14	Volunta	ry programs						
P14.1			uirements of the following volunta	ary program(s):				
	Eco-labe Eco-labe		Criteria version: <i>6.1</i> Criteria version: <i>IEEE 1680</i> Criteria version:	Date: 11.08.2016 Date: 10.10.2016 Date:	Product category: 11, Product category: No Product category:			
P15		nal information (
P9			specific configuration may vary					
	NOTE: S informat knowled	Supplier makes no ion contained in th ge available at the I here is approxim	representations, guarantees, ass is document. All information provi e time of completion, and supplier ate and provided for informational	urances or warrantie ded by supplier in thi shall have no obligat	s whether express or in s document is provider ion to update such info	mplied, regardin d based on supp ormation. The int	olier's format	ion
P9			Notebooks & Tablet Computers f /index.cfm?fuseaction=find a pro					

Annex B1 of ECMA-370 5th edition (Lenovo) 2015-04-08

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad E575	Logo
Model Number	20H8	
Issue Date	2016/10/19	Lenovo
Additional information		

(d)	year of manufacture:				2016	
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjus	tments applied when a	II discrete graphics o	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3	
	Memory over base [GB]	32	32			
ents sting	Additional internal storage	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)	
ability ∈ Ilied du	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)	
cap app	Discrete graphics Card(s) [number / #]	No #: 0 (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)		G1			
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	17.34				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		16.6			
(g)	Idle state power demand (Watts);			1	A:5.53 / B:5.26	
h)	Sleep mode power demand (Watts);				A:0.73 / B:0.71	
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A:0.8/ B:0.77	
j)	Off mode power demand (Watts);					
(k)	Off mode with WOL enabled power demand (Watts) (where enabled);					
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):					
	10% 20% 50%	100% Avera	age			
m)	external power supply efficiency (if appli	cable)*:				
	Average active efficiency: VI					
0)	*internal note: show values for all available external p Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	500 cycles	
(p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – i	nternal PSU efficiency	-	

	EPA "Test Method for Calculating the Energy Efficiency of Single-Voltage External AC-DC and AC-AC Power Supplies" dated August 11, 2004						
(p-3) Measurement metho	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: <i>IEC 61960 measurement methodology</i> Measurement methodology used to determine information mentioned in maximum idle, sleep, off mode						
) Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
	IEC 62623 / IEC EN50564:2011 measurement methodology						
(q) Sequence of steps f	or achieving a stable condition with respect to power	demand::					
	IEC 62623 / IEC EN50564:2011 measurement	methodology					
(r) Description of how s	leep and/or off mode was selected or programmed:						
refer to power mai	nagement, sleep mode: ACPI system level G1/S3 ACPI system level G2/S5 ('soft off') s						
(s) Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or					
	er to power management, 20mins automatically r	-					
	Ite condition before the computer automatically r s not exceed the applicable power demand requirem		30				
	r a period of user inactivity in which the compute wer power demand requirement than sleep mode (ir		NA				
	bre the display sleep mode is set to activate after		10				
(w) Information on the e	nergy-saving potential of power management function	nality:					
	refer to user manual						
(x) user information on	how to enable the power management functionality:						
	refer to user manual						
electricity supply sys for electrical testing:	0GHz-<0.5%-ENERGY STAR Test Method for Co	mentation, set-up and circuits used					
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
	The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾						
Internal/built-in Battery							
External/detachable Battery							
Bios Backup Battery							
Other:							
Additional information							
1)							
Las baterías de este producto no pueder Výměnu baterie/baterií v tomto výrobku b Brugeren kan ikke uden videre udskifte b	продукт не може да се замени[ят] лесно от самите потребит a ser sustituidas fácilmente por los propios usuarios. ny neměli provádět sami uživatelé.						

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Bateri/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.