

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC			
Commercial name *	ThinkPad Edge 13"/E30			
Model number *	M/T:0196/0197/0492			
Issue date *	2010, January 18			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information	ENERGY STAR® 5.0 Qualified; EPEAT Gold Rating, GREENGUARD Certification			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	ThinkPad Edge 13"/E30	M/T:0196/0197/0492	
Issue date *	2010, January 18	Logo	lenovo

Product	environmental attributes - Legal requirements F	equire	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	X		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		ш	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\boxtimes		
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\boxtimes
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			\boxtimes
1 1.7	aromatic amines. (See legal reference and Note B1)	Ш	Ш	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\boxtimes		
	microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square		
1 1.10	http://www.lenovo.com/social_responsibility/us/en/environment.html		ш	
P2	Batteries	•		
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains			П
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be		ш	
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
D0.0*	provided in user manual. (See legal reference)	<u> </u>	_	
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	\boxtimes		
1 2.0	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical		ш	
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	\boxtimes		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see		П	
	legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the			\boxtimes
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkPad Edge 13"/E30 M/T:0196/0197/049	2	
Issue date *	2010, January 18	Logo	lenovo

Product	uct environmental attributes - Market requirements - Environmental conscious design Requirement me				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes			
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable				
P7.2*	Plastic materials in covers/housing have no surface coating.	-	X	井	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		<u> </u>	\vdash	
P7.4*			╬		
	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		<u></u>	Щ	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		_ <u>_</u> _	Щ.	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Щ,	<u>Ш</u>	
D7 7*	Product lifetime		_		
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		 	ᆜ	
P7.8*	Upgrading can be done using commonly available tools	\boxtimes			
P7.9.	Spare parts are available after end of production for: 5 years				
P7.10	Service is available after end of production for: 5 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type:				
P7.12	Material type: PC+ABS Material type: Material type: Electrical cable insulation materials of power cables are PVC free.	_		$\overline{}$	
P7.12	·	井			
	Electrical cable insulation materials of signal cables are PVC free			ᆜ	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.				
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	Ш		Ш	
P7.16	Note B2) Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:		_		
F 7.10	Marking: FR(40)				
P7.17	Alt. 1				
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	\boxtimes	Ш		
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:				
	Alt. 2				
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according				
	ISO 1043-4: Brominated Epoxy Resin See P14				
P7.18	Alt. 1				
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:		Ш	Ш	
	Comment: No legal limits exist, this is a market requirement.				
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain				
	complete chemical name, CAS number and supplier.				
	1. Chemical name: <i>Triphenyl Phosphate</i> , CAS #: 115-86-6, Supplier: <i>The M.F. Cachat Co.</i>				
	2. Chemical name: , CAS #: , Supplier: 3. Chemical name: , CAS #: , Supplier:				
	Alt. 2	\boxtimes			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
	FR(40)				
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				
P7.20	Of total plastic parts' weight >25g, recycled material content is 6%.				
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.				
P7.22	Light sources are free from mercury	\boxtimes			
Do	If mercury is used specify: Number of lamps: <i>no. of lamps</i> and max. mercury content per lamp: <i>x</i> mg				
P8 P8.1*	Batteries Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide				
P8.2				₩	
F 0.Z	Batteries meet the requirements of the following voluntary program/s: US RBRC				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkPad Edge 13"/E30 M/T:0196/0197/0492	2	
Issue date *	2010, January 18	Logo	lenovo

Product environmental attributes - Market requirements (continued) Requirement met					net	
Item	Yes No n.				n.a.	
P9 Energy consumption						
	9.1 For the product the following power levels or energy consumptions are reported: See P14 The product is shipped w/ WOL Enabled.					
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *		
Peak (On-max)	65 W	65 W	65 W	Full load		
Category A	Category A					
Idle State - WOL Enabled	10.900 W	10.900 W	11.300 W	Use for Energy Star V5 registration(P _{idle})		
Sleep (S3) - WOL Enabled	0.900 W	0.910 W	1.260 W	Use for Energy Star V5 registration(P _{sleep})		
Sleep (S3) - WOL Disabled	0.890 W	0.92 W	1.440 W	Reference		
Off (S5) - WOL Enabled	0.430 W	0.420 W	0.650 W	Use for Energy Star V5 registration(Poff)		
Off (S5) - WOL Disabled	0.440 W	0.510 W	0.790 W	Use for EuP		
EPS No-load	0.18 W	0.18 W	0.22 W			
(External power supply / charger plugged in the wall outlet but disconnected from						
the product.) TEC					$\overline{}$	
Typical Energy Consumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Consumption	31.694 kWh/year	31.650 kWh/year	34.217 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$		
	P _{off} : Off Mode(S5) -	WOL Enabled; Psleep:	Sleep Mode(S3) - WO	L Enabled; Pidle: Idle State - WOL Enabled		
Display resolution :	Megapixels					
Print Speed :	Images per minut	te				
Default time to enter energy	save mode:	minutes				
P9.2* Information about	t the energy save fund	tion is provided with	the product.			
ENERGY STAR	ts the energy requirent version: Version 5.0 Inergy Star for Exteri	dated July 1, 2009	Product category:	<i>A</i> □		
P10 Emissions	nergy Star for Exteri	iai rowei Supplies	Liigibility Criteria	Version 2	ш	
	- Declared according	to ISO 9296				
P10.1 Mode	Mode description		Declared	Declared A-weighted		
			A-weighted sound power	sound pressure level $L_{p{\rm Am}}$ (dB)		
			level L_{WAd} (B)	Operator position Bystander positions		
			Wild	Desktop (only if product is not		
				or Desk side operator attended)		
Idle	* HDD: Idle		* 3.2	26.6		
Operation	* HDD: Operating		* 3.3	26.1	Ш	
Other mode		_				
Measured accord	ling to: X ISO7779 L Other m)		overed by ECMA-74	4 with L _{pAm} measurement distance		
P10.2 The product made	to the accustic naise :		allawing valuntary n		$\overline{}$	

Model number *	ThinkPad Edge 13"/E30 M/T:0196/0197/0492	2	
Issue date *	2010, January 18	Logo	lenovo

Product 6	environmental attributes - Market requirements (continued)	Require	nent	met
Item	· · · · · · · · · · · · · · · · · · ·	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			X
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			X
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: MPR-II			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. See P14	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410. See P14		Ħ	
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated Carton Product packaging material type(s): Molded fiber cushion weight (kg): 0.350 weight (kg): 0.180			
D. () ()	Product packaging material type(s): weight (kg):		_	
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		Щ
P13.3*	Specify media for user and product documentation (tick box): Electronic , Paper , Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% (Japan only 70%)			
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied information contained in this document. All information provided by supplier in this document is provided based knowledge available at the time of completion, and supplier shall have no obligation to update such information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representation.	l on supp n. The info	lier's ormati	
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.			
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:			
D40.4	http://downloads.energystar.gov/bi/qplist/laptops_prod_list.xls	-11		
P12.1	Product is designed to meet the subject ISO Standard 9241-307, but is not confirmed through formal te			
P12.2	Product is designed to meet the subject ISO Standard 9995 and 9241-410, but is not confirmed through methods.	rormal t	est	

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19