

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0	
Company name *	Lenovo			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html		
Additional information	The latest version of this document can be found at:	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	ThinkPad E485			
Model number *	20KU			
Issue date *	2018/02/24			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	ımber *	20KU	Logo	Long		
Issue dat	:e *	2018/02/24		Leng	JVC	Тн
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Parts wi (see lega	th direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail <i>w.lenovo.com/social_responsibility/us/en/environment.html</i>	contact):	\boxtimes		
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal	\boxtimes		
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn e)	nium. (See leg	al 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) aration of Conformity can be requested at (add link or e-mail address):	gal reference).			
	nttp://v	vww.lenovo.com/social_responsibility/us/en/ec_doc_notebooks/				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\bowtie		
		d information is; given in item P15 or added to this document,		\square		
	http://w	ww.lenovo.com/social_responsibility/us/en/datasheets_notebooks/				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	v. cadmium a	nd 🔀		
_	hexavale	ent chromium by weight of these together.	-			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature re legal reference).				
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Montr	eal 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		20KU	Logo			
Issue dat	:e *	2018/02/24		Len	ovo	тн
Product	environ	mental attributes - Market requirements (See General NOTE GN b	elow)			
		onmental conscious design		Require	ment r	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			\square	
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.		\square		
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\bowtie		
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly available	ailable tools.	\times		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
	Product	lifetime				
P7.7*	Upgradin	ig can be done e.g. with processor, memory, cards or drives		\times		
P7.8*	Upgradin	ng can be done using commonly available tools				
P7.9	Spare pa	arts are available after end of production for: 5 years				Ħ
P7.10	Service i	s available after end of production for: 5 years				Ħ
-		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
			type: Aluminu	m		
P7.12	Insulation	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulation	n materials of internal electrical cables are PVC free.		\square		
P7.14	External	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro	mine and 0,1%	5 X		
		1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame				
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch ig more than 25% post-consumer recycled content.	nlorine in parts	5		
P7.15		circuit boards, PCBs (without components) are low halogen: all \square PCBs > 25	5 g 🗌 are lov			
		as defined in IEC 61249-2-21. (See 1NOTE B2)				
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\times		
	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without con			_	_
	TBBP	A (additive),TBBPA (reactive) (See NOTE B3),⊠Other: <i>DOPO</i> , CAS #: 35948-	25-5	\bowtie		
		nemical specifications of flame retardants in printed circuit boards (without componen	nts) > 25 g		_	_
	according	g ISO 1043-4: <i>FR(40)</i>		\boxtimes		
P7.18	<u>Alt. 1: Fl</u>	ame retarded plastic parts > 25 g contain the following flame retardant substances/	preparations in			
		ations above 0,1%:		\boxtimes		
		ical name: Phosphorus compounds , CAS #: confidential (See NOTE B4)				
	Z. Chemi	ical name: , CAS #: "				
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	4:	_		_
D7 40	la alcotto			<u> </u>		Ц_
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h	lave been			
	Ũ	I the following Risk phrases; and Hazard statements:	a nota DC)			
P7.20*		ce(s) for these classifications is/are found at (add URL(s)): , (Second summer recycled plastic material content is used in the product (See Note B6):	e note B5)			
F1.20	FUSICUNS	sumer recycled plastic material content is used in the product (See Note DO).				
		t least one of the two alternatives below shall be answered;				
		otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ((calculated as			
	•	ercentage of total plastic by weight) is 0.9% .				
	or b) Tho	weight of recycled material is				
	b) The	weight of recycled material is g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20KUU				Logo		
Issue date *	2018/02/2	24				Lenov	
Product environm	nental at	tributes - Market	requirements (cont	tinued)	•	Requireme	nt met
Item						Yes No	n.a.
Material	and subs	tance requirements	(continued)				
P7.21* Biobased	l plastic m	aterial content is use	d in the product (See I	-			
a) Of t of to or	otal plastic	c parts' weight > 25	%.	vered; c material content (calc	ulated as a percent	age	
		ree from mercury, i.e specify: Number of la	. less than 0,1 mg/lam mps: and maxir	o. num mercury content p	er lamp: mg		
P8 Batteries							
		omposition: <i>Lithium</i>	lon				
		ion (See NOTE B8)					
	roduct the		els or energy consumption				
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	modes and test r	ard for energy nethod *	
Peak (On-max)		45 W	45 W	45 W	Full load		
CategoryI1							
Short Idle State - Wo Enabled	OL	7.34 W	7.45 W	7.6 W	Use for ENERG registration (P _{id}		
Long Idle State - WC Enabled	DL	5.35 W	5.41 W	5.47 W	Use for ENERG registration (P _{id}		
Sleep (S3) - WOL Er	nabled	0.96 W	0.96 W	0.97 W	Use for ENERG registration(P _{sle}		
Off (S5) - WOL Disa	bled	0.36 W	0.36 W	0.37 W	Use for ENERG registration(Poff)		
CategoryI2							
Short Idle State - Wo Enabled	OL	7.67 W	7.81 W	7.9 W	Use for ENER registration (P _{id}	RGY STAR V6 _{'e})	
Long Idle State - WO Enabled	DL	5.39 W	5.45 W	5.5 W	Use for ENER registration (P _{id}	RGY STAR V6 ⊮)	
Sleep (S3) - WOL Er	nabled	0.94 W	0.95 W	0.97 W	Use for ENER registration(P _{sle}	RGY STAR V6 =p)	
Off (S5) - WOL Disal	bled	0.37 W	0.36 W	0.37 W	Use for ENER registration(Poff)	RGY STAR V6	
CategoryI3							
Short Idle State - We Enabled		8.01 W	8.05 W	8.1 W	registration (Pid	·	
Long Idle State - WC Enabled	DL	5.51 W	5.56 W	5.6 W	Use for ENER registration (P _{id}	RGY STAR V6 ⊮)	
Sleep (S3) - WOL Er	nabled	0.97 W	0.97 W	0.98 W	Use for ENER registration(P _{sle}		
Off (S5) - WOL Disal	bled	0.36 W	0.36 W	0.37 W	Use for ENER registration(Poff)	RGY STAR V6	
EPS No-load (External power supply / charger wall outlet but disconnected from 1	plugged in the	0.061 W	0.061 W	0.062 W			
ETEC * Annual Energy Const		29.64 kWh/year	29.79 kWh/year	30.01 kWh/year	$E_{TEC} = (8760/100)$ + $P_{sleep} \ge 0.35$ + $P_{short_Idle} \ge 0.30$	Plong_Idle x 0.10+	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

External P	External Power Supply Efficiency Level (International Efficiency Marking Protocol) * : V/					
Display res	solution * : 2.07 n	negapixels				
Default tim	e to enter energy	v save mode: 30 minutes				
P9.2*	Information abo	out the energy save function is provided with the p	roduct.			
P9.3	Energy efficiend	cy class (monitors only):				
P10	Emissions					
	Noise emission – Declared according to ISO 9296 (See NOTE B9)					
P10.1	Mode	Mode Mode description		Statistical upper limit A-weighted sound power level, LWA,c (B)		
	ldle	* HDD Idle	* 2.7			
	Operation	* HDD	* 3.9			
		* CPU	* 3.4			
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p\rm Am}$	16 (operator position	i desktop – idle)		
	Other mode	Declared A-weighted sound pressure level (dB) L_{pAm}	21 (operator position	n desktop – operating HDD)		
		prun	26 (operator position	desktop – operating CPU)		
	Measured acco	rding to: 🔀 ISO 7779 🔀 ECMA-74				
		Other (only if not covered by E	ECMA-74)			

Model number *		20KU			Logo	000		
Issue date	*	2018/02/24				eno		rm.
Product	environn	nental attributes	- Market requirements (cor	ntinued)	F	Require	ment	met
Item						Yes	No	n.a.
	Electron	nagnetic emissions	;					
P10.4			requirement for low frequency e adapter only)/MPR-II (3pin ad		of the following voluntary	\square		
P12		nics for computing						
P12.1*	The disp	lay meets the ergon	omic requirements of ISO 9241-	307 for visual display	y technologies.	\boxtimes		
P12.2*	The phys	sical input device me	ets the requirements of ISO 999	95 and ISO 9241-410).	\boxtimes		
P13		ng and documenta						
P13.1*	Product	packaging material t	ype(s): Corrugated Cardboard ype(s): Polyethylene weight (kg ype(s): Others (Plastic Bag)		ı): 0.3535			
P13.2*			aging is free from PVC.			\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 70% (only for Japan) %							
P13.4*	Specify r	media for user and p	roduct documentation (tick box): Dther					
P13.5	User and		em if paper documentation used tion on paper media is chlorine-			\boxtimes		
	Totally cl	hlorine-free				\boxtimes		
		al chlorine-free						
	Processe	ed chlorine-free				Ē.		
P14	Volunta	ry programs						
P14.1	The prod	luct meets the requir	ements of the following voluntar	y program(s):				
		Y STAR® II: EPEAT II:	Criteria version: <i>6.1</i> Criteria version: <i>IEEE 1680</i> Criteria version:	Date: 2017/10/19 Date: 2017/12/29 Date:	Product category: <i>11, 12,13</i> Product category: <i>Notebool</i> Product category:	r		
P15		al information (See						
P9	Energy	consumption of sp	ecific configuration may vary;	description of the	tested product configuratio	n:		
	NOTE: S informati knowledg provided informati	Supplier makes no re on contained in this ge available at the tin here is approximate on.	presentations, guarantees, assu document. All information provid ne of completion, and supplier s and provided for informational p	irances or warranties led by supplier in this hall have no obligati purposes only. See a	s whether express or implied, s document is provided based on to update such information a Lenovo Account Representa	regarding I on supp n. The inf	olier's format	ion
P9			<pre>btebooks & Tablet Computers fo dex.cfm?fuseaction=find_a_proc</pre>					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad E485	Logo
Model Number	20KUU	
Issue Date	2018/02/24	Lenovo
Additional information		

P7.1.1	Product environmental attributes						
(d)	Year of manufacture:				2018		
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are		
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	II discrete graphics o	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	32					
lents sting	Additional internal storage	Yes (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
cap app	Discrete graphics Card(s) [number / #]	No #: 0 (Yes / No)	#: (Yes / No)	# <i>:</i> (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)						
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	17.87					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
(g)	Idle state power demand (Watts);		•	•	5.71		
(h)	Sleep mode power demand (Watts);				0.99		
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.99		
(j)	Off mode power demand (Watts);				0.38		
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.38		
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 9	% of rated output powe	er (if applicable):			
	10% 20% 50%	100% Avera	ge				
(m)	External power supply efficiency (if appli	cable)*:					
	Average active efficiency: 45W: 87,98%	,88,63%,88,83%/65W	: 89,41%,88,62%,88,9	6%			
(-)	*internal note: show values for all available external p						
(o)	Minimum number of loading cycles that t	ne datteries can withst	and (applies only to n	OLEDOOK COMPUTERS):	500 cycles		
(p-1)	-1) Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA						

(p-2)		dology used to determine information mentioned in p for Calculating the Energy Efficiency of Single-V Power Supplies" dated August 11, 20	oltage External AC-DC and AC-AC	
(p-3)	Measurement metho	dology used to determine information mentioned in p IEC 61960 measurement methodology		
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: IEC 62623 / IEC EN50564:2011 measurement r		
(q)	Sequence of steps for	or achieving a stable condition with respect to power IEC 62623 / IEC EN50564:2011 measurement re		
(r)		eep and/or off mode was selected or programmed: agement, sleep mode: ACPI system level G1/S3 ACPI system level G2/S5 ('soft off') s		
(s)		required to reach the mode where the equipment au	tomatically changes to sleep and/or	
	off mode: refe	r to power management, 30mins automatically re	eaches sleep mode	
(t)		te condition before the computer automatically re not exceed the applicable power demand requirement		30
 Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): 				NA
(v)		re the display sleep mode is set to activate after		10
(w)	Information on the er	nergy-saving potential of power management function refer to user manual	nality:	
(x)	User information on I	now to enable the power management functionality: refer to user manual		
(z)		neasurements: — test voltage in V and frequency in system, — information and documentation on the in- sting: 230V, 50GHz, Total Harmonic Distortion	strumentation, set-up and circuits	
Addition	nal Notebook Batter	y Information:		
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾		
Internal/	built-in Battery			
External	/detachable Battery			
Bios Bao	ckup Battery			
Other:				
Other:				
	al information			
	al information			
	al information			

Baterii/ole) v tomto vyrosku nemoze vymienat pouzivatei. Baterii/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] el[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.