

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

### Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	Lenovo
e-mail address	Alvin L Carter	LEIIOVO
	alcarter@lenovo.com	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Notebook
Commercial name *	ThinkPad E490s
Model number *	20NG, 20QC
Issue date *	2018/11/29
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

	umber *	20NG, 20QC Logo			
Issue da	ite *	2018/11/29	Leng		
Produc	t environ	mental attributes - Legal requirements	Require	ment	t me
Item			Yes	No	n.a.
P1	Hazardo	ous substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\square$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	$\square$		
P1.3*	Products	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobro trichloro concent				
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	Parts wi (see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	(		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): ww.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	$\boxtimes$		
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal e)	I 🛛		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P3	Conform	nity verification & Eco design (ErP)			
P3.1*	The proo	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): ww.lenovo.com/social_responsibility/us/en/ec_doc_notebooks/			
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).	$\boxtimes$		
	Require	d information is; given in item P15 or added to this document, available at (add URL):			
		vw.lenovo.com/social_responsibility/us/en/datasheets_notebooks/			
P5		t packaging			
P5.1*	hexaval	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium an ent chromium by weight of these together.			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material(see legal reference).			
	The prod	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoco	ol 🔀		
P5.3*	(see leg				
P5.3*	Comme	al reference). nt: Legal reference has no maximum concentration values. ent information			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	20NG, 20QC	Logo			
Issue dat	te *	2018/11/29		Len	ovc	Отн
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.				<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.				╞
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	<u> </u>
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	wailable tools		<u> </u>	╞
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>	<u> </u>
F7.0						
P7.7*	Product Upgradin	ig can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools			++	╞
P7.9		rts are available after end of production for: 5 years				╞
P7.10		s available after end of production for: 5 years				<u> </u>
F7.10		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
			al type: Alumin	um		
P7.12		n materials of external electrical cables are PVC free.	31		$\boxtimes$	
P7.13	Insulation	n materials of internal electrical cables are PVC free.			Π	Π
P7.14	weight (	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i	e retardants, ar	nd		
		n 25% post-consumer recycled content.				
P7.15	as define	ircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🔀 ed in IEC 61249-2-21. (See 1NOTE B2)		en 🔀		
P7.16	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co A (additive), TBBPA (reactive) (See NOTE B3), Other: <b>DOPO</b> , CAS #: <b>3594</b>		$\boxtimes$		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR</i> (40)	ents) > 25 g	$\boxtimes$		
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0.1%:	es/preparations			
		ical name: <b>Phosphorus compounds,</b> CAS #: <b>confidential</b> (See NOTE B4)		$\boxtimes$		
	2. Chemi	ical name: , CAS #: " ical name: , CAS #: "				
	<u>Alt. 2: </u> Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:		$\bowtie$	
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which				
	assigned	the following Risk phrases; confidential and Hazard statements: confide	ential			
			See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$		
	a) Of t a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is <b>0.7%</b> . weight of recycled material is <b>4.8</b> g.	it (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20NG, 20QC	Logo	
Issue date *	2018/10/18		Leiiuvu

Product environmental attributes - Market requirements (continued)

Item

Requirement met Yes No n.a.

-	Matorial and cu	bstance requirements	(continued)		
P7.21*		material content is used		OTE B7):	
	-			-	
		one of the two alternative stic parts' weight > 25 g,			ated as a percentage of
		by weight) is %.	the biobased plastic m		aled as a percentage of
	or	,			
		of the biobased plastic r			
P7.22*		e free from mercury, i.e.			
		ed specify: Number of lar	nps: and maxim	um mercury content p	er lamp: mg
P8	Batteries	l composition ( lithium (	en // ithium Mennenee	o Diovido	
P8.1*		I composition: Lithium I	on/Lithium Manganes	e Dioxide	
P9		nption (See NOTE B8)			
P9.1 Energy mo		the following power level Power level at	s or energy consumption Power level at	Power level at	Reference/Standard for energy
Energy mo	de	100 V AC	115 V AC	230 V AC	modes and test method *
Peak (On-	max)	65 W	65 W	65 W	Full load
Categor	<u>y</u>				
Short Idle	State - WOL	5.74 W	5.26 W	5.59 W	Use for ENERGY STAR V6
Enabled	otate - WOL	0.74 11	0.20 11	0.00 11	registration (P <sub>idle</sub> )
-	State - WOL	3.92 W	3.55 W	3.27 W	Use for ENERGY STAR V6
Enabled					registration (P <sub>idle</sub> )
Sleen (S3)	- WOL Enabled	0.97 W	0.98 W	1.01 W	Use for ENERGY STAR V6
01000 (00)		0.07 11	0.50 11	1.01 11	registration(P <sub>sleep</sub> )
					• • • •
Off (S5) -	WOL Enabled	0.03 W	0.03 W	0.06 W	Use for ENERGY STAR V6
					registration(P <sub>off</sub> )
EPS No-lo	ad	0.06 W	0.06 W	0.06 W	
(External power	supply / charger plugged in the sconnected from the product.	he \			
PTEC *	sconnected norm the product.	W	W	W	
Typical En	ergy Consumption	1			
ETEC *		18.18 kWh/year	17.00 kWh/year	17.79 kWh/year	ETEC = (8760/1000) x (Poff x 0.25
Annual En	ergy Consumption				$+ P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 +$
		D + Off Mada(S5) 144	Ol Enchladi D Slaan	Made(C2) MOL Frahl	Pshort_Idle x 0.30)   led; Pidle: Idle State - WOL Enabled
External D	ower Supply Effici	ency Level (International			ridle: Idle State - WUL Enabled
	solution * : 2.07 m	•			
. ,		• ·			
		save mode: 30 minutes			
P9.2*		ut the energy save functi	on is provided with the	product.	
P9.3	Energy efficiency	y class (monitors only):			
P10	Emissions				
		- Declared according to	ISO 9296 (See NOTE		
P10.1	Mode	Mode description			hit A-weighted sound power level, $L_{WA,c}$ (B)
	Idle	* HDD Idle		* 2.5	
	Operation	* HDD,CPU		* NA,3.9	
	Other mode	Declared A-weighted soun	d pressure level (dB) $\overline{L_{pAn}}$	15 (operator position	on desktop – idle)
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{pAm}$	NA,31 (operator po	osition desktop – operating)
	Measured accord	ı ding to: 🔀 ISO 7779 📐	1	1	
		Other	(only if not covered by		
			comy in not covered by	EGIVIA-14	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	mber *	20NG, 20QC				Logo				
Issue dat	:e *	2018/11/29					Le		VO,	
Product	environ	mental attribut	es - Market requirements (co	ntinued)				uirer		met
ltem							`	res	No	n.a.
		magnetic emission								
P10.4	program	i(s): JEITA-ITR (2	he requirement for low frequency e pin adapter only)/MPR-II (3pin a		s of the follo	owing volunt	ary	$\boxtimes$		
P12		mics for comput								
P12.1*	•		onomic requirements of ISO 9241			gies.		$\boxtimes$		
P12.2*	The phy	sical input device	meets the requirements of ISO 99	95 and ISO 9241-410	).			$\boxtimes$		
P13		ing and docume								
P13.1*	Product Product	packaging materi packaging materi	al type(s): OUTER CARTON al type(s): PAPERPAD weight (k al type(s): EPE-cushion weight (k al type(s): SCREEN FILM							
P13.2*			ackaging is free from PVC.	<b>U</b> ( <b>U</b> )				$\times$		
P13.3*		duct primary corr er recovered fiber	ugated fiberboard packaging, spectrum	ecify the contained p	ercentage	of minimum				
P13.4*	Specify		d product documentation (tick box Other	):						
P13.5	Ùser an		s item if paper documentation used entation on paper media is chlorine					$\boxtimes$		
	Element	chlorine-free al chlorine-free ed chlorine-free								
P14	Volunta	ry programs								
P14.1	The pro	duct meets the ree	quirements of the following volunta	ary program(s):						
045	Eco-lab Eco-lab Eco-lab		Criteria version: 7.0 Criteria version: IEEE 1680 Criteria version: Ver.13 Criteria version: NB 5.0	Date: 2017/10/26 Date: 2018/10/26 Date: 2018/10/26	Product c	ategory: 1 ategory: No ategory: No				
P15		nal information (								
	NOTE: S informat knowled provideo informat	Supplier makes no ion contained in the ge available at the here is approximition.	specific configuration may vary o representations, guarantees, ass his document. All information provi e time of completion, and supplier nate and provided for informational	urances or warranties ded by supplier in this shall have no obligati purposes only. See a	s whether e s documen on to upda a Lenovo A	express or in t is provided te such info	nplied, reg I based on rmation. Th	suppl ne info	lier's ormati	on
P9			d Notebooks & Tablet Computers f //index.cfm?fuseaction=find_a_pro			code=CO				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad E490s	Logo
Model Number	20NG, 20QC	
Issue Date	2018/11/29	Lenovo
Additional information		

(-)		we and a such life of the	too and a secolar barrier						
(e)	<b>Etec value</b> (kWh) per ErP Lot 3 Category and capability adjustments applied when <b>all discrete graphics cards (dGfx) are</b> <b>disabled</b> and if the system is tested with switchable graphics mode with UMA driving the display.								
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable								
	-	Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)				
	Memory over base [GB]	28	28						
ents ting	Additional internal storage	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)				
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)				
ability a died du	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)				
app	Discrete graphics Card(s) [number / #]	No #: 0 (Yes / No)	No #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)				
	Category of discrete graphics Card(s)		G3						
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	10.27							
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		16.76						
g)	Idle state power demand (Watts);				A:3.44 / B:3.44				
h)	Sleep mode power demand (Watts);				A:0.93 / B:0.93				
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A:0.98/ B:0.98				
j)	Off mode power demand (Watts);				A:0.07 / B:0.07				
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A:0.07 / B:0.07				
(I)	Internal power supply efficiency at 10 %	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):					
	10% 20% 50%	100% Avera	age						
(m)	External power supply efficiency (if applicable)*:								
	Average active efficiency: 45W: 87,98% 90,80%,92,60%; 230W: 91,85%,91,49%		V: 89,41%,88,62%,88,	96%; 135W: 89,88%,9	91,35%; 170W:				
(0)	*internal note: show values for all available external p Minimum number of loading cycles that t		tand (applies only to p	otobook computoro)					
(0)	winning runner of loading cycles that t	The Datternes Carl WITINS	tand (applies only to n	otebook computers):	500 cycles				

(p-2)	Measurement metho	dology used to determine information mentioned in EN 50563:2011 measurement methode					
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology						
(p-4)		Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: EN 62623:2013 measurement methodology					
(q)	Sequence of steps for	Sequence of steps for achieving a stable condition with respect to power demand: EN 62623:2013 measurement methodology					
(r)		eep and/or off mode was selected or programmed: agement, sleep mode: ACPI system level G1/S3 ACPI system level G2/S5 ('soft off') s					
(s)	off mode:	required to reach the mode where the equipment au					
(t)	Duration of idle stat	er to power management, 30mins automatically retered to power management, 30mins automatically retered to power automatically r	eaches sleep mode, or another	30			
(u)	Length of time after	not exceed the applicable power demand requirem r a period of user inactivity in which the compute ver power demand requirement than sleep mode (ir	r automatically reaches a power	NA			
(v)		re the display sleep mode is set to activate after		10			
(w)		nergy-saving potential of power management functio refer to user manual					
(x)	User information on I	how to enable the power management functionality: refer to user manual					
Additio	nal Notebook Batter						
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)} \ensuremath{D}$					
	built-in Battery						
	/detachable Battery						
Other:	ckup Battery						
	al information						
Addition							
умулаторна	ата[ите] батерия[и] в този п	asily replaced by users themselves. родукт не може да се замени[ят] лесно от самите потребите.	пи.				
		er sustituidas fácilmente por los propios usuarios. neměli provádět sami uživatelé.					
ugeren kan	ikke uden videre udskifte bat	teriet/batterierne i dette produkt.					
sutajad ei s	aa selle toote akut/akusid ise		verden.				
		ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες iit ne peuvent être facilement remplacée(s) par les utilisateurs eu	ux-mêmes.				
risnik ne mo	ože lako zamijeniti Bateriju sa	am u ovom proizvodu.					
etotāji paši r	nevar nomainīt šā ražojuma a						
	aterijos [baterijų] pats vartoto imulátorát/akkumulátorait a fe	jas negali lengvai pakeisti. elhasználó nem tudja egyedül egyszerűen kicserélni.					
oatterija/batt itteriet [ene]	teriji f'dan il-prodott ma tistax/ i dette produktet kan ikke let	′jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. t erstattes av brukerne selv.					
		e gebruiker niet gemakkelijk vervangbaar. wymienić baterij w tym produkcje					

Užytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu ürtindeki bataro(clar) kullangular targindan kolavikla deăistiridemez

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.