

Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	al information The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Notebook						
Commercial name *	ThinkPad P53						
Model number *	20QN, 20QQ						
Issue date *	2019/5/24						
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model nu	ımber *	20QN, 20QQ	Logo			
Issue dat	te *	2019/5/24		Lena		
Product	environ	mental attributes - Legal requirements		Require	ment	t met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\square		
P1.3*	hydrobro trichloro	e do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).</td <td>lorinated</td> <td>\square</td> <td></td> <td></td>	lorinated	\square		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in the	•		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/week			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	\boxtimes		
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal	\square		
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See legal	\square		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc	gal reference).			
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		\square		
	Require	d information is; given in item P15 or added to this document, available at (add URL): <i>lenovo.com/us/en/compliance/ed</i>	a declaration	\boxtimes		
P5	Product	packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	y, cadmium an	d 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the legal reference).	of the material(s	;)		
P5.3*	The proc (see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference).	Iontreal Protoco	ol 🔀		
	Comme	nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	mormati	on for recyclers/treatment facilities is available (see legal reference).		\bowtie		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		20QN, 20QQ	Logo			
Issue date	÷ *	2019/5/24		Len	ovo	тн
Product	environn	nental attributes - Market requirements (See General NOTE GN b	pelow)			
		nmental conscious design	,	Requiren	nent m	iet
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design Disasse	mbly, recycling				
P7.1*		at have to be treated separately are easily separable				
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			\square	
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.				
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.						
P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime						
P7.7*		ng can be done e.g. with processor, memory, cards or drives			Ц_	<u>Ц</u>
P7.8*		ng can be done using commonly available tools		\boxtimes		<u>Ц</u>
P7.9		arts are available after end of production for: 5 years				Ц_
P7.10		s available after end of production for: 5 years				
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):				
		type: PPS+50% GF Material type: PC+ABS Materia	al type:			
P7.12	Insulation	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13		n materials of internal electrical cables are PVC free.		\square		
P7.14	weight (1 polyvinyl more tha	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in in 25% post-consumer recycled content.	e retardants, a n parts containi	ind ing		
P7.15	as define	circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ad in IEC 61249-2-21. (See 1NOTE B2)		jen 🔀		
P7.16	Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: <i>FR(40)</i>		\square		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>DOPO</i> , CAS #: 3594		\boxtimes		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g	\boxtimes		
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: halogen-free organic phosphorus compound , CAS #: confidentia ical name: , CAS #: " ical name: , CAS #: "		\square		
	<u>Alt. 2: </u> Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:	\boxtimes		
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; Confidential and Hazard statements: Confiden rce(s) for these classifications is/are found at (add URL(s)):				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):	,	\boxtimes		
	a) Of t a pe or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 2.1% . e weight of recycled material is 13.8 g.	t (calculated as	S		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20QN, 20QQ	Logo	Lenovo
Issue date *	2019/5/24		LEHOVO
Product environ	mental attributes - Market requirements (continued)		Requirement met

Item

Requirement met Yes No n.a.

D7 01*	Material and substance requirements (continued) Biobased plastic material content is used in the product (See NOTE B7): Image: Content is used in the product (See NOTE B7):								
P7.21*	Biobased plastic	material content is use	a in the product (See NC	$T \in DT$.					
	,								
			•	· ·					
	or b) The weight of	of the biobased plastic	material is g.						
P7.22*			less than 0,1 mg/lamp.						
		I specify: Number of la	mps: and maximu	im mercury content pe	er lamp: mg				
P8	Batteries								
P8.1*		composition: Li-ion							
P9	Energy consumption (See NOTE B8) For the product the following power levels or energy consumptions are reported:								
P9.1	Power level at Power level at Power level at Power level at Reference/Standard for energy 100 V AC 115 V AC 230 V AC modes and test method *								
Energy mode *									
Peak (On-max)		65 W	65 W	65 W	Full load				
Category	/ -2-								
Short Idle Enabled	State - WOL	17.37 W	16.79 W	16.95 W	Use for ENERGY STAR V7.1 registration (P _{idle})				
	State - WOL	10.59 W	10.72 W	10.55 W	Use for ENERGY STAR V7.1				
Enabled		10.00 11	10.72 **	10.00 11	registration (P _{idle})				
Sleep (S3)	- WOL Enabled	2.70 W	2.64 W	2.63 W	Use for ENERGY STAR V7.1 registration (P _{sleep})				
Off (S5) - WOL Enabled		0.49 W	0.50 W	0.48 W	Use for ENERGY STAR V7.1 registration (Poff)				
EPS No-loa	ad	0.1 W	0.1 W	0.1 W					
PTEC * Typical Ene	ergy Consumption	6.51W	6.34 W	6.36 W					
ETEC *		54.44 kWh/year	52.97 kWh/year	53.16 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25				
Annual Ene	ergy Consumption			,	+ P _{sleep} x 0.45 + P _{long_Idle} x 0.05+ P _{short_Idle} x 0.25)				
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Sleep	Mode(S3) - WOL Enable	ed; P _{idle} : Idle State - WOL Enabled				
External Po	wer Supply Efficie	ncy Level (Internationa	I Efficiency Marking Pro	tocol) * : VI					
Display res	olution * : 8.29 me	gapixels			3840*2160				
Default time	e to enter energy s	ave mode: 10 minutes							
P9.2*	Information about	the energy save funct	ion is provided with the p	product.					
P9.3	Energy efficiency	class (monitors only):							
P10	Emissions								
D / 0 /			o ISO 9296 (See NOTE						
P10.1		Mode description			t A-weighted sound power level, <i>L_{WA,c}</i> (B))			
	Idle	* HDD idle		* 2.7		_			
	Operation	* Operating (HDD) * Operating (CPU)		* NA * 3.7	L				
	Other mode	Declared A-weighted sour	nd pressure level (dB) $L_{p{ m Am}}$	16 (operator positi					
			nd pressure level (dB) L _{pAm}	NA (operator posit 30 (operator positi	ion desktop – operatingHDD) on desktop – operatingCPU)				
	Measured accord	ing to: 🔀 ISO 7779 🕻	ECMA-74						
		Other (only if not covered by ECMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	20QN, 20QQ					Logo			
Issue dat	e *	2019/5/24						Len	ovc	Отн
Product met	environ	mental attribut	es - Market requirer	ments (c	ontinued)			Requi	remen	nt
Item								Yes	No	n.a.
	Electro	magnetic emissi	ons							
P10.4	program	n(s): MPR-II(3 pin	the requirement for low AC adapter only	frequency	electromagnetic fiel	ds of the fol	lowing volunta	ry 🔀		
P12		mics for comput								
P12.1*			gonomic requirements o				gies.	\square		
P12.2*	The phy	sical input device	meets the requirement	ts of ISO 9	995 and ISO 9241-4	10.		\boxtimes		
P13	Packaging and documentation									
P13.1*	Product Product	packaging mater	ial type(s): <i>EPS</i> ial type(s): <i>LDPE</i> ial type(s): <i>Carton</i> ial type(s): <i>Paper pad</i>	weight weight	(kg): 0.108 (kg): 0.135 (kg): 0.512 (kg): 0.015					
P13.2*			ackaging is free from P		. =,			\boxtimes		
P13.3*	consum	er recovered fiber	ugated fiberboard pack r content: 70 %			ercentage o	of minimum po	ost-		
P13.4*	Specify	media for user ar tronic, 🔀Paper,	id product documentation	on (tick bo	x):					
P13.5	Ùser an		s item if paper docume entation on paper media							
	Elemen	chlorine-free tal chlorine-free ed chlorine-free								
P14										
P14 P14.1		iry programs	quirements of the follow		tary program(s):					
	ENERG Eco-lab Eco-lab	Y STAR® el: EPEAT	Criteria version: 7.1 Criteria version: 168 Criteria version: Gen Criteria version: V13	0.1 18	Date: 2019/6/5 Date: 2019/7/17 Date: Date: Date: 2019/7/1	Product Product	category: 2 category: No ct category: No ct category: No	otebook		
P15	Additio	nal information (See NOTE B10)							
P9			specific configuration	n mav vai	v; description of th	e tested pr	oduct confia	iration:		
	NOTE: informatik knowled	Supplier makes no tion contained in t Ige available at th d here is approxin	o representations, guara his document. All inform e time of completion, an nate and provided for in	antees, as nation pro nd supplie	surances or warrant vided by supplier in t r shall have no oblig:	ies whether his docume ation to upda	express or import is provided a ate such inforr	plied, regard based on su mation. The	pplier's informa	s ation
P9	See En		d Notebooks & Tablet C			ation:				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad P53	Logo
Model Number	20QN, 20QQ	
Issue Date	2019/5/24	Lenovo
Additional information		

P7.1.1	Product environmental attributes						
(d)	year of manufacture:				2019		
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are		
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable						
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]			128			
nents sting	Additional internal storage	(Yes / No)	(Yes / No)	YES (Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	NO (Yes / No)	(Yes / No)		
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	NO (Yes / No)	(Yes / No)		
capa app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	YES #: 1 (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)			G7			
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)						
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			32.34			
(g)	Idle state power demand (Watts);		•		10.70		
(h)	Sleep mode power demand (Watts);				2.39		
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		2.42		
(j)	Off mode power demand (Watts);				0.40		
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.40		
(I)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 9	% of rated output powe	er (if applicable):			
	10% 20% 50%	100% Avera	ge				
(m)	external power supply efficiency (if appli	cable)*:					
	Average active efficiency: 230W: 91,85						
(0)	*internal note: show values for all available external po Minimum number of loading cycles that t		and (applies only to n	otebook computers).			
(0)				· /	500 cycles		
(p-1)	Measurement methodology used to dete	rmine information mer NA	tioned in points (I) – ir	nternal PSU efficiency:			
(p-2)	Measurement methodology used to dete EN 5050	rmine information mer 53:2011 measuremen		external PSU efficiend	cy:		

(p-3)		Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology							
(p-4)	Measurement methor power as defined in	boology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: EN 62623:2013 measurement methodo							
(q)	Sequence of steps for	uence of steps for achieving a stable condition with respect to power demand: EN 62623:2013 measurement methodology							
			blogy						
(r)		leep and/or off mode was selected or programmed:							
(c)		y selecting sleep and/or off mode thru Windows required to reach the mode where the equipment au							
(s)	off mode:	Automatically changes to sleep after 30							
(t)		te condition before the computer automatically re- s not exceed the applicable power demand requirem	eaches sleep mode, or another	30					
(u)	Length of time after	r a period of user inactivity in which the compute wer power demand requirement than sleep mode (ir	r automatically reaches a power	NA					
(v)		ore the display sleep mode is set to activate after		10					
(w)		nergy-saving potential of power management functio on described in User Guide and Power Manager u programs							
(x)	User information	now to enable the power management functionality: on described in User Guide and Power Manager u programs							
(z)		neasurements: — test voltage in V and frequency in tem, — information and documentation on the instru 230V/50HZ; Total Harmonic Distortion	mentation, set-up and circuits used						
Additio	on Notebook Battery	Information:							
	-	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a					
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾							
Internal	I/built-in Battery								
Externa	al/detachable Battery								
Bios Ba	ackup Battery	\boxtimes							
Other:									
Addition	nal information								

1) The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sam uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

La batteria/e batteria in questo production no puopossono essere racintente sostituita/e dali dee Lietotăji paŝi nevar nomainīt šā ražojuma akumulatoru(-us). Ŝio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistghux tiĝi/jigu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produkt kan ikke lett erstattes av brukerne selv. De batterii(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tomto vyropku nemoze vymienat pouzivatei. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.