



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

	The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	conforms to the statements given in this declaration.						
Type of product *	Notebook						
Commercial name *	ThinkPad T495						
Model number *	20NJ, 20NK						
Issue date *	2019-3-20						
Intended market *	Global Europe Asia, Pacific & Japan Americas Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	20NJ, 20NK	Logo	Long		
Issue dat	e *	2019-3-20		Lend		J _{TM}
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item		·		Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/weel	k 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail w.lenovo.com/social_responsibility/us/en/environment.html	contact):			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with land Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	ıl 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal laration of Conformity can be requested at (add link or e-mail address):	gal reference).			
D0.0*		/w.lenovo.com/social_responsibility/us/en/ec_doc_notebooks/				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		X		
	, ,	d information is; given in item P15 or added to this document, available at (add URL):				
	http://ww	w.lenovo.com/social_responsibility/us/en/datasheets_notebooks/				
P5		packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	y, cadmium ar	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature lee legal reference).	of the material(s) 🔀		
P5.3*	The prod	duct packaging material is free from ozone depleting substances as specified in the Nal reference). It is Legal reference has no maximum concentration values.	Nontreal Protoc	ol 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	20NJ, 20NK	Logo	Lonovo
Issue date *	2019-3-20		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			<u> </u>
P7.2*	Plastic materials in covers/housing have no surface coating.			- -
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			Щ.
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			<u> </u>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
D7 7*	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		Щ.	
P7.8*	Upgrading can be done using commonly available tools			
P7.9	Spare parts are available after end of production for: 5 years			<u> </u>
P7.10	Service is available after end of production for: 5 years			
D7 44*	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PPS+50%GF Material type: PC+ABS Material type: PA+50%GF	GE.		
P7.12	Insulation materials of external electrical cables are PVC free.	<u>"</u>	\square	
P7.13	Insulation materials of internal electrical cables are PVC free.	X		∺
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			Ħ
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		ш	ш
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing	l		
P7.15	more than 25% post-consumer recycled content. Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen	n 🔀		
1 7.13	as defined in IEC 61249-2-21. (See 1NOTE B2)		Ш	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Phosphorus Modified Epoxy	\bowtie		
	Resin,, CAS #:confidential			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
P7.18	according ISO 1043-4: <u>Alt. 1:</u> Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:			
	1. Chemical name: <i>Phosphorus compounds</i> , CAS #: <i>confidential</i> (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #:	_		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; <i>confidential</i> and Hazard statements: <i>confidential</i>			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
1	If YES; at least one of the two alternatives below shall be answered;			
1	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 2.15%%.			
	Or			
	b) The weight of recycled material is 15.3 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20NJ, 20NK	Logo	Lonovo
Issue date *	2019-3-20		LEI IOVO,

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

		stance requirements			
P7.21*	Biobased plastic r	naterial content is used	I in the product (See No	OTE B7):	
		ic parts' weight > 25 g,	es below shall be answe the biobased plastic m		ted as a percentage of
	b) The weight of	f the biobased plastic r			
P7.22*		free from mercury, i.e. specify: Number of lan	less than 0,1 mg/lamp. nps: and maxim	um mercury content pe	r lamp: mg
P8	Batteries				
P8.1*		composition: LI-ION			
P9		tion (See NOTE B8)			
P9.1	For the product th	e following power level Power level at	s or energy consumption		Defended for an array
Energy mo		100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *
Peak (On-I	max)	65 W	65 W	65 W	Full load
Categor	<u>y</u>	2	2	2	
Short Idle Enabled	State - WOL	6.19W	6.23 W	6.29 W	Use for ENERGY STAR V7.1 registration (P _{idle})
Long Idle Enabled	State - WOL	3.99 W	4.02 W	4.04 W	Use for ENERGY STAR V7.1 registration (P _{idle})
Sleep (S3)	- WOL Enabled	0.68 W	0.68 W	0.71 W	Use for ENERGY STAR V7.1 registration (P _{sleep})
Sleep (S3)	- WOL Disabled	0.66 W	0.67 W	0.71 W	Use for ENERGY STAR V7.1 registration (P _{sleep})
Off (S5) - V	WOL Enabled	0.31 W	0.31 W	0.32 W	Use for ENERGY STAR V7.1 registration (Poff)
Off (S5) - V	WOL Disabled	0.31 W	0.31 W	0.32 W	Use for ErP
EPS No-loa	ad	0.106 W	0.105 W	0.106 W	_
PTEC *	aray Canay mantion	W	W	W	
ETEC *	ergy Consumption	22.53	22.66	22.95	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$
	ergy Consumption				+ P _{sleep} x 0.35 + P _{long_Idle} x 0.10+
		kWh/year	kWh/year	kWh/year	P _{short_Idle} x 0.30)
F (15	0 1 555				d; P _{idle} : Idle State - WOL Enabled
			Efficiency Marking Pro	DIOCOI) * : VI	
	solution * : 1920*10				
		ave mode: 30 minutes			
P9.2*			on is provided with the	product.	
P9.3		class (monitors only):			
P10	Emissions	Dealered constitution	100 0000 (0 - NOTE	(DO)	
P10.1		 Declared according to Mode description 	ISO 9296 (See NOTE		t A-weighted sound power level, Lwa,c (B)
F 10.1	Idle '	HDD:Idle		* 3.0	A-weighted Sound power level, LWA,c (B)
	Operation *	Operating (CPU)		* 3.6	
	Other mode	ODD :Operating		2.2	
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p{ m Am}}$	(operator pos	sition desktop – operating)
		ng to: X ISO 7779			
	ivieasureu accordi	Other	only if not covered by	ECMA-74)	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	umber *	20NJ, 20NK				Logo		ane	VO	
Issue da	ite *	2019-3-20					L	eno	VO	TM
Produc	t environr	mental attributes	- Market requirer	nents (co	ntinued)		Re	equire	ment	met
Item								Yes	No	n.a.
		magnetic emission								
P10.4		er display meets th (s): MPR-II(3 pin A		w frequency	/ electromagnetic fie	elds of the following v	voluntary			
P12		mics for computing								
P12.1*	The disp	lay meets the ergor	nomic requirements o	of ISO 9241	-307 for visual displa	ay technologies.		\boxtimes		
P12.2*	The phy	sical input device m	eets the requirement	s of ISO 99	95 and ISO 9241-41	0.		\boxtimes		
P13		ing and documenta								
P13.1*	Product Product Product	packaging material packaging material packaging material	type(s): LDPE	s tic weight (k weight (k						
P13.2*	Product	plastic primary pacl	kaging is free from P\	/C.				\boxtimes		
P13.3*	consum	er recovered fiber co	ontent: 100 %		·	percentage of minimu	um post-			
P13.4*			product documentation Other	on (tick box)):					
P13.5	Ùser an		tem if paper documer ation on paper media							
	,	hlorine-free al chlorine-free						\boxtimes		
	Process	ed chlorine-free						$\overline{\boxtimes}$		
P14	Volunta	ry programs								
P14.1	The prod	duct meets the requ	irements of the follow	ving volunta	ry program(s):					
	ENERG EPEAT: PCGL:	Y STAR®	Criteria version: 7. Criteria version: 16 Criteria version: Ve	80.1	Date: 2019-3-22 Date: 2019-5-15 Date: 2019-5-15	Product category: A Product category: N Product category: N	NOTEBOO			
	TCO		Criteria version: G	en8	Date:	Product category: /	NOTEBOO	K		
P15	Additio	nal information (Se	e NOTE B10)							
P9						tested product con				
	informat knowled provided informat	ion contained in this ge available at the t I here is approximat ion.	document. All inform ime of completion, ar e and provided for in	nation provi nd supplier formational	ded by supplier in th shall have no obliga purposes only. See	es whether express or is document is provid tion to update such in a Lenovo Account Re	ed based of formation.	on supp The inf	lier's ormat	ion
P9			lotebooks & Tablet C ndex.cfm?fuseaction=							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad T495	Logo	
Model Number	20NJ, 20NK		Lonovo
Issue Date	2019-3-20		Lenovo.
Additional information			

d)	Year of manufacture:				2018	
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
f)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	ments applied when a	all discrete graphics o	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	24				
ents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
	Discrete graphics Card(s) [number / #]	No (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)	NA				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	9.49				
g)	Idle state power demand (Watts);	<u> </u>	<u> </u>	<u> </u>	A:3.64	
ר)	Sleep mode power demand (Watts);				A:0.78	
)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		A:0.76	
)	Off mode power demand (Watts);				A:0.37	
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A:0.37	
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):		
	10% 20% 50%	100% Avera	ige			
m)	External power supply efficiency (if appli	icable)*:				
	Average active efficiency: 89,41%,88,6	2%,88,96%				
	*internal note: show values for all available external p	ower supplies				
0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	notebook computers):	300 cycles	
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA					
p-2)	Measurement methodology used to dete	ermine information mer 63:2011 measuremen		external PSU efficiend	cy:	

(p-3)	(p-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: IEC 61960 measurement methodology				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: EN 62623:2013 measurement methodology				
(q)	Sequence of steps for achieving a stable condition with respect to power demand: EN 62623:2013 measurement methodology				
(r)	Description of how sleep and/or off mode was selected or programmed: EN 62623:2013 measurement methodology				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: refer to power management, 30mins automatically reaches sleep mode				
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 30min			30min	
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA	
(v)				10min	
(w)	Information on the energy-saving potential of power management functionality: refer to user manual				
(x)	User information on how to enable the power management functionality: refer to user manual				
(z)	the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V/50HZ, Total Harmonic Distortion<2%				
Additio	nal Notebook Batter	y Information:			
		Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a	
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Addition	nal information				
<i>)</i> 'ha hattan <i>i</i> lia	and in this product connet be a	asily raplaced by upore themselves			

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituídas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.