

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter @lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC			
Commercial name *	ThinkPad Edge E220s			
Model number *	M/T: 5038			
Issue date *	2011, April 15			
Intended market *	ntended market * Slobal Europe Asia, Pacific & Japan Americas Other			
Additional information	ENERGY STAR® Qualified; EPEAT GOLD Rating*; GREENGUARD Certified			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

(Quality Control	Requirement met	
П	Item	Yes	No
(QC1 * The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	n 🔀	
(QC2 * The company is a member of an eco declaration system that enforces regular independent quality cont such as organized by IT-Företagen (see www.itecodeclaration.org).	trol	

Model number *	ThinkPad Edge E220s	M/T: 5038		
Issue date *	2011, April 15		Logo	lenovo

Product	environmental attributes - Legal requirements	Require	men	t met
Item	-	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batteries		•	•
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes	П	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		Ħ	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkPad Edge E220s	M/T: 5038		
Issue date *	2011, April 15		Logo	lenovo

Product	t environmental attributes - Market requirements - Environmental conscious design	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	$\overline{\Box}$		市
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			一
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		\dashv	+
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		╫	╬
	· · · · · · · · · · · · · · · · · · ·		Щ.	<u></u>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
D= =+	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC Material type: PC Material type: PPS			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		П
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	\boxtimes	$\overline{\Box}$	〒
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):	\boxtimes	Ш	Ш
	TBBPA (additive), TBBPA (reactive), Other; chemical name: <i>DOPO(9,10-dihydro-9-oxa-10-phosphaphenanthrene-10-oxide</i>), CAS #: <i>35948-25-5</i>			
	phosphaphenanuliene-10-oxide), OAO #. 33340-23-3			
	Alt. 2	\boxtimes		
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
D7.40	ISO 1043-4: FR(40)			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			
	concentrations above 0.1%:			Ш
	Comment: No legal limits exist, this is a market requirement.			
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain			
	complete chemical name, CAS number and supplier.			
	1. Chemical name: , CAS #: , Supplier:			
	2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier:	\square		
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)		ш	ш
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45.	\boxtimes		\neg
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		ш	
P7.20	Of total plastic parts' weight >25g, recycled material content is 0 %.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.			
P7.22	Light sources are free from mercury	\boxtimes		\Box
P8	Batteries			
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC			一一

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Thin	kPad Edge	E220s M/	T: 5038			
Issue date *	2011, Ap				Logo	lenovo	Č
Product environ	mental at	tributes - Market	requirements (co	ontinued)		Requirement	met
Item	incinai ai	tilibutes - Market	requirements (co	Jitiliaea)		Yes No	n.a.
	consump	tion					
9.1 For the	product the	e following power lev oped w/ WOL Enable		mptions are reporte	ed: See P14		
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standa and test method *	ard for energy modes	
Peak (On-max)		65/90 W	65/90 W	65/90 W	Full load		
Category A							
Idle State - WOL E	nabled	7.05 W	7.20 W	7.54 W	Use for ENERGY ST	TAR Registration(P _{idle})	
Sleep (S3) - WOL E	Enabled	1.12 W	1.13 W	1.47 W	Use for ENERGY ST	TAR Registration(P _{sleep})	
Sleep (S3) - WOL I	Disabled	1.07 W	1.09 W	1.41 W	Reference		
Off (S5) - WOL Ena	abled	0.86 W	0.87 W	1.15 W	Use for ENERGY ST	TAR Registration(Poff)	뒴
Off (S5) - WOL Dis		<i>0.86</i> W	0.87 W	1.15 W	Use for EuP		Ħ
Category B		<u> </u>					
Idle State - WOL E	nabled	W	W	W	Use for ENERGY ST	TAR Registration(P _{idle})	П
Sleep (S3) - WOL E	Enabled	W	W	W	Use for ENERGY ST	TAR Registration(P _{sleep})	뒴
Sleep (S3) - WOL I	Disabled	W	W	W	Reference		H
Off (S5) - WOL Ena	abled	W	W	W	Use for ENERGY ST	TAR Registration(P _{off})	H
Off (S5) - WOL Dis	abled	W	W	W	Use for EuP		뒴
EPS No-load		W	0.24 W	0.38 W			Ħ
(External power sup charger plugged in to outlet but disconned the product.)	the wall						
TEC Typical Energy Con	sumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Consumption		24.0 kWh/year(A)	24.5 kWh/year(A)	27.1 kWh/year(A)	$E_{TEC} = (8760/1000)$ 0.1 + $P_{idle} \times 0.3$)	$x (P_{off} \times 0.6 + P_{sleep} \times 0.6 + P_{sleep}$	
		P _{off} : Off Mode(S5) - WOL Enabled; P _{sleep} : Sleep Mode(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled				ate - WOL Enabled	-
Display resolution	: 1366 x 7	68 Megapixels					
Print Speed		Images per minut	te				
	r eneray sa	ave mode: 20 minute					
		the energy save fund		the product.		\square	
P9.3* The pro	duct meets	s the energy requiren version: Version 5.0 IERGY STAR for Ex	nents of the following dated July 1, 2009	g voluntary program Product category:	A, B		
P10 Emission	<u> </u>			<u> </u>			
		Declared according	to ISO 9296				
P10.1 Mode		Mode description		Declared A-weighted		A-weighted level $L_{p{\sf Am}}$ (dB)	
				sound power		•	_
				level L_{WAd} (B)	Operator position	Bystander positions	
					Desktop or Desk side	(only if product is not	
Idle		* HDD: Idle		* 2.8		operator attended)	-
Operation		* HDD: Operating		* 3.4		26	┧片
Other m		,					1 🖳
Measur	ed accordi	ng to: 🔀 ISO7779 🛚	ECMA-74	· '			1

(only if not covered by ECMA-74 with L_{pAm} measurement distance

P10.2

Other

The product meets the acoustic noise requirements of the following voluntary program/s:

Model number *	ThinkPad Edge E220s M/T: 5038		
Issue date *	2011, April 15	Logo	lenovo
		·	_

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item	· · · · · · · · · · · · · · · · · · ·	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust Ozone Styrene Benzene TVOC			_
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: MPR-II(3 pin AC adapter only)			
P11	Consumable materials for printing products		-	·
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.		Ī	
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated cardboard weight (kg): 0.697			
	Product packaging material type(s): <i>Molded Pulp Cushion</i> weight (kg): <i>0.180</i>			
P13.2*	Product packaging material type(s): Others (plastic bags) weight (kg): 0.026 Product plastic packaging is free from PVC.	\square	$\overline{}$	$\overline{}$
	1 1 0 0	<u> </u>		-
P13.3*	Specify media for user and product documentation (tick box): Electronic , Paper , Other			Ш
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled			
	fiber: 0 % (Japan only 70%)			Ш
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied			
	information contained in this document. All information provided by supplier in this document is provided based knowledge available at the time of completion, and supplier shall have no obligation to update such information			ion
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representa			1011
	information.			
	EPEAT Gold rating in the US only; EPEAT Silver rating for all other applicable geos.			
P9	See ENERGY STAR Qualified Notebooks & Tablet Computers for the latest information:			
	http://downloads.energystar.gov/bi/qplist/laptops_prod_list.xls			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19