

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo	
Company name *	Lenovo		
Contact information * Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com		lenovo	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html		
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html		

conforms to the statement	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Notebook PC			
Commercial name *	ThinkPad Edge E330			
Model number *	M/T:3354, 3355, 3470			
Issue date *	2012, May 31			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information	nal information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).				

Model number *	ThinkPad Edge E330	M/T: 3354, 3355, 3470	
Issue date *	2012, May 31		I

Logo

lenovo

Product	Product environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS). Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			\square
P1.7*	Comment: Legal reference has no maximum concentration values. Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			
	aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			
F1.9	microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square		
	http://www.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
P2.2*	provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medic or data integrity reasons do not have to be "easily removable". (See legal reference)	e 🛛		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	6		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium a hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre- Protocol (see legal reference).	al 🔀		
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model r	number *	ThinkPad Edge E330 M/T: 3354, 3355, 3470					
Issue da	ate *	2012, May 31 Logo	lend	vo			
Produc	Product environmental attributes - Market requirements - Environmental conscious design Requirements - Requirements						
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6		nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).	\square				
P7		mbly, recycling					
P7.1*	Parts that	t have to be treated separately are easily separable	\boxtimes				
P7.2*	Plastic m	aterials in covers/housing have no surface coating.	\square				
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.	\boxtimes				
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.	\square				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\square				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).					
	Product	lifetime					
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives	\square				
P7.8*	Upgradir	g can be done using commonly available tools	\boxtimes				
P7.9.	Spare pa	rts are available after end of production for: 5 years					
P7.10		s available after end of production for: 5 years					
		and substance requirements					
P7.11*	Product	cover/housing material type:					
		type: PC+ABS-FR(40) Material type: Material type:					
P7.12		cable insulation materials of power cables are PVC free.	\square				
P7.13	Electrica	cable insulation materials of signal cables are PVC free	\boxtimes				
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes				
P7.15	All printe Note B2	d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (Se (PIC: EE)	e 🔀				
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\boxtimes				
P7.17	Alt. 1 Chemica TBBPA ((PIC: EI Alt. 2 Chemica	I specifications of flame retardants in printed circuit boards >25g (without components): additive), TBBPA (reactive) 🔀, Other; chemical name:, CAS #:					
P7.18	Alt. 1 Flame r concentr Commer Provide a complete 1. Chem	etarded plastic parts >25g contain the following flame retardant substances/preparations i ations above 0.1%: it: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must contai e chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier:					
	3. Chem Alt. 2	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	Plastic p	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 5, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	\boxtimes				
P7.20		lastic parts' weight >25g, recycled material content is 52 %.					
P7.21		lastic parts' weight >25g, biobased material content is 0%.					
P7.22	Light sou	rces are free from mercury (PIC: PM)	\square				
P8	Batteries						
P8.1*		hemical composition: Lithium Ion/Lithium Manganese Dioxide (PIC: PM)	\square				
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC (PIC: PM)	\boxtimes				

Annex B of ECMA-370 4th edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Item P9 Energy	2012, Ma	ay 31			Logo	Satis
ltem P9 Energy					Logo lenovo	D.
P9 Energy	imental at	tributes - Market	requirements (co	ontinued)	Requireme	ent met
					Yes N	lo n.a.
9.1 For the	/ consumpt					
		oped w/ WOL Enable		mptions are reporte	ed: See P14	
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy mod and test method *	es 🗌
Peak (On-max)		65/90 W	65/90 W	65/90 W	Full load	
Category A			1			
Idle State - WOL E	Enabled	6.54 W	6.42W	6.49W	Use for ENERGY STAR Registration(Pidle)	
Sleep (S3) - WOL	Enabled	0.9 W	0.9 W	0.94W	Use for ENERGY STAR Registration(P _{sleep}	。 □
Sleep (S3) - WOL	Disabled	W	W	W	Reference	
Off (S5) - WOL En		0.69 W	0.68 W	0.73 W	Use for ENERGY STAR Registration(Poff)	
Off (S5) - WOL Dis		0.34 W	0.34 W	0.38 W	Use for EuP	
Category B		0.04 11	0.04 11	0.00 11		
Idle State - WOL E	Enabled	9.28 W	9.2 W	9.24 W	Use for ENERGY STAR Registration(Pidle)	
Sleep (S3) - WOL	Enabled	1.08 W	1.02 W	1.06 W	Use for ENERGY STAR Registration(Psiee)	
Sleep (S3) - WOL	Disabled	W	W	W	Reference	
Off (S5) - WOL En		0.74 W	0.74 W	0.79 W	Use for ENERGY STAR Registration(Poff)	
Off (S5) - WOL Dis		0.37 W	0.37 W	0.43 W	Use for EuP	
EPS No-load		0.14W	0.14W	0.198W		
(External power su charger plugged in outlet but disconne the product.)	the wall					
TEC Typical Energy Cor	nsumption	kWh/week	kWh/week	kWh/week		
Etec *		A:21.6 kWh/year	A:21.52kWh/year	A:21.7kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep})$, x
Annual Energy Cor	nsumption	B:29.13kWh/year	A:28.99kWh/year	A:29.25kWh/year	0.1 + P _{idle} x 0.3)	
		Poff: Off Mode(S5) - I	NOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WO	L Enabled; P _{idle} : Idle State - WOL Enabled	
Display resolution	: 1366)	K 768 Mega	apixels			
Print Speed	:	Images per minu				
Default time to ente	ar energy sa	•	y mode: 10mins, A	C mode: 20mins		
			ction is provided with			\neg
			nents of the following			
ENERG	GY STAR®	version: Version 5.2	2 dated July 1, 2009 Atternal Power Supp	Product category	: 🛛 🕅	
P10 Emiss						
Noise	emission –	Declared according	to ISO 9296	1		
P10.1 Mode	Ν	Mode description		Declared A-weighted	Declared A-weighted sound pressure level L_{pAm} (dB)	
				sound power	Operator position X Bystander positio	ns
				level L_{WAd} (B)	Desktop or Desk side operator attende	not
Idle		HDD: Idle		* 2.7	18	
Operat Other r		HDD: Operating		* 3.7	27	
	red accordir	ng to: 🔀 ISO7779 [Other m)	ECMA-74 (only if not c	covered by ECMA-7	74 with L _{pAm} measurement distance	
P10.2 The pro	nduct meets	/	requirements of the f	following voluntary	program/s:	

Model nu	^{Model number *} ThinkPad Edge E330 M/T: 3354, 3355, 3470					
Issue date	9 *	2012, May 31	Logo	leno	VO.	
Product	environn	nental attributes - Market requirements (continued)		Require	ment	met
Item				Yes	No	n.a.
	Chemica	al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard 🗌, other specify:				
P10.4	Typical e	emission rate (print phase) is (mg/h):				\boxtimes
		Dust Ozone Styrene Benzene TVOC				
P10.5		al emission requirements of the following voluntary program/s are met for :	_			\boxtimes
			TVOC			
B 40.0		nagnetic emissions	· · · ·			
P10.6		er display meets the requirement for low frequency electromagnetic fields of the foll /s: MPR-II (3 pin AC adapter only)	owing voluntary			
P11		hable materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	ired (see P4.3).			\boxtimes
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets th 1.	e requirements	of 🗌		\square
P11.3*	2-sided ((duplex) printing/copying is an integrated product function.				\boxtimes
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technological	gies. See P14	\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410. See P14	ţ.	\boxtimes		
P13		ng and documentation (PIC: Packing)				
P13.1*		packaging material type(s): Corrugated Cardboard weight (kg): 0.676				
		packaging material type(s): <i>Recycled Polyethylene(RLDPE)</i> weight (kg): 0.21				
P13.2*		packaging material type(s): <i>Others (Plastic bags)</i> weight (kg): 0.02 plastic packaging is free from PVC.				
P13.3*		media for user and product documentation (tick box):				╞
F13.3		ic X, Paper X, Other				
P13.4*		er user and product documentation, please specify contained percentage of post-co	nsumer recycle	d		
-	fiber: 0	% (Japan only 70%)		u		
P14		nal information (See Note B4)				
		Supplier makes no representations, guarantees, assurances or warranties whether				
		ion contained in this document. All information provided by supplier in this documer ge available at the time of completion, and supplier shall have no obligation to upda				
		here is approximate and provided for informational purposes only. See a Lenovo A				
	informati					
P7.17		t does not contain free TBBPA in printed circuit boards(without components):				
P9		ERGY STAR Qualified Notebooks & Tablet Computers for the latest information	on:			
		pwnloads.energystar.gov/bi/qplist/laptops_prod_list.xls				
P12.1		t is designed to meet the subject ISO Standard 9241-307, but is not confirmed				
P12.2	Product method	t is designed to meet the subject ISO Standard 9995 and 9241-410, but is not o	confirmed throu	ugn tormal	test	

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19