

ECMA/TC38-TG3/2015/026 (Rev. 1 - 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Notebook PC						
Commercial name *	ThinkPad P51						
Model number *	20НН, 20НЈ						
Issue date *	March 27, 2017						
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products

Model n	umber *	20НН, 20НЈ	Logo				
Issue date *		March 27, 2017		Lene	Lenovo		
Produc	t environ	mental attributes - Legal requirements		Require	ment	t met	
Item				Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\square			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\square			
P1.3*	Product hydrobr trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachl ethane, methyl bromide (see legal reference). Comment: Legal reference has no ma ration values.					
P1.4*	terphen	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlyl (PCT) in preparations (see legal reference).		\square			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	on atoms in	the 🔀			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0, al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/we	eek 🔀			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html						
P2	Batterie						
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with th Information on proper disposal is provided in user manual. (See legal reference)	•				
P2.2*	Batterie referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmi e)	ium. (See le	gal 🔀			
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)		\boxtimes			
P3	Confor	nity verification & Eco design (ErP)					
P3.1*	The De	duct is CE-marked to show conformance with applicable legal requirements (see leg claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/social_responsibility/us/en/ec_doc_notebooks/	al reference).			
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes			
	Require	d information is; given in item P15 or added to this document, available at (add URL): ww.lenovo.com/social_responsibility/us/en/datasheets_notebooks/					
P5		t packaging					
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	, cadmium	and 🔀			
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of ee legal reference).	of the materi	al(s) 🔀			
P5.3*	Used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						
P6		ent information					
		ion for recyclers/treatment facilities is available (see legal reference).		\square	_		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		20HH, 20HJ	Logo	Lon		
Issue dat	:e *	March 27, 2017		Len		Ртм
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
	- Enviro	onmental conscious design		Require		
Item P7		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling thave to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				╞
P7.3*		arts > 100 g consist of one material or of easily separable materials.				╞
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			⊢⊢	⊢⊢
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.			⊢⊢
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			⊢⊢	╞
	Product					
P7.7*		ig can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradin	g can be done using commonly available tools			Ē	Ē
P7.9	Spare pa	arts are available after end of production for: 5 years				Ħ
P7.10	Service i	s available after end of production for: 5 years				Ħ
		and substance requirements				
P7.11*	Product	cover/housing material type (e.g. plastics, metal, aluminum):	al type: <i>Magnes</i>	ium		
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		\boxtimes		
P7.14	weight (plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm)	e retardants, ar	nd		
		ig more than 25% post-consumer recycled content.	omornio in poi			
P7.15		circuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🔀 are lo	w 🛛		
P7.16	Marking:			\square		
P7.17	TBBF	nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>DOPO(9,10-dihydro</i> aphenanthrene-10-oxide), CAS #: 35948-25-5				
	according	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:				
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "	es/preparations	in		
		ical name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4: FR(40)	\boxtimes		
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been			
	-	I the following Risk phrases; R53 and Hazard statements: H412				_
The source(s) for these classifications is/are found at (add URL(s)):		See note B5)				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\bowtie		
	a) Of t a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is %.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model numbe	r* 20HH, 20	0HJ			Logo		
Issue date *	March 2					Lenovo	D
Product env	ironmental at	tributes - Market re	equirements (contir	ued)		Requiremer	nt met
Item			• •			Yes No	n.a.
Ма	aterial and subs	stance requirements	(continued)				
			in the product (See NO	DTE B7):			
١f ١	YES: at least one	e of the two alternative	s below shall be answe	red:			
a)	Of total plasti		, the biobased plastic r		llated as a percenta	ge	
or		, ,					
b) P7.22* Lic		f the biobased plastic r					
	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.						
	itteries	<u></u>					
P8.1* Ba	ittery chemical c	omposition: Lithium Io	on				
P9 En	ergy consump	tion (See NOTE B8)					
P9.1 Fo	r the product the	e following power level	s or energy consumptic	ns are reported:			
Energy mode *	r.	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standa modes and test m	•••	
Peak (On-max	¢	170 W	170 W	170 W	Full load		
Category I3	<u> </u>						
Short Idle Sta	te	20.19 W	20.26 W	19.47 W	P _{SHORT_IDLE} in ENER	GY STAR	
Long Idle Stat	te	14.02 W	13.82 W	13.31 W	PLONG_IDLE IN ENERG	SY STAR	
Sleep (S3)		0.98 W	1.01 W	1.01 W	P _{SLEEP} in ENERGY S	STAR	
Off (S5)		0.35 W	0.42 W	0.34 W	Poff in ENERGY ST	AR	
EPS No-load (External power supply	/ charger plugged in the	W	0.168 W	0.192 W			
wall outlet but disconne PTEC *	cted from the product.)	W	W	W			
Typical Energy	Consumption						
ETEC * Annual Energy	Consumption	69.11 kWh/year	69.37 kWh/year	66.67 kWh/year	$E_{TEC} = (8760/1000) + P_{SLEEP} \times T_{SLEEP} \times T_{SLEEP} \times T_{LONG_{IDLE}} + P_{SHOR}$	+ PLONG_IDLE ×	
External Powe	r Supply Efficien	l ocy Level (International	Efficiency Marking Pro	tocol) * · V/	T _{SHORT IDLE})		
		080, 3840 x 2160 Pixe					\dashv
			10				<u> </u>
	0,	ive mode: 30 minutes					<u> </u>
		••	on is provided with the	product.			<u> </u>
		class (monitors only):					
	nissions	D	100,0000 (0, 116 ==	D ()			
		<u> </u>	ISO 9296 (See NOTE		t A woighted and the	nower lovel /	(D)
P10.1 Mo		Node description		Statistical upper limi * 2.8	a A-weighted sound	power level, L _{WA,c}	<u>; (B)</u>
	-			* 3.7			<u> </u>
-		Operating(CPU)	d proceuro loval (dP) -				
	her mode	vectored A weighted sound	d pressure level (dB) _{L_pAm}				
			d pressure level (dB) L _p Am	25 (operator positio	n desktop – operating	g)	
Me	easured accordin	ng to: 🔀 ISO 7779 🔀	ECMA-74 (only if not covered by	ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	20HH, 20HJ			Logo				
Issue dat	e *	March 27, 2017					_enovo		
Product	environ	mental attributes	- Market requirements (c	continued)		R	equirer		met
Item							Yes	No	n.a.
		magnetic emissions				<u> </u>			
P10.4	program	n(s): MPR-II(3 pin AC		y electromagnetic fie	lds of the following vo	oluntary			
P12		mics for computing							
P12.1*	-		omic requirements of ISO 924	•	• •				
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.								
P13	Packag	ing and documenta	tion						
P13.1*	Product Product	packaging material t packaging material t	ype(s): Corrugated Cardboa ype(s): 100% Recycled Poly ype(s): Others (Polyethylen	rethylene (RLDPE)	weight (kg): 0.503 weight (kg): 0.112 weight (kg): 0.019				
P13.2*	Product	plastic primary packa	aging is free from PVC.						
P13.3*		duct primary corruga er recovered fiber co	ated fiberboard packaging, s ntent: 80 %	pecify the contained	I percentage of mini	mum post-			
P13.4*	Specify	media for user and p	roduct documentation (tick bo Dther	x):					
P13.5	Ùser an		em if paper documentation us ation on paper media is chlori				\boxtimes		
		chlorine-free tal chlorine-free							
	Process	ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The pro	duct meets the requir	rements of the following volur	ntary program(s):					
		Y STAR® el: GREENGUARD	Criteria version: 6.1 Criteria version: Gold	Date: Date:	Product category	: 13			
P15		nal information (See	1						
P9			ecific configuration may va						
	informat knowled	tion contained in this lge available at the ti d here is approximate	presentations, guarantees, a document. All information pro me of completion, and supplie and provided for information	ovided by supplier in er shall have no oblig	this document is prov ation to update such	ided based information	on supp . The info	lier's ormati	ion
P9			otebooks & Tablet Computers dex.cfm?fuseaction=find a p			0			
					$O_0 O_0 O_0 O_0 O_0 O_0 O_0 O_0 O_0 O_0 $	•			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad P51	Logo
Model Number	20НН, 20НЈ	
Issue Date	March 27, 2017	Lenovo
Additional information		

P7.1.1	Product environmental attributes									
(d)	Year of manufacture:				2017					
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.									
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable									
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)					
	Memory over base [GB]			60						
lents sting	Additional internal storage	(Yes / No)	(Yes / No)	Yes (Yes / No)	(Yes / No)					
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)					
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)					
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)					
	Category of discrete graphics Card(s)			G4						
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)			N/A						
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			42.11						
(g)	Idle state power demand (Watts);	·	·	·	14.71					
(h)	Sleep mode power demand (Watts);				1.066					
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.072					
(j)	Off mode power demand (Watts);				0.451					
(k)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);		0.479					
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):									
	10% 20% 50%	100% Avera	ge							
(m)	External power supply efficiency (if applied	cable)*:								
	Average active efficiency: 170W: 90,80%,92,60%									
(0)	Minimum number of loading cycles that t	he batteries can withst	and (applies only to n	otebook computers):	1000					
(p-1)) Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: Not applicable									

(p-2)		dology used to determine information mentioned in p r Calculating the Energy Efficiency of Single-Volt Power Supplies" dated August 11, 2	tage External AC-DC and AC-AC					
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: IEC 61960 measurement methodology							
(p-4)								
(a)	Sequence of stope fo	IEC 62623 / IEC EN50564:2011 measurement r						
(q)	Sequence of steps for achieving a stable condition with respect to power demand:							
(r)	Description of how sl	IEC 62623 / IEC EN50564:2011 measurement r eep and/or off mode was selected or programmed:	nethodology					
(.)	·							
(s)	By selecting sleep and/or off mode thru Windows operating system Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or							
	off mode:							
		Automatically changes to sleep						
(t)		te condition before the computer automatically re- not exceed the applicable power demand requirement		30 minutes				
(u)	Length of time after	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power					
(v)	Length of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	10 minutes				
(w)	Information on the er	nergy-saving potential of power management functio	nality:					
		User information described in User G	uide					
(x)	User information on I	now to enable the power management functionality:						
		User information described in User G						
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:						
A 1 1141		230V, 50Hz, Total Harmonic Distortion	<2 %					
Addition	al Notebook Batter	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾		1,00				
Internal/b	ouilt-in Battery							
External/	detachable Battery							
Bios Bac	kup Battery	\boxtimes						
Other:								
Additiona	al information							
Akymynatoph Las baterias o Výměnu bate Brugeren kan Der Akku/die Kasutajad eis H μπαταpiα[-t La/les batteria Korisnik ne m La batteria/bat Lieotāji paši Šio gamino b A termék akku II-batterija/bat Batteria (bate Bateria (bater Bateria (bater) Bateria (bater Bateria (bater) Bateria (bater)	ата[ите] батерия[и] в този de este producto no pueden rie/baterií v tomto výrobku by ikke uden videre udskifte ba Akkus dieses Produkts kann saa selle toote akut/akusid is cç] ото προϊόν αυτό δεν μπο c(s présente(s) dans ce prod ože lako zamijeniti Bateriju s batterie in questo prodotto paterijos [bateriju] pats vartot umulátorát/akkumulátorait a teriji f'dan il-prodott ma tista: j i dette produktet kan ikke le) in dit product is (zijn) door ie može sam w łatwy sposót ias deste produto não poder iile) din acest produs nu poa tomto výrobku nemôže vymi e v tem izdelku uporabniki sa en akku [akut] el[vči] ole helj kelt för kunden att själv byta	poúv να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες uit ne peuvent être facilement remplacée(s) par les utilisateurs es sam u ovom proizvodu. on può/possono essere facilmente sostituita/e dall'utente. akumulatoru(-us). ojas negali lengvai pakeisti. felhasználó nem tudja egyedül egyszerűen kicserélni. <i>Kij</i> istghux tigi/jigu sostitwita/i mill-utenti stess. stt erstattes av brukerne selv. de gebruiker niet gemakkelijk vervangbaar. o wymienić baterii w tym produkcie. n ser facilmente substituídas pelos próprios utilizadores. tte (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. eñať používateľ. ami ne morejo zlahka zamenjati. posti käyttäjän vaihdettavissa.	werden.					