

ECMA/TC38-TG3/2015/026 (Rev. 1 - 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs	Lenovo				
e-mail address	Alvin L Carter					
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Notebook PC						
Commercial name *	ThinkPad P71						
Model number *	20HK, 20HL						
Issue date *	April 3, 2017						
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

wouern	umber *	20HK, 20HL Logo			
Issue date *		April 3, 2017	Lenovo,		
Produc	t enviror	mental attributes - Legal requirements	Require	men	t met
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	hydrobr trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	(see leg	ith direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): ww.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batterie				
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference) s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal section of the s			
P2.2*	referenc	al 🔀			
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	\square		
P3		mity verification & Eco design (ErP)			
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): ww.lenovo.com/social responsibility/us/en/ec_doc_notebooks/			
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
		d information is; given in item P15 or added to this document,	\boxtimes		
	http:///	available at (add URL):			
D 5		ww.lenovo.com/social_responsibility/us/en/datasheets_notebooks/			
P5 P5.1*	Produc Packagi	ww.lenovo.com/social_responsibility/us/en/datasheets_notebooks/ t packaging ing and packaging components do not contain more than 0,01% lead, mercury, cadmium ai	nd 🔀		
	Produc Packagi hexaval The pac	ww.lenovo.com/social_responsibility/us/en/datasheets_notebooks/ t packaging ing and packaging components do not contain more than 0,01% lead, mercury, cadmium are ent chromium by weight of these together. skaging materials are marked with abbreviations and numbers indicating the nature of the material			
P5.1*	Produc Packagi hexaval The pac used (se The pro Protoco	ww.lenovo.com/social_responsibility/us/en/datasheets_notebooks/ t packaging ing and packaging components do not contain more than 0,01% lead, mercury, cadmium and ent chromium by weight of these together. Exaging materials are marked with abbreviations and numbers indicating the nature of the material e legal reference). boduct packaging material is free from ozone depleting substances as specified in the Montre I (see legal reference).	(s) 🔀		
P5.1* P5.2*	Produc Packagi hexaval The pac used (se The pro Protoco Comme	ww.lenovo.com/social_responsibility/us/en/datasheets_notebooks/ t packaging ing and packaging components do not contain more than 0,01% lead, mercury, cadmium ar ent chromium by weight of these together. ekaging materials are marked with abbreviations and numbers indicating the nature of the material be legal reference). boduct packaging material is free from ozone depleting substances as specified in the Montre	(s) 🔀		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		20HK, 20HL	Logo			
Issue date *		April 3, 2017		Len	ovc	
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
	- Environmental conscious design Re					
Item P7		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling thave to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				╞
P7.3*		arts > 100 g consist of one material or of easily separable materials.				╞
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╞	╞
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools		╞	╞
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			╞	╞
17.0	Product					
P7.7*		ig can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools			Ħ	Ħ
P7.9		arts are available after end of production for: 5 years				Ħ
P7.10		s available after end of production for: 5 years				Ħ
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <i>PPS-(GF+MD)50</i> Material type: <i>PC+ABS-FR(40)</i> Materia	al type: <i>Magnes</i>	sium		
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		\boxtimes		
P7.14	weight (plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm)	e retardants, ar	nd 📃		
	containin	ig more than 25% post-consumer recycled content.	-			
P7.15		circuit boards, PCBs (without components) are low halogen: all PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🔀 are lo	w 🖂		
P7.16	Marking:					
P7.17	TBBF	nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>DOPO(9,10-dihydro</i> aphenanthrene-10-oxide), CAS #: 35948-25-5				
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "	es/preparations	in		
		ical name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4: FR(40)	\boxtimes		
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been			
	-	I the following Risk phrases; R53 and Hazard statements: H412		_		_
			See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\bowtie		
	a) Of t a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is %.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model numb	er * 20HK, 2	OHL			Logo		
Issue date *	April 3,					Lenovo	тм
Product en	vironmental a	ttributes - Market r	equirements (contir	ued)		Requirement	t met
Item			• •			Yes No	n.a.
M	laterial and sub	stance requirements	(continued)				
			in the product (See NO	DTE B7):			
lf	YES: at least or	e of the two alternative	es below shall be answe	red:			
) Of total plas		, the biobased plastic r		lated as a percenta	ge	
o b		f the biobased plastic i	material is a				
			less than 0,1 mg/lamp.				
		specify: Number of lar		im mercury content pe	er lamp: mg		
	atteries						
P8.1* B	attery chemical	composition: <i>Lithium I</i>	on				
		otion (See NOTE B8)					
			ls or energy consumptic				
Energy mode		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standa modes and test m		
Peak (On-ma	ix)	170/230 W	170/230 W	170/230 W	Full load		
Category I	<u> 3</u>						
Short Idle Sta	ate	10.05 W	9.95 W	10.09 W	P _{SHORT_IDLE} in ENER	GY STAR	
Long Idle Sta	ate	4.44 W	4.64 W	4.60 W	PLONG_IDLE in ENERG	Y STAR	
Sleep (S3)		1.11 W	1.14 W	1.15 W	P _{SLEEP} in ENERGY S	TAR	
Off (S5)		0.39 W	0.38 W	0.40 W	P _{OFF} in ENERGY ST	AR	
EPS No-load (External power suppl	ly / charger plugged in the nected from the product.)	W	0.168 W	0.192 W			
PTEC *	lected nom the product.)	W	W	W			
	y Consumption						
ETEC * Annual Energ	y Consumption	34.56 kWh/year	34.54 kWh/year	34.95 kWh/year	$E_{TEC} = (8760/1000) + P_{SLEEP} \times T_{SLEEP} + T_{LONG_IDLE} + P_{SHORT} + T_{SHORT_IDLE}$	PLONG_IDLE ×	
External Powe	er Supply Efficie	ncv Level (Internationa	I Efficiency Marking Pro	tocol) * : V/	SHORT IDLE		
		1080, 3840 x 2160 Pixe		,	1		Ħ
		ave mode: 30 minutes					H
	6,		on is provided with the	oroduct			H
		class (monitors only):					+
	missions	- Declared according to	ISO 9296 (See NOTE	B9)			
		Vode description			it A-weighted sound	power level. Luca	(B)
		[•] Idle		* 2.8			
	peration	Operating(CPU)		* 3.7			Ħ
	Other mode		d pressure level (dB) L _{pAm}		on desktop – idle)		
)ther mode	- Declared A-weighted soun	d pressure level (dB) L _p Am		on desktop – operating	1)	
		ng to: 🔀 ISO 7779 📐	ECMA-74			<i>"</i>	
		Other	(only if not covered by	ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	20HK, 20HL			Logo				
Issue dat	:e *	April 3, 2017					Lenovo.		
Product	environ	mental attributes	- Market requirements (continued)	· · · · · · · · · · · · · · · · · · ·		Require	ment	met
Item							Yes	No	n.a.
		magnetic emissions							
P10.4		er display meets the n(s): <i>MPR-II(3 pin A</i> (requirement for low frequent C adapter only)	cy electromagnetic fiel	ds of the following	voluntary			
P12		mics for computing							
P12.1*	The dis	play meets the ergon	omic requirements of ISO 92	241-307 for visual disp	lay technologies.				
P12.2*	The phy	sical input device me	eets the requirements of ISO	9995 and ISO 9241-4	10.				
P13	Packag	ing and documenta	tion						
P13.1*	Product Product	packaging material f	type(s): Corrugated Cardbo type(s): 100% Recycled Pol type(s): Others (Polyethyle)	yethylene (RLDPE)	weight (kg): 0.66 weight (kg): 0.16 weight (kg): 0.02	2			
P13.2*	Product	plastic primary pack	aging is free from PVC.						
P13.3*		duct primary corruga er recovered fiber co	ated fiberboard packaging, antent: 80 %	specify the contained	percentage of mi	nimum pos	st-		
P13.4*			product documentation (tick b Other	ox):					
P13.5	Úser an		em if paper documentation u ation on paper media is chlor						
	Elemen	chlorine-free tal chlorine-free							
		ed chlorine-free							
P14		ry programs							
P14.1	The pro	duct meets the requi	rements of the following volu	ntary program(s):					
		Y STAR® el: GREENGUARD	Criteria version: 6.1 Criteria version: Gold	Date: Date:	Product catego	ry: <mark>/3</mark>			
P15		nal information (Se	/						
P9			ecific configuration may v						
	informatik knowled	tion contained in this Ige available at the ti d here is approximate	epresentations, guarantees, a document. All information pr me of completion, and suppl e and provided for informatio	ovided by supplier in t ier shall have no oblig	his document is pro ation to update suc	ovided bas h informati	ed on supp on. The inf	olier's format	ion
			otebooks & Tablet Computer	e for the latest inform	ation:				
P9			dex.cfm?fuseaction=find a			со			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad P71	Logo
Model Number	20HK, 20HL	
Issue Date	April 3, 2017	Lenovo
Additional information		

P7.1.1	Product environmental attributes								
(d)	Year of manufacture:				2017				
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.								
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable								
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)				
	Memory over base [GB]			60					
lents sting	Additional internal storage	(Yes / No)	(Yes / No)	Yes (Yes / No)	(Yes / No)				
adjustm rring tee	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)				
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)				
cap apr	Discrete graphics Card(s) [number / #]	# <i>:</i> (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)				
	Category of discrete graphics Card(s)			G7					
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)			N/A					
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			38.81					
(g)	Idle state power demand (Watts);		·		13.73				
(h)	Sleep mode power demand (Watts);				1.13				
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.21				
(j)	Off mode power demand (Watts);				0.35				
(k)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);		0.39				
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 %	% of rated output powe	er (if applicable):					
	10% 20% 50%	100% Avera	ge						
(m)	External power supply efficiency (if applied	cable)*:							
	Average active efficiency: 170W: 90,80	%,92,60% ; 230W: 91,	85%,91,49%						
(0)	Minimum number of loading cycles that t	he batteries can withst	and (applies only to n	otebook computers):	300				
(p-1)	Measurement methodology used to dete	rmine information men Not applicable		nternal PSU efficiency:					

(p-2)		dology used to determine information mentioned in p r Calculating the Energy Efficiency of Single-Volt Power Supplies" dated August 11, 2	tage External AC-DC and AC-AC				
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: IEC 61960 measurement methodology						
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
(a)	IEC 62623 / IEC EN50564:2011 measurement methodology Sequence of steps for achieving a stable condition with respect to power demand:						
(q)	Sequence of steps it						
(r)	Description of how sl	IEC 62623 / IEC EN50564:2011 measurement r eep and/or off mode was selected or programmed:	nethodology				
(.)	·						
(s)		y selecting sleep and/or off mode thru Windows (required to reach the mode where the equipment au					
	off mode:						
		Automatically changes to sleep					
(t)		te condition before the computer automatically re- not exceed the applicable power demand requirement		30 minutes			
(u)	Length of time after	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power				
(v)	Length of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	10 minutes			
(w)	Information on the er	nergy-saving potential of power management functio	nality:				
		User information described in User G	uide				
(x)	User information on I	now to enable the power management functionality:					
		User information described in User G					
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:					
A 1 1141		230V, 50Hz, Total Harmonic Distortion	<2 %				
Addition	al Notebook Batter	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾		1,00			
Internal/b	ouilt-in Battery						
External/	detachable Battery						
Bios Bac	kup Battery	\boxtimes					
Other:							
Additiona	al information						
Akymynatoph Las baterias o Výměnu bate Brugeren kan Der Akku/die Kasutajad eis H μπαταpiα[-t La/les batteria Korisnik ne m La batteria/bat Lieotāji paši Šio gamino b A termék akku II-batterija/bat Batteria (bate Bateria (bater Bateria (bater) Bateria (bater Bateria (bater) Bateria (bater)	ата[ите] батерия[и] в този de este producto no pueden rie/baterií v tomto výrobku by ikke uden videre udskifte ba Akkus dieses Produkts kann saa selle toote akut/akusid is cç] ото προϊόν αυτό δεν μπο c(s présente(s) dans ce prod ože lako zamijeniti Bateriju s batterie in questo prodotto paterijos [bateriju] pats vartot umulátorát/akkumulátorait a teriji f'dan il-prodott ma tista: j i dette produktet kan ikke le) in dit product is (zijn) door ie može sam w łatwy sposót ias deste produto não poder iile) din acest produs nu poa tomto výrobku nemôže vymi e v tem izdelku uporabniki sa en akku [akut] ei[vči] ole helj kelt för kunden att själv byta	poúv να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες uit ne peuvent être facilement remplacée(s) par les utilisateurs es sam u ovom proizvodu. on può/possono essere facilmente sostituita/e dall'utente. akumulatoru(-us). ojas negali lengvai pakeisti. felhasználó nem tudja egyedül egyszerűen kicserélni. <i>Kij</i> istghux tigi/jigu sostitwita/i mill-utenti stess. stt erstattes av brukerne selv. de gebruiker niet gemakkelijk vervangbaar. o wymienić baterii w tym produkcie. n ser facilmente substituídas pelos próprios utilizadores. tte (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. eñať používateľ. ami ne morejo zlahka zamenjati. posti käyttäjän vaihdettavissa.	werden.				