



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo	_		
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html		
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemer	conforms to the statements given in this declaration.				
Type of product *	Notebook PC				
Commercial name *	ThinkPad X380 Yoga/ThinkPad S1 4th Gen				
Model number *	20JH, 20JJ, 20JK, 20JL				
Issue date *	2017/11/08				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		20JH, 20JJ, 20JK, 20JL	Logo	Lon		
				Lend		J _{th}
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item		<u> </u>		Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychol (PCT) in preparations (see legal reference).	lorinated			
P1.5*		odo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail w.lenovo.com/social_responsibility/us/en/environment.html	contact):			
P2	Batterie	s				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadne)	nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).	\boxtimes		
	The Dec	laration of Conformity can be requested at (add link or e-mail address):				
P3.2*		duct complies with the Eco design requirements for energy-related products,		\boxtimes		
	-	al reference). I information is;				
	rtoquilot	available at (add URL):				
P5	Product	packaging				
P5.1*	Packagir	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	y, cadmium a	nd 🔀		
P5.2*	The pack used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).		. ,		
P5.3*	Protocol Commer	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Montre	eal 🔀		
P6	Treatme	nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		X		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	20JH, 20JJ, 20JK, 20JL	Logo	Lonovo
Issue date *	2017/11/08		LEI IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			\boxtimes
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PA+GF 55FR(40) Material type: PC+ABS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.	\boxtimes		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, ar			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in par containing more than 25% post-consumer recycled content.	S		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are lo	w 🔀		
	halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)	\boxtimes		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO(9,10-dihydro-9-oxa-10-			
	phosphaphenanthrene-10-oxide), CAS #: 35948-25-5			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: FR(40)		ш	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations	n		
	concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
P7.19	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: <i>FR(40)</i> In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	<u> </u>		
P7.19	assigned the following Risk phrases; and Hazard statements:	Ш		
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\square		
v			ш	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 0.7%.			
	b) The weight of recycled material is g.			
	2, Holgan or roof old material to g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	20JH, 20JJ,	20JK, 20JL				Logo	one		
Issue date	*	2017/11/08						Lenc) _{TM}
Product 6	environn	nental attrib	utes - Market	requirements ((continued)			Require	emen	t met
Item								Yes	No	n.a.
	Material	and substan	ce requirement	s (continued)						
P7.21*		•		ed in the product (•					
	a) Of to of to	otal plastic pa otal plastic by	rts' weight > 25	%.		content (calculated a	as a percentage			
P7.22*	Light sou	rces are free		e. less than 0,1 mg	g/lamp.	ury content per lamp	o: mg	\boxtimes		
P8	Batteries		ony. Harrison or it	ampo. ana	THAXIII GITT III GIT	ary comone per lamp				
P8.1*			osition: Lithium	Ion/Lithium Man	ganese Dioxid	e				
P9			(See NOTE B8)							
P9.1		•		els or energy cons	sumptions are re	eported:				
Energy mode *			Power level at 100 V AC			Reference/Standar	rd for energy mo	odes and	test	
Peak (On-i	max)		65 W	65 W	65 W	Full load				
Categor	yl2									
Short Idle State - WOL Enabled		OL Enabled	4.64 W	4.64 W	4.78 W	Use for ENERGY STAR V6 registration(Pidle)				
Long Idle	State - WO	OL Enabled	2.15 W	2.06 W	2.17 W	Use for ENERGY	STAR V6 regist	ration(P _i	dle)	
Sleep (S3)	- WOL Er	nabled	0.49 W	0.49 W	0.52 W	Use for ENERG (P _{sleep})	GY STAR V6	registra	tion	
Off (S5) - V	VOL Enab	oled	0.23 W	0.23 W	0.27 W	Use for ENERGY	STAR V6 regist	ration(P _c	off)	
EPS No-loa (External power s outlet but disconn	supply / charger	plugged in the wall product.)	0.021 W	0.023 W	0.048 W					
PTEC * Typical Ene	erav Consi	umption	kWh/week		kWh/week					
ETEC *	3, 20.10	·	16.1	16.03 kWh/year	16.36	$E_{TEC} = (8760/1000)$) x (P _{off} x 0.25 +	P _{sleep} x 0	.35	
Annual Ene	ergy Consi	umption	kWh/year	•	kWh/year	+ P _{long_Idle} x 0.10+	P _{short_Idle} x 0.30)	•		
						e(S3) - WOL Enabled;	P _{idle} : Idle State -	WOL Enak	oled	
		• •	`	al Efficiency Mark	ing Protocol) * :					
Display res	olution * :	1920x1080 m	negapixels							
Default time	e to enter	energy save n	node: 30 minute:	S						
P9.2*	Informati	on about the e	energy save fund	tion is provided w	ith the product.	· ·				
P9.3	Energy e	fficiency class	(monitors only)							
P10	Emissio	ns								
	Noise en	nission – Dec	lared according	to ISO 9296 (See	NOTE B9)					
P10.1	Mode Idle		description mode		Statist *	ical upper limit A-we	eighted sound po	wer level,	L _{WA,c}	(B)
	Operation		erating(CPU)		*	4.0				\overline{X}
	Other mo	ode Declar	red A-weighted sou	und pressure level (d	(B) _{L,Am} 14 (o	perator position desk	top – idle)			
	Other mo	ode Declar	red A-weighted sou	und pressure level (d	B _{L_1,A,m} 32 (o	perator position desk	<u> </u>			
			_	_	→ pAm					
	Measured according to: SO 7779 ECMA-74 Other (only if not covered by ECMA-74)									

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

libei	20JH, 20JJ, 20	JK, 20JL		Logo		ane	VO	
*	2017/11/08					<u>-en</u>	<u> </u>	TM
environn	nental attribut	es - Market requirements	(continued)			Require	ment	met
						Yes	No	n.a.
			ncy electromagnetic fields	of the following volu	untary			
		<u> </u>						
The displ	ay meets the erc	gonomic requirements of ISO 9	241-307 for visual display	y technologies.				
The phys	ical input device	meets the requirements of ISC	9995 and ISO 9241-410).		\boxtimes		
Product	packaging mater	ial type(s): Cardboard weigh	nt (kg): 1.01	weight (kg): 0.037				
Product	plastic primary pa	ackaging is free from PVC.				\boxtimes		
			specify the contained p	ercentage of minim	um post	-		\boxtimes
			box):					
User and	I product docume							
Totally ch	nlorine-free					\boxtimes		
Elementa	al chlorine-free					$\overline{\boxtimes}$		
Processe	ed chlorine-free							
Voluntar	y programs							
The prod	uct meets the re	quirements of the following volu	untary program(s):					
Eco-labe	l:	Criteria version: 6.1 Criteria version: Criteria version:	Date: 2017-10-20 Date: Date:	Product category: Product category: Product category:	12			
Addition	al information (See NOTE B10)						
	•	· · · · · · · · · · · · · · · · · · ·		•				
information knowledge provided information	on contained in t ge available at th here is approximon.	his document. All information p e time of completion, and supp nate and provided for information	rovided by supplier in this lier shall have no obligational purposes only. See a	s document is provident to update such in a Lenovo Account R	led base Iformatio	d on supp n. The inf	olier's format	ion
	Electrom Compute program(Ergonon The displ The phys Packagin Product p Electr (Please c User and If Yes, ple Elementa Processe Voluntar The prod ENERGY Eco-labee Eco-labee Eco-labee Eco-labee informatic knowledg provided informatic See Ener	Electromagnetic emissi Computer display meets of program(s): MPR-II(3 pin) Ergonomics for compute The display meets the ergonomics for compute The display meets the ergonomics for compute The physical input device Packaging and docume Product packaging matering Product plastic primary particularly media for user an Electronic, Paper, (Please only complete thing User and product document for yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free ENERGY STAR® Eco-label: Eco-label: Eco-label: Additional information (Energy consumption of NOTE: Supplier makes not information contained in the knowledge available at the provided here is approximinformation. See Energy Star Qualification.	Electromagnetic emissions Computer display meets the requirement for low frequer program(s): MPR-II(3 pin AC adapter only) Ergonomics for computing products The display meets the ergonomic requirements of ISO 9 The physical input device meets the requirements of ISO 9 The physical input device meets the requirements of ISO 9 Packaging and documentation Product packaging material type(s): Corrugated cardbore Product packaging material type(s): Corrugated cardbore Product packaging material type(s): 100% Recycled Extended Product packaging material type(s): 100% Recycled Extended Product primary corrugated fiberboard packaging, consumer recovered fiber content: % Specify media for user and product documentation (tick Electronic, Paper, Other (Please only complete this item if paper documentation of If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Voluntary programs The product meets the requirements of the following volumentation information (See NOTE B10) Energy consumption of specific configuration may we not provided here is approximate and provided for information provided here is approximate and provided for information information. See Energy Star Qualified Notebooks & Tablet Computer information.	Electromagnetic emissions Computer display meets the requirement for low frequency electromagnetic fields program(s): MPR-II(3 pin AC adapter only) Ergonomics for computing products The display meets the ergonomic requirements of ISO 9241-307 for visual display The physical input device meets the requirements of ISO 9995 and ISO 9241-410 Packaging and documentation Product packaging material type(s): Corrugated cardboard weight (kg): 0.305 Product packaging material type(s): Cardboard weight (kg): 1.01 Product packaging material type(s): 100% Recycled Expanded Polyethylene Product plastic primary packaging is free from PVC. For product primary corrugated fiberboard packaging, specify the contained p consumer recovered fiber content: % Specify media for user and product documentation (tick box): Electronic, Paper, Other (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Colabel: Criteria version: 6.1 Date: 2017-10-20 Eco-label: Criteria version: Date: Eco-label: Criteria version: Date: Additional information (See NOTE B10) Energy consumption of specific configuration may vary; description of the information contained in this document. All information provided by supplier in this knowledge available at the time of completion, and supplier shall have no obligation provided here is approximate and provided for informational purposes only. See a information. See Energy Star Qualified Notebooks & Tablet Computers for the latest information.	Electromagnetic emissions	environmental attributes - Market requirements (continued) Electromagnetic emissions Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): MPR-II(g pin AC adapter only) Ergonomics for computing products The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. The physical input device meets the requirements of ISO 9995 and ISO 9241-410. Packaging and documentation Product packaging material type(s): Corrugated cardboard weight (kg): 0.305 Product packaging material type(s): Cardboard weight (kg): 1.01 Product packaging material type(s): Cardboard weight (kg): 1.01 Product packaging material type(s): 100% Recycled Expanded Polyethylene weight (kg): 0.037 Product plastic primary packaging is free from PVC. For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post consumer recovered fiber content: % Specify media for user and product documentation (tick box): Electronic, Paper, Other (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Criteria version: 6.1 Date: 2017-10-20 Product category: 12 ENERGY STAR® Criteria version: Date: Product category: Additional information (See NOTE B10) Energy consumption of specific configuration may vary; description of the tested product configuration NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied information contained in this document. All information provided by supplier in this document is provided base knowledge available at the time of configuration may vary; description of the tested product configuration formation contained in this document. All information provided by supplier in this document is provided base knowledge available at the time of configuration ma	environmental attributes - Market requirements (continued) Require Flectromagnetic emissions Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): MPR-II(3 pin AC adapter only) Fragonomics for computing products The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. The physical input device meets the requirements of ISO 9995 and ISO 9241-410. Packaging and documentation Product packaging material type(s): Corrugated cardboard weight (kg): 0.305 Product packaging material type(s): Cardboard weight (kg): 1.01 Product packaging material type(s): Cardboard weight (kg): 1.01 Product packaging material type(s): 109% Recycled Expanded Polyethylene weight (kg): 0.037 Product plastic primary packaging is fee from PVC. For product plastic primary packa	environmental attributes - Market requirements (continued) Requirement Yes No Electromagnetic emissions Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): MPR-II(3 pin AC adapter only) Ergonomics for computing products The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. The display meets the ergonomic requirements of ISO 9995 and ISO 9241-410. Packaging and documentation Product packaging material type(s): Corrugated cardboard weight (kg): 0.305 Product packaging material type(s): Cardboard weight (kg): 0.305 Product packaging material type(s): Cardboard weight (kg): 1.01 Product packaging material type(s): 109% Recycled Expanded Polyethylene weight (kg): 0.037 Product plastic primary packaging is free from PVC. For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: % Specify media for user and product documentation (tick box): Electronic, Paper, Other (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Voluntary programs The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 6.1 Date: 2017-10-20 Product category: 12 Eco-label: Criteria version: Date:

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad X380 Yoga(ThinkPad S1(4th Generation))	Logo	
Model Number	20LH, 20LJ, (20LK, 20LL)		Longvo
Issue Date	2017/11/08		Lenovo.
Additional information			

	Product environmental attributes				
(d)	Year of manufacture:				2018
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	III discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	4			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	13.144			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	NA			
g)	Idle state power demand (Watts);	•		•	3.838
h)	Sleep mode power demand (Watts);				0.989
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.941
i)	Off mode power demand (Watts);				0.458
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.434
I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 45W: 87,98%	,88,63%,88,83%, 65W	V : 89,41%,88,62%,88,	96%	
(o)	*internal note: show values for all available external policy Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	
p-1)	Measurement methodology used to dete	rmine information mer Not applicable	• • • • • • • • • • • • • • • • • • • •	nternal PSU efficiency	:

(p-2)		dology used to determine information mentioned in p for Calculating the Energy Efficiency of Single-V Power Supplies" dated August 11, 20	oltage External AC-DC and AC-AC	
(p-3)	Measurement metho	dology used to determine information mentioned in particles in IEC 61960 measurement methodolo		
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: IEC 62623 / IEC EN50564:2011 measurement r		
(q)	Sequence of steps for	r achieving a stable condition with respect to power IEC 62623 / IEC EN50564:2011 measurement r		
(r)		eep and/or off mode was selected or programmed: agement, sleep mode: ACPI system level G1/S3 ACPI system level G2/S5 ('soft off') s		
(s)	off mode:	required to reach the mode where the equipment autor to power management, 30mins automatically re	, , , , , , , , , , , , , , , , , , , ,	
(t) (u) (v) (w)	condition which does Length of time after mode that has a lov Length of time befo Information on the er	re condition before the computer automatically re not exceed the applicable power demand requirement a period of user inactivity in which the compute ver power demand requirement than sleep mode (in re the display sleep mode is set to activate after lergy-saving potential of power management function of described in User Guide and Power Manager uprograms	ents for sleep mode (in minutes): r automatically reaches a power minutes): user inactivity (in minutes): nality:	30 minutes 10 minutes
(x)		now to enable the power management functionality: n described in User Guide and Power Manager u programs	nder ThinkVantage menu in all	
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the insting: 230V, 50Hz, Total Harmonic Distortion	strumentation, set-up and circuits	
Addition	al Notebook Batter			
		Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily	Battery[ies] user replaceable	n/a
		replaced by users themselves. 1)		
	ouilt-in Battery			
	detachable Battery			
	kup Battery			
Other:				
Additiona	al information			
Акумулаторна Las baterías o Výměnu bater	ата[ите] батерия[и] в този de este producto no pueden rie/baterií v tomto výrobku b	easily replaced by users themselves. продукт не може да се замени[ят] лесно от самите потребите ser sustituidas fácilmente por los propios usuarios. / neměli provádět sami uživatelé. tteriet/batterierne i dette produkt.	ели.	