

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Notebook PC			
Commercial name *	ThinkPad SL410/L410			
Model number *	M/T:2842/2874/2931			
Issue date *	2009, September 29			
Intended market *	🛛 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information	dditional information ENERGY STAR® 5.0 Qualified; EPEAT Gold Rating, GREENGUARD Certification			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met	
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).			

Model n	umber *	ThinkPad SL410/L410 M/T:2842/2874/2931				
Issue date *		2009, September 29 Logo				
Product	t environ	mental attributes - Legal requirements	F	Require	ment	met
tem			-	Yes	No	n.a.
P1	Hazardo	us substances and preparations				
P1.1*	0.1% pol	do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalen ybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See leg and Note B1)		$\square$		
P1.2*	Products	do not contain Asbestos (see legal reference). It: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*	Products hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride thane, methyl bromide (see legal reference). Comment: Legal reference has no maxim ation values.				
P1.4*	Products	do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorina I (PCT) in preparations (see legal reference).	ated	$\boxtimes$		
P1.5*	Products	do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon a ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	toms in the	$\boxtimes$		
P1.6*	Textile a Tris-(aziı	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phospha idinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). It: Legal reference has no maximum concentration values.	te (TRIS),			
P1.7*	Textile a	nd leather parts with direct skin contact do not contain more than 0.003% Azo colorants amines. (See legal reference and Note B1)	that split			$\boxtimes$
P1.8*	Wooden pentachl	parts do not contain arsenic and chromium as a wood preservation treatment as well as orophenol and derivatives (see legal reference).	;			
P1.9*	Comment: Legal reference has no maximum concentration values.         Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5         microgram/cm <sup>2</sup> /week (see legal reference).         Comment: Max limit in legal reference when tested according to EN1811:1998.					
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):					
P2	Batterie	S			· · · ·	
P2.1*	more tha marked v	duct contains a battery or an accumulator, it is labeled with the disposal symbol and if it n 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it s with the chemical symbol for the metal concerned, Hg or Pb. Information on proper dispo in user manual. (See legal reference)	shall be			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)					
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)					
P3		EMC connection to the telephone network and labeling				
P3.1*		luct complies with legally required safety standards as specified (see legal reference).		$\square$		
P3.2*		luct complies with legally required standards for electromagnetic compatibility (see legal		$\boxtimes$		
P3.3*	with lega	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies 🛛 🗌 🗌 with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*		luct is labeled to show conformance with applicable legal requirements (see legal refere	nce).			
P4		able materials				
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.0 erence and Note B1).	•			
P4.2*		er is used in the product, it does not contain cadmium max 0.1% by weight (see legal re	;			$\square$
P4.3*	product/	/toner formulation/preparation is classified as hazardous according to applicable regulat backaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with thes ents is available (see legal reference).				$\square$
P5		packaging				
P5.1*		ing and packaging components do not contain more than 0.01% lead, mercury, ca ant chromium by weight of these together.	dmium and			
P5.2*	Plastic p	ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal refer	ence).	$\square$		
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified in th (see legal reference). t: Legal reference has no maximum concentration values.	ne Montreal			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

la avea da		ThinkPad SL410/L410 M/T:2842/2874/2931	lend			
Issue da	ate ^	*     2009, September 29     Logo				
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Require	ment	me	
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a	
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$			
P7	Design					
		mbly, recycling				
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*		aterials in covers/housing have no surface coating.		$\square$		
P7.3*	•	arts >100g consist of one material or of easily separable materials.	$\square$			
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.	$\boxtimes$			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available too	s. 🔀			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	$\square$			
	Product	lifetime				
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives	$\boxtimes$			
P7.8*	Upgradir	g can be done using commonly available tools			T	
P7.9.	Spare pa	rts are available after end of production for: <b>5</b> years			F	
P7.10		s available after end of production for: 5 years			┢	
		and substance requirements				
P7.11*		cover/housing material type:				
		aterial type: PC+ABS Material type: Material type:				
P7.12	Electrica	I cable insulation materials of power cables are PVC free.		$\times$		
P7.13	Electrical cable insulation materials of signal cables are PVC free				T	
P7.14	Electrical cable insulation materials of signal cables are PVC free       Image: Comparison of the signal cables are PVC free         All cover/housing plastic parts >25g are free from chlorine and bromine.       Image: Comparison of the signal cables are PVC free					
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See					
	Note B2		`			
P7.16	Flame re	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	$\square$		Г	
	Marking:	FR(40)				
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without components):			_	
		TBBPA (additive), TBBPA (reactive) , other; chemical name: , CAS #:			L	
	Alt. 2					
		I specifications of flame retardants in printed circuit boards (without components) >25g accordin	ng 🗌			
		3-4: Brominated Epoxy Resin See P14				
P7.18	Alt. 1 Flamo r	etarded plastic parts >25g contain the following flame retardant substances/preparatior	in 🔽		_	
		ations above 0.1%:	is in 🔀			
	Commer	t: No legal limits exist, this is a market requirement.				
	Provide	a list of all used flame retardants including MSDS for each flame retardant. The list must co	ntain			
		chemical name, CAS number and supplier.				
		ical name: <i>Triphenyl Phosphate</i> , CAS #: <i>115-86-6</i> , Supplier: <i>The M. F. Cachat Co.</i>				
		ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier:				
	Alt. 2	carnane. , CAS #. , Supplier.	$\square$		Г	
		I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45	, 🖂			
D7.00		6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				
P7.20 P7.21		lastic parts' weight >25g, recycled material content is 10%.				
P7.21 P7.22		Ilastic parts' weight >25g, biobased material content is 0%. Inces are free from mercury			_	
		y is used specify: Number of lamps: no. of lamps and max. mercury content per lamp: x mg	$\bowtie$			
P8	Batterie					
P8.1*		hemical composition: Lithium Ion/Lithium Manganese Dioxide				
P8.2		meet the requirements of the following voluntary program/s: US RBRC			+	

Annex B of ECMA-370 4<sup>th</sup> edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model num		Pad SL41	U/L410 M/I	:2842/28/4			
issue date	- 2009, 5	eptember 29			Logo	lenovo	
Product e	nvironmental a	ttributes - Market	requirements (co	ontinued)		Requirement	me
ltem				•		Yes No	n.a
P9	Energy consump						
9.1	For the product th	e following power lev	els or energy consu	mptions are reporte	ed:		
Energy mode		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	at Reference / Standard for energy and test method *		
Peak (On- ) Category	,	65/90 W	65/90 W	65/90 W	Full load		
Idle State		12.9 W	<b>13.1</b> W	13.4W	Idle State for ES		
Sleep(S3) -	WOL Disable	0.60 W	0.61 W	0.93W	Sleep Mode w/ WOL D	Disabled for ES	
Sleep(S3) -	· WOL Enable	0.61 W	0.59 W	0.79 W	Sleep Mode w/ WOL E	Enabled for ES	
Off(S4/S5)	- WOL Disable	0.49 W	0.50 W	0.70 W	Off Mode w/ WOL Disa	abled for ES	
	- WOL Enable	0.50 W	0.51 W	0.70 W	Off Mode w/ WOL Ena	bled for ES	
Category		0.00 W	0.01 11	0.70 **	On Mode W WOL Lind		
Idle State		<b>16.3</b> W	<b>16.3</b> W	16.6 W	Idle State for ES		
Sleep(S3) -	WOL Disable	0.99 W	1.02 W	1.12W	Sleep Mode w/ WOL D	Disabled for ES	H
	WOL Enable	1.01 W	1.01 W	1.15 W	Sleep Mode w/ WOL E		
	- WOL Disable	0.74 W	0.74 W	0.79 W	Off Mode w/ WOL Disa		
	- WOL Enable	0.74 W	0.72 W	0.79 W	Off Mode w/ WOL Ena		╞
EPS No-loa		W	0.18 W	0.22 W			
(External po charger plug	ower supply / gged in the wall isconnected from						
P <sub>TEC</sub> Typical Energy Consumption		W	W	W	(Workstation Levels) $P_{TEC} = 0.35 * P_{off} + 0.10^{\circ}$	*P <sub>sleep</sub> + 0.55* P <sub>idle</sub>	
TEC Typical Ene	ergy Consumption	kWh/week	kWh/week	kWh/week			
ETEC *		37.1 kWh/year(A)	37.6 kWh/year(A)	39.6 kWh/year(A)	(Desktop, Integrated Desktop, a	and Notebook Levels)	
Annual Ene	rgy Consumption	47.6 kWh/year(B)	47.5 kWh/year(B)	48.8 kWh/year(B)	$E_{TEC} = (8760/1000) * T_{sleep} + P_{idle} * T_{idle})$	(Poff * Toff + Psleep *	
Display reso	olution : <b>1366*76</b>	68 Megapixels					
Print Speed	l : Ir	mages per minute					
Default time	e to enter energy s	ave mode: 10 minute	s				
P9.2*	Information about	the energy save fund	tion is provided with	the product.			
P9.3*	ENERGY STAR®	s the energy requiren version: Version 5.0 nergy Star for Extern	dated July 1, 2009	Product category:			
P10	Emissions			<b>U U U</b>			
		- Declared according	to ISO 9296				
P10.1	Mode	Mode description		Declared A-weighted sound power	Declared A-v sound pressure lev Operator position X	U U	P1 0.1
				level $L_{WAd}$ (B)	Desktop Or Desk side		
	Idle	* HDD: Idle		* 3.5	30.5		_
_	Operation	* HDD: Operating		* 3.5	30.6	5	4
F	Other mode						-
		ing to: KISO7779			L <sub>pAm</sub> measurement dista	nce m)	
P10.2	The product meet	s the acoustic noise r	equirements of the	following voluntary p	program/s:		

Model nui	mber *	ThinkPad SL410/L410 M/T:2842/2874/2931					
Issue date *		2009, September 29 Logo			lenovo		
	environn	nental attributes - Market requirements (continued)		Require			
Item	-			Yes	No	n.a.	
		al emissions from printing products					
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				$\boxtimes$	
P10.4	Typical e	mission rate (print phase) is (mg/h):				$\mathbb{X}$	
		Dust Ozone Styrene Benzene TVOC					
P10.5	Chemica	I emission requirements of the following voluntary program/s are met for :	_			$\boxtimes$	
	0	Dust Ozone Styrene Benzene					
		nagnetic emissions					
P10.6		er display meets the requirement for low frequency electromagnetic fields of the follow /s: <i>MPR-II</i>	wing voluntary	$\boxtimes$			
P11		able materials for printing products					
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requir	ed (see P4.3).			$\boxtimes$	
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the	e requirements	of		$\boxtimes$	
P11.3*	2-sided (	duplex) printing/copying is an integrated product function.				X	
P12	Ergonor	nics for computing products					
P12.1*		lay meets the ergonomic requirements of ISO 9241-307 for visual display technologi	es.				
P12.2*	-	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			Ē		
P13	Packagi	ng and documentation					
P13.1*		packaging material type(s): Solid EPE weight (kg): 0.073					
	Product packaging material type(s): Corrugated weight (kg): 0.58						
Dia at		packaging material type(s): weight (kg):					
P13.2*		plastic packaging is free from PVC.		$\boxtimes$			
P13.3*		nedia for user and product documentation (tick box):					
		c 🔀, Paper 🔀, Other 🗌					
P13.4*		er user and product documentation, please specify contained percentage of post-con %(Japan only 70%)	sumer recycled				
P14							
						on	
					nore		
P7.17		does not contain free TBBPA in printed circuit boards(without components)>2	?5g.				
P9		rgy Star Qualified Computers for the latest information:					
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&pgw_code=CO						
P12.1		is designed to meet the subject ISO Standard 9241-307, but is not confirmed to					
P12.2		is designed to meet the subject ISO Standard 9995 and 9241-410, but is not co	onfirmed throug	gh formal t	est		
_	fiber: 0 Addition NOTE: informati knowled	%(Japan only 70%) al information (See Note B4) Supplier makes no representations, guarantees, assurances or warranties whether of on contained in this document. All information provided by supplier in this document ge available at the time of completion, and supplier shall have no obligation to updat here is approximate and provided for informational purposes only. See a Lenovo Ac	express or impli is provided bas e such informati	ed, regardii ed on supp on. The inf	olier's ormat		
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&pgw_code=CO						
F12.2	method			in iormal t	651		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19