

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad Logo				
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	otebook PC					
Commercial name *	ThinkPad T430s/T430si					
Model number *	M/T: 2352/2353/2354/2355/2356/2357/2358					
Issue date *	2014, June 17					
Intended market *	🛛 Global 🗌 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control Re			
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\square	

Model number *

2014, June 17

ThinkPad T430s/T430si M/T: 2352/2353/2354/2355/2356/2357/2358

Issue date *

Logo

lenovo

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS) Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			\square
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on th design of the product). Exception: Batteries that are permanently installed for safety, performance, medic or data integrity reasons do not have to be "easily removable". (See legal reference)	e 🔀		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complie with legally required standards for radio and telecommunication devices (see legal reference).	s 🔀		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging		_	
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.	id 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *		ThinkPad T430s/T430si			-
		M/T: 2352/2353/2354/2355/2356/2357/2358			
Issue da	ite *	2014, June 17 Logo	leno	vo.	-
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Require	nent	met
Item	*=manda	atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6		nt information			
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).			
P7	Design Disasse	mbly, recycling			
P7.1*		at have to be treated separately are easily separable			\square
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			Ħ
P7.3*		arts >100g consist of one material or of easily separable materials.			Ħ
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		H	H
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.		╘	┢
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		+	╞
17.0	Product				
P7.7*		ng can be done e.g. with processor, memory, cards or drives			
P7.8*		ng can be done using commonly available tools		-	╞
P7.9.		arts are available after end of production for: 5 years			╞
P7.10					╞
17.10		s available after end of production for: 5 years and substance requirements			
P7.11*		cover/housing material type:			
1 7.11		type: PC+ABS-FR(40) Material type: PA6-GF50FR(52+61) Material type:			
P7.12	Electrica	I cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13		I cable insulation materials of signal cables are PVC free		Ē	Ħ
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			H
P7.15	All printe	ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See			
P7.16) etarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40), FR(52+61)	\boxtimes		
P7.17	Alt. 1 Chemica TBBPA (al specifications of flame retardants in printed circuit boards >25g (without components): (additive) , TBBPA (reactive) , Other ; chemical name: <i>DOPO(9,10-dihydro-9-oxa-10-aphenanthrene-10-oxide)</i> , CAS #: <i>35948-25-5</i>			
	ISO 104	al specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: <i>FR(40)</i>			
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparations in ations above 0.1%:	י 🗌		
	Provide complete 1. Chem	nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must contain e chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier:	ı		
	Alt. 2 Chemica <i>FR(40),</i>	ical name: , CAS #: , Supplier: al specifications of flame retardants in plastic parts >25g according ISO 1043-4: . FR(52+61)			
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	\square		
P7.20		plastic parts' weight >25g, recycled material content is 0%.			
P7.21	Of total p	plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sou	urces are free from mercury	\boxtimes		
P8	Batterie				
P8.1*	-	chemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries	meet the requirements of the following voluntary program/s: US Call2Recycle, EPBA, JBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Issue date * 2014, Ju	ne 17			Logo lenovo.			
Product environmental at	tributes - Marke	et requirements	(continued)	Requirement me			
Item		•	<u> </u>	Yes No n.			
P9 Energy consumption							
9.1 For the product the following power levels or energy consumptions are reported: See P14 The product is shipped w/ WOL Enabled.							
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *			
Peak (On-max)	65/90 W	65/90 W	65/90 W	Full load			
Category I1	•		•				
Short Idle - WOL Enabled	11.676 W	11.472 W	11.256 W	Use for Energy Star V6 registration(P _{SHORT_IDLE})			
Long Idle - WOL Enabled	7.860 W	7.620 W	7.812 W	Use for Energy Star V6 registration(P _{LONG_IDLE})			
Sleep (S3) - WOL Enabled	0.960 W	0.972 W	1.116 W	Use for Energy Star V6 registration(P _{SLEEP})			
Sleep (S3) - WOL Disabled	W	W	W	Reference			
Off (S5) - WOL Enabled	0.576 W	0.576 W	0.720 W	Use for Energy Star V6 registration(P _{OFF})			
Off (S5) - WOL Disabled	W	W	W	Use for ErP			
Category I2	•	L	•				
Short Idle - WOL Enabled	10.068 W	9.924 W	11.052 W	Use for Energy Star V6 registration(P _{SHORT_IDLE})			
Long Idle - WOL Enabled	8.352 W	7.644 W	<i>8.088</i> W	Use for Energy Star V6 registration(PLONG_IDLE)			
Sleep (S3) - WOL Enabled	0.948 W	0.960 W	1.092 W	Use for Energy Star V6 registration(P _{SLEEP)}			
Sleep (S3) - WOL Disabled	W	W	W	Reference			
Off (S5) - WOL Enabled	0.432 W	0.432 W	0.564 W	Use for Energy Star V6 registration(P _{OFF})			
Off (S5) - WOL Disabled	W	W	W	Use for ErP			
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	0.26 W	0.38 W				
TEC Typical Energy Consumption	kWh/week	kWh/week	kWh/week				
ETEC * Annual Energy Consumption	11:41.77,12:37.6 3 kWh/year	<i>l1:41.07,l2:36.6</i> 7 kWh/year	<i>I1:41.42,I2:40.7</i> <i>1</i> kWh/year	ETEC = (8760/1000) × (POFF × TOFF + PSLEEP × TSLEEP + PLONG_IDLE × TLONG_IDLE + PSHORT_IDLE × TSHORT_IDLE)			
Display resolution : 1366 x 7	68, 1600 x 900 Pix	kels					
Print Speed :	Images per mir	nute					
Default time to enter energy sa	ave mode: 20 minu	ites					
9.2* Information about	the energy save fu	nction is provided	with the product.				

Model nu	umber *		nkPad T430s/T430s Г: 2352/2353/2354/23		/2358				
Issue dat	te *		June 17		Logo	le	no	VO	
								<u> </u>	
	environr	nental	attributes - Market requirement	nts (continued)		Re	quire		
Item							Yes	No	n.a.
P10	Emissio		n – Declared according to ISO 9296						
P10.1	Mode	1115510	Mode description	Declared	Declared /	A-weighted			1
1 10.1	mode			A-weighted sound power	sound pressure	level $L_{p{\rm Am}}$			
				level L_{WAd} (B)	Operator position 🔀	Bystand	er pos	itions	
					Desktop 🔀	(and the firm	a du at		
					or Desk side 🗌	only if pr (only if pr			
	Idle		* HDD: Idle	* 3.0	2	21	<u></u>		
	Operatio	n	* HDD: Operating	* 4.0	3	2			
	Other m	ode							
	Measure	ed acco	rding to: 🔀 ISO7779 🔀 ECMA-74						
			Other (only m)	if not covered by ECMA-	74 with L _{pAm} measurem	ent distance	Э		
P10.2	The proc	duct me	ets the acoustic noise requirements	of the following voluntary	program/s:				
	Chemic	al emis	sions from printing products						
P10.3*			according to ECMA-328 (ISO/IEC 28	3360) standard 📃, other	specify:				\boxtimes
P10.4	Typical e	emissio	n rate (print phase) is (mg/h):						\square
		Dust	Ozone Styrene	Benzene TV					
P10.5			sion requirements of the following vol		are met for :	1			\bowtie
		Dust	Ozone Styrene	Benzene	TVOC				
P10.6			ay meets the requirement for low free	quency electromagnetic fi	elds of the following vol	untary	\square		
			R-II (3 pin AC adapter only)	1					
P11	Consun	nable m	naterials for printing products			-			
P11.1*			Sheet (SDS) is available for the ink/to				Ц_	<u> </u>	
P11.2*	EN1228	1.	ng post-consumer recycled fibers ca	•	at it meets the require	ments of			
P11.3*) printing/copying is an integrated pro	duct function.					\square
P12 P12.1*			r computing products						
			ets the ergonomic requirements of IS				<u> </u>	⊢⊢	⊢⊢
P12.2*			out device meets the requirements of	150 9995 and 150 9241	-410.				
P13 P13.1*			I documentation ing material type(s): Corrugated car	rdboard woid	ht (kg): 0.51				
1 15.1	Product	packag	ing material type(s): Condyated cal		ht (kg): 0.28				
	Product	packag	ing material type(s): Others (plastic		ht (kg): 0.03				
P13.2*		-	packaging is free from PVC.				\boxtimes		
P13.3*			or user and product documentation (Paper \boxtimes , Other \Box	tick box):					
P13.4*			and product documentation, please s an only 70%)	specify contained percent	age of post-consumer re	ecycled			
P14	Addition	nal info	rmation (See Note B4)						
	informat knowled providec informat	ion con ge avai I here is ion.	er makes no representations, guaran tained in this document. All informati- lable at the time of completion, and s s approximate and provided for inform	on provided by supplier ir supplier shall have no obli national purposes only. S	this document is provid gation to update such ir ee a Lenovo Account R	ded based of formation.	on sup The in	plier's forma	5
P7.17			not contain free TBBPA in printed						
P9			STAR Qualified Notebooks & Table ds.energystar.gov/bi/gplist/laptops		est information:				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad T430s/T430si	Logo
Model Number	2352, 2353, 2354, 2355, 2356, 2357, 2358	lenovo
Issue Date	2014, July 1	1011010
Additional information		

P7.1.1 F	Product environmental attributes							
())								
(d)	year of manufacture:	2014						
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:							
	Category (according to ErP Lot 3): A Etec: 27.20							
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete g enabled:	raphics cards (dGfx) are						
	Category (according to ErP Lot 3): <i>B</i> Etec: 24.55							
(g)	idle state power demand (Watts);	A:7.57,B::7.57						
(h)	sleep mode power demand (Watts);							
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	A:1.66,B:1.24						
(j)	off mode power demand (Watts);							
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	A:1.11,B:0.68						
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):						
	10% 20% 50% 100% Average							
(m)	external power supply efficiency (if applicable):							
	10% 20% 50% 100% Average ;							
	or level: V							
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook co	mputers): <i>500</i>						
(p-1)	the measurement methodology used to determine information mentioned in points (I) – intereficiency:	ernal PSU						
	Not applicable							
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EPA "Test Method for Calculating the Energy Efficiency of Single-Voltage External AC-DC and AC-AC Power Supplies" dated August 11, 2004							
(p-3)	the measurement methodology used to determine information mentioned in points (o) - loa	dingcycles						
	batteries: IEC 61960 measurement methodology							

(p-4)				o determine information mentioned in maximum, idle, sleep, off mode roduct IT Eco Declaration:	
			ENERC	GY STAR measurement methodology	
(q)	sequence of	of steps for achievin	g a stab	le condition with respect to power demand ::	
			ENERC	GY STAR measurement methodology	
(r)	description	of how sleep and/o	r off moo	de was selected or programmed:	
		By selectin	g sleep	and/or off mode thru Windows operating system	
(S)	sequence of mode:	of events required to	reach t	he mode where the equipment automatically changes to sleep and/or	
		A	utomati	cally changes to sleep after 20 minutes	
(t)				efore the computer automatically reaches sleep mode, or another oplicable power demand requirements for sleep mode (in minutes):	20 minutes
(u)				ser inactivity in which the computer automatically reaches a demand requirement than sleep mode (in minutes):	
(v)	the length	of time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10 minutes
(w)	information	on the energy-savi	ng poter	tial of power management functionality:	
	User in	nformation describ	ed in U	ser Guide and Power Manager under ThinkVantage menu in all programs	
(x)	user inform	ation on how to ena	ble the p	power management functionality:	
	User in	nformation describ	ed in U	ser Guide and Power Manager under ThinkVantage menu in all programs	
(z)	the electric			test voltage in V and frequency in Hz, — total harmonic distortion of ation and documentation on the instrumentation, set-up and circuits	
			230V, 5	50Hz, Total Harmonic Distortion <2 %	
Addition	Notebook Ba	attery Information:			
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot be acces by a non-professional user.	ssed and replaced
(Battery replaceat		(Battery user replaceable)		The battery[ies] in this product cannot be easily repla themselves	aced by users
		-			

Additional information