



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo	_			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	nts given in this declaration.				
Type of product *	Notebook				
Commercial name *	ThinkPad T480s				
Model number *	20L7; 20L8				
Issue date *	2017/11/23				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		20L7; 20L8	Logo	Lon		
Issue dat	:e *	2017/11/23		Len		D _{TM}
Product	environ	mental attributes - Legal requirements		Require	ement	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	. B1)	\boxtimes		
P1.2*	Products	do not contain Asbestos (see legal reference).		\boxtimes		
	Commer	nt: Legal reference has no maximum concentration value.				
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				
	,	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	, , ,			
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m	aximum			
		ation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated		Ш	
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	on atoms in t	he 🔀		
·		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	. 2.			
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/wee	ek 🔀		
	, ,	al reference).				
D4 7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	\boxtimes		
		ww.lenovo.com/social_responsibility/us/en/environment.html				
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	he disposal			

Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal

The product is CE-marked to show conformance with applicable legal requirements (see legal reference).

given in item P15 or added to this document,

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)

The product packaging material is free from ozone depleting substances as specified in the Montreal

Batteries and accumulators are readily removable. (See legal reference)

The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lenovo.com/social_responsibility/us/en/ec_doc_notebooks/

The product complies with the Eco design requirements for energy-related products,

available at (add URL):

http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks/

Conformity verification & Eco design (ErP)

hexavalent chromium by weight of these together.

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

P2.2*

P2.3*

P3

P3.1

P3.2*

P5

P5.2*

P5.3*

P6

P6.1*

reference)

(see legal reference). Required information is;

Product packaging

used (see legal reference).

Treatment information

Protocol (see legal reference).

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	20L7; 20L8	Logo	Longyo	_
Issue date *	2017/11/23		LEI IOVO"	

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+50%GF Material type: EP+70%CF Material type: PC+ABS	3		
P7.12	Insulation materials of external electrical cables are PVC free.	X		
P7.13	Insulation materials of internal electrical cables are PVC free.	X	$\overline{\sqcap}$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in part containing more than 25% post-consumer recycled content.	d		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all ☑ PCBs > 25 g ☑ are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	N 🔀		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Phosphorus Modified Epoxy Resir CAS #: confidential	, 🔀		
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations is concentrations above 0,1%: 1. Chemical name: <i>Phosphorus compounds</i> , CAS #: <i>confidential</i> (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "	n 🔀		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; <i>confidential</i> and Hazard statements: <i>confidential</i>			
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5) Postconsumer recycled plastic material content is used in the product (See Note B6):			
F7.2U	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of recycled material is 3.9 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

wodei num	iber "	20L7; 20	L8			Logo	Lanov	
Issue date	*	2017/11/	23				Lenov	O _{TH}
Product e	nvironn	nental at	tributes - Market r	equirements (conti	nued)		Requireme	nt met
Item							Yes No	n.a.
	<u>Material</u>	and subs	tance requirements	(continued)				
P7.21*	Biobasec	l plastic m	aterial content is used	I in the product (See No	OTE B7):			
			ree from mercury, i.e. specify: Number of lar	less than 0,1 mg/lamp.	um mercury content per	lamp: mg		
	Batteries	•	<u> </u>		ann moreary content per	g		
P8.1*	Battery c	hemical c	omposition: <i>Li-ion</i>					
			tion (See NOTE B8)					
P9.1 Energy mod		roduct the	Power level	s or energy consumption Power level at	Power level at	Deference/Stands	ard for onergy	
			100 V AC	115 V AC	230 V AC	Reference/Standa modes and test m	0,	
Peak (On-m	ıax)		65 W	65 W	65 W	Full load		
Category	<u>, 11</u>							
Short Idle S	State - W	OL	4.42 W	4.35 W	4.36 W	Use for ENERGY	STAR V6	
Enabled						registration (Pidle	a)	
Long Idle S	tate - WC	DL	1.76 W	1.95 W	1.77 W	Use for ENERGY		
Enabled						registration (Pidle	e)	
Sleep (S3) -	- WOL Er	nabled	0.58 W	0.59 W	0.60 W	Use for ENERGY	STAR V6	
. , ,						registration(P _{s/ee}	_P)	
Off (S5) - W	OL Enab	led	0.36 W	0.39 W	0.39 W	Use for ENERGY registration(Poff)		
						regretation(r on)		
Category								
Short Idle S Enabled	State - W	OL	5.13 W	4.90 W	4.44 W	Reference		
Long Idle S	tate - WO	DL	3.12 W	2.71 W	2.47 W	Reference		
Enabled								
Sleep (S3) -			0.64 W	0.62 W	0.62 W	Reference		
Off (S5) - W	OL Enab	led	0.37 W	0.37 W	0.35 W	Reference		
ETEC *	_		I1:15.72; I2:18.99	I1:15.80; I2:17.96	I1:15.70; I2:16.50	$E_{TEC} = (8760/100)$		
Annual Ener	rgy Consi	ımption	kWh/year	kWh/year	kWh/year	+ P _{sleep} x 0.35 + F P _{short_Idle} x 0.30)	Plong_ldle X 0.10+	
					Mode(S3) - WOL Enabled	i; P _{idle} : Idle State - V	VOL Enabled	
				Efficiency Marking Pro	otocol) * : VI			
Display reso	olution * :	I1:1920*1	1 080; I2:2560*1440 m	egapixels				
Default time	to enter	energy sa	ve mode: 10 minutes					
				on is provided with the	product.	<u> </u>		
			class (monitors only):	·	-			$\overline{}$
	Emission					l		
			Declared according to	ISO 9296 (See NOTE	B9)			
l	Mode		lode description		Statistical upper limit	A-weighted sound	power level, LwA	ь,с (В)
l L	ldle		HDD idle		* 2.9			
	Operation		Operating (CPU)		* 3.7			
[Other mo	ode D	eclared A-weighted soun	d pressure level (dB) $L_{p{ m Am}}$	21 (operator position	desktop – idle)		
	Other mo	ode D	eclared A-weighted soun	d pressure level (dB) $L_{p{\sf Am}}$	31 (operator position	desktop – operatin	g)	
	Measure	d accordir	· = -	ECMA-74				
			Other	(only if not covered by	ECMA-74)			

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *		20L7; 20L8				Logo	Long	V/0	
Issue da	te *	2017/11/23					Lenc	VO	тм
Produc	t environr	nental attribute	s - Market requirements (c	ontinued)			Require	ment	met
Item							Yes	No	n.a.
		nagnetic emissio							
P10.4		er display meets th (s): MPR-II(3 pin A	e requirement for low frequency AC adapter only)	v electromagnetic fields	of the foll	owing voluntary			
P12		nics for computir	<u> </u>						
P12.1*	The disp	lay meets the ergo	pnomic requirements of ISO 924	1-307 for visual display	y technolo	gies.	\boxtimes		
P12.2*	The phys	sical input device r	neets the requirements of ISO 9	9995 and ISO 9241-410).		\boxtimes		
P13		ng and documen							
P13.1*	Product packaging material type(s): Corrugated Cardboard weight (kg): 0.769 Product packaging material type(s): Polyethylene weight (kg): 0.005 Product packaging material type(s): Others (Plastic Bag) weight (kg): 0.0253 Product packaging material type(s): 100% Recycled Polyethylene weight (kg): 0.15								
P13.2*	Product plastic primary packaging is free from PVC.								
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 70 %								
P13.4*		media for user and ronic, ⊠Paper, ☐	product documentation (tick bo Other	x):					
P13.5	Ùser and		item if paper documentation us ntation on paper media is chlorin						
	•	hlorine-free al chlorine-free					\boxtimes		
	Process	ed chlorine-free					$\overline{\boxtimes}$		
P14	Volunta	ry programs							
P14.1	The prod	luct meets the req	uirements of the following volun	tary program(s):					
	Eco-labe	Y STAR® bl: <i>EPEAT</i> bl: <i>PCGL</i> bl: <i>TCO</i>	Criteria version: 6.1 Criteria version: 1680.1 Criteria version: Ver.13 Criteria version: NB5.0	Date: 2017/11/10 Date: 2018/01/23 Date: 2018/01/23 Date:	Product of	category: <i>I1; I2</i> category: <i>Notebo</i> category: <i>Notebo</i> category:			
P15	Addition	nal information (S	ee NOTE B10)						
P9			specific configuration may var						
	informati knowled provided informati	on contained in thi ge available at the here is approxima on.	representations, guarantees, as is document. All information pro time of completion, and supplie ate and provided for informations	vided by supplier in this or shall have no obligati al purposes only. See a	s documer on to upda a Lenovo <i>P</i>	it is provided bas ite such informat	sed on supp tion. The inf	olier's format	ion
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad T480s	Logo	
Model Number	20L7; 20L8		Lenovo
Issue Date	2017/11/23		reliovo"
Additional information			

	Product environmental attributes				
d)	Year of manufacture:				2018
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
F)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	20	20		
ents	Additional internal storage	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NA	G3		
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	16.18			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		18.68		
g)	Idle state power demand (Watts);	1	1	1	A:5.078; B:5.398
ר)	Sleep mode power demand (Watts);				A:0.718; B:0.767
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A:0.781; B:0.826
)	Off mode power demand (Watts);				A:0.409; B:0.333
۲)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A:0.410; B:0.336
l)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 45W: 87,98%	,88,63%,88,83%, 65W	V:89,41%,88,62%,88,9	96%	
o)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to n	notehook computers):	
<i>-</i>)	Manufaction of loading cycles that	and batteries can withs	tana (applies only to h	otobook computers).	
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency	:
		NA			

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EPA "Test Method for Calculating the Energy Efficiency of Single-Voltage External AC-DC and AC-AC Power Supplies" dated August 11, 2004					
(p-3)	Measurement metho	dology used to determine information mentioned in p IEC 61960 measurement methodolo				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623 / IEC EN50564:2011 measurement methodology					
(d)	Sequence of steps for achieving a stable condition with respect to power demand:: IEC 62623 / IEC EN50564:2011 measurement methodology					
(r)		eep and/or off mode was selected or programmed: agement, sleep mode: ACPI system level G1/S3 (ACPI system level G2/S5 ('soft off') st				
(s)	off mode:	required to reach the mode where the equipment autor to power management, 30mins automatically re				
(t)		te condition before the computer automatically re not exceed the applicable power demand requirement	•	30		
(u)	Length of time after	a period of user inactivity in which the computer ver power demand requirement than sleep mode (in	automatically reaches a power	NA		
(v)		re the display sleep mode is set to activate after u		10		
(w)		nergy-saving potential of power management function refer to user manual				
(x)	User information on I	now to enable the power management functionality: refer to user manual				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the insting: 230V/50HZ, Total Harmonic Distortion	strumentation, set-up and circuits			
Addition	al Notebook Batter		Della Carla and a salah	1 - 1 -		
		Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a		
Internal/b	uilt-in Battery					
External/	detachable Battery					
Bios Backup Battery						
Other:	Other:					
Additiona	l information					
1)						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

Ronshik ne moze tako zamijenili Bateriju sam u ovorm proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.
Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.
A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.
Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tigi/jigu sostitwita/i mill-utenti stess.
Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissá. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.