



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	conforms to the statements given in this declaration.					
Type of product *	Notebook PC					
Commercial name *	ThinkPad X1 Yoga 2nd Gen					
Model number *	20JD,20JE,20JF,20JG					
Issue date *	March 23, 2017					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	20JD,20JE,20JF,20JG	Logo	Lenovo
Issue date *	March 23, 2017		Lei IOVO,
Draduat anviron	montal attributos. Logal roquiroments		Doguiroment met

Product	Product environmental attributes - Legal requirements Re					
Item	on months and action and an only an only and an only and an only an on	Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)					
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$				
	Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-					
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated					
1 1.4	terphenyl (PCT) in preparations (see legal reference).		Ш			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	$\square$				
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		ш			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week	$\boxtimes$				
	(see legal reference).			_		
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$				
	http://www.lenovo.com/social_responsibility/us/en/environment.html					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	$\boxtimes$				
D0.04	symbol. Information on proper disposal is provided in user manual. (See legal reference)			_		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$				
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$				
	The Declaration of Conformity can be requested at (add link or e-mail address):					
	http://www.lenovo.com/social_responsibility/us/en/ec_doc_notebooks/					
P3.2*	The product complies with the Eco design requirements for energy-related products,	$\boxtimes$				
	(see legal reference).					
	Required information is; given in item P15 or added to this document,		Ш	ш		
	available at (add URL):					
Dr	http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks/					
<b>P5</b> P5.1*	Product packaging  Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and		_			
F3.1	hexavalent chromium by weight of these together.	$\boxtimes$	Ш			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)	$\boxtimes$				
	used (see legal reference).					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	$\boxtimes$				
	Protocol (see legal reference).					
P6	Comment: Legal reference has no maximum concentration values.  Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).					
1 0.1	mornation to recycles a cautient facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	20JD,20JE,20JF,20JG	Logo	Lanava
Issue date *	March 23, 2017		LEI IOVO"

Product environmental attributes - Market requirements (See General NOTE GN below)									
		Require	ment	met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.					
<b>P7</b> P7.1*	Design, Disassembly, recycling  Parts that have to be treated separately are easily separable								
P7.2*	Plastic materials in covers/housing have no surface coating.	_#		<u> </u>					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			Щ.					
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$	Ц_	<u> </u>					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.								
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).								
	Product lifetime								
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		<u>Ц</u>	_ <u></u>					
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$							
P7.9	Spare parts are available after end of production for: 5 years								
P7.10	Service is available after end of production for: 5 years								
	Material and substance requirements								
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: PC-GF40FR(40),EP- Material type: PC+ABS-FR(40)  Material type: Magnesium (CF70FR(52))	ım							
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$						
P7.13	Insulation materials of internal electrical cables are PVC free.	$\boxtimes$							
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.								
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)								
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40),FR(52)								
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO(9,10-dihydro-9-oxa-10-phosphaphenanthrene-10-oxide), CAS #: 35948-25-5								
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:								
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "								
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:FR(40),FR(52)								
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; <b>R53</b> and Hazard statements:  H412  The source(s) for those plassifications is/ore found, at (cald LIRI (s)):  (See pate R5)								
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)  Postconsumer recycled plastic material content is used in the product (See Note B6):								
1 7.20	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %.  or  b) The weight of recycled material is 5 g.								

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	20JD,20	JE,20JF,20JG			Logo	Lon		
Issue date * March 23, 2017					Lend	DVC	тм		
Product e	environn	nental at	tributes - Market re	equirements (contin	nued)		Require	emen	t met
Item				•	•		Yes	No	n.a.
			stance requirements						
P7.21*	Biobaseo	d plastic m	naterial content is used	I in the product (See No	OTE B7):			$\boxtimes$	
				s below shall be answe					
			ic parts' weight > 25 g by weight) is   %		material content (calcula	ited as a percentag	е		
	or	nai piasii	by weight) is /	).					
			the biobased plastic r						
P7.22*			free from mercury, i.e. specify: Number of lan	less than 0,1 mg/lamp.	um mercury content per	lamp: mg	$\boxtimes$	Ш	
P8	Batteries		specify. Number of lan	nps. and maxim	an mercury content per	iamp. mg			
P8.1*	Battery c	hemical c	omposition: Lithium Id	on					
P9			tion (See NOTE B8)						
P9.1		roduct the	e following power level Power level at	s or energy consumption  Power level at		D-f	d for our		_
Energy mo	de "		100 V AC	115 V AC	230 V AC	Reference/Standard modes and test me		iergy	Ш
Peak (On-I	max)		45/65 W	45/65 W	45/65 W	Full load			
Category	y <u>  11</u>								
Short Idle	State		5.868 W	6.084 W	6.228 W	P <sub>SHORT_IDLE</sub> in ENERG	Y STAR		
Long Idle	State		2.652 W	2.724 W	2.784 W	P <sub>LONG_IDLE</sub> in ENERGY	STAR		
Sleep (S3)			0.552 W	<b>0.612</b> W	0.720 W	P <sub>SLEEP</sub> in ENERGY ST	AR		
Off (S5)			0.456 W	0.456 W	<b>0.504</b> W	P <sub>OFF</sub> in ENERGY STA	R		
Categor	<u>y 12</u>								
Short Idle			6.396 W	6.456 W		P <sub>SHORT_IDLE</sub> in ENERG			
Long Idle			2.796 W	2.868 W	2.904 W	P <sub>LONG_IDLE</sub> in ENERGY			
Sleep (S3)			0.804 W	0.900 W		P <sub>SLEEP</sub> in ENERGY ST P <sub>OFF</sub> in ENERGY STA			
Off (S5)			0.576 W	0.600 W	0.576 W	P <sub>OFF</sub> III ENERGY STA	K		
EPS No-loa			W	<b>0.124</b> W	<b>0.120</b> W				
(External power s	connected from	the product.)							
PTEC * Typical Ene	erav Cons	umntion	W	W	W				Ш
ETEC * Annual Ene			I1: 20.44,I2: 22.98 kWh/year	I1: 21.25, I2: 23.55 kWh/year	I1: 22.12,I2: 23.43 kWh/year	E <sub>TEC</sub> = (8760/1000) + P <sub>SLEEP</sub> × T <sub>SLEEP</sub> + T <sub>LONG_IDLE</sub> + P <sub>SHORT_</sub> T <sub>SHORT_IDLE</sub> )	PLONG_IDLE		
External Po	ower Supp	ly Efficien	cy Level (International	Efficiency Marking Pro	tocol) * : VI	S.IOIT DEL/			
		-	080, 2560 x 1440 Pixe						
Default time	e to enter	energy sa	ive mode: 30 minutes						一
P9.2*	Informati	on about	the energy save functi	on is provided with the	product.				
P9.3	Energy e	fficiency of	class (monitors only):						
P10	Emissio								
D46.4				ISO 9296 (See NOTE		Δ			(D)
P10.1	Mode Idle		Mode description  Idle		* 2.7	4-weighted sound p	ower level	, L <sub>WA,c</sub>	(R)
	Operatio		Operating(CPU)		* 3.0				<del>  </del>
	Other mo	nde /	eclared A-weighted soun	d pressure level (dB) $L_{pAm}$		deskton – idlo)			
						. ,			
	Other mo			d pressure level (dB) $L_{pAm}$	20 (operator position	aesкtop – operating)			
	Measure	d accordii	ng to: 🔀 ISO 7779 🔀	ECMA-74					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

(only if not covered by ECMA-74)

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Other

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	ımber *	20JD,20JE,20JF,2	0JG			Logo	one	V/0	
Issue dat	te *	March 23, 2017					Leno	VO,	м
Product	environn	nental attributes	- Market requirements (c	ontinued)			Require	ment	met
Item							Yes	No	n.a.
	Electron	nagnetic emissions							
P10.4		er display meets the (s): MPR-II(3 pin AC	requirement for low frequence adapter only)	y electromagnetic	fields of the foll	owing voluntary			
P12		nics for computing							
P12.1*	The disp	lay meets the ergon	omic requirements of ISO 924	11-307 for visual o	display technolo	gies.			
P12.2*	The phys	sical input device me	ets the requirements of ISO	9995 and ISO 924	41-410.				
P13		ng and documenta							
P13.1*	Product	packaging material t	ype(s): Corrugated Cardboa ype(s): 100% Recycled Expa ype(s): Others (Polyethylen	anded Polyethyle	weight (kg ene weight (kg weight (kg	): <b>0.059</b>			
P13.2*	Product	plastic primary packa	aging is free from PVC.						
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 %								
P13.4*			roduct documentation (tick bo Other	ox):					
P13.5	User and		em if paper documentation us ation on paper media is chlori						
	Totally c	hlorine-free							
	•	al chlorine-free					$\square$		
	Processo	ed chlorine-free							
P14	Volunta	ry programs							
P14.1			ements of the following volur	tary program(s):					
	Eco-labe	/ STAR® I: <i>GREENGUARD</i>	Criteria version: <b>6.1</b> Criteria version: <b>Gold</b>	Date: Date:	Product	category: I1, I2			
P15		al information (See							
P9			ecific configuration may va						
	informati knowled	on contained in this ge available at the til here is approximate	presentations, guarantees, a document. All information prome of completion, and supplies and provided for information	vided by supplier er shall have no o	in this documer bligation to upda	nt is provided base ate such informati	ed on supp on. The inf	olier's formati	on
P9	http://ww	w.energystar.gov/in	otebooks & Tablet Computers dex.cfm?fuseaction=find_a_p			code=CO			
P7.12	Low halo	gen power cord can	be ordered on request.						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# **Lenovo ErP Lot3 Information Sheet** - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad X1 Yoga 2 <sup>nd</sup> Gen	Logo	
Model Number	20JD,20JE,20JF,20JG		Longyo
Issue Date	March 23, 2017		Lenovo.
Additional information			

(d)	Year of manufacture:				2017	
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when <b>a</b>	II discrete graphics o	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	12				
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capi	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)					
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	11.10				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled					
g)	Idle state power demand (Watts);				3.12	
h)	Sleep mode power demand (Watts);				0.71	
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.73	
j)	Off mode power demand (Watts);				0.42	
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.44	
l)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):		
	10% 20% 50%	100% Avera	ge			
m)	External power supply efficiency (if appli	cable)*:				
	Average active efficiency: 45W USB Ty 88.54%	pe-C: 87.92%, 89.31%	6, 89.35%, 88.90% ,65	5W USB Type-C: 91.0	90.39%, 90.259	
(o)	Minimum number of loading cycles that t	he batteries can withs	and (applies only to n	otebook computers):	1000	
(p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:  Not applicable					

(p-2)		dology used to determine information mentioned in r Calculating the Energy Efficiency of Single-Vol Power Supplies" dated August 11, 2	tage External AC-DC and AC-AC	
(p-3)	Measurement metho	dology used to determine information mentioned in IEC 61960 measurement methodology		
(p-4)		dology used to determine information mentioned in Point P9.1 in the Product IT Eco Declaration:		
		IEC 62623 / IEC EN50564:2011 measurement		
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand:	
		IEC 62623 / IEC EN50564:2011 measurement	methodology	
(r)	·	eep and/or off mode was selected or programmed:		
(s)		y selecting sleep and/or off mode thru Windows required to reach the mode where the equipment au		
40		Automatically changes to sleep		
(t) (u)	condition which does	te condition before the computer automatically r not exceed the applicable power demand requirem a period of user inactivity in which the computer	ents for sleep mode (in minutes):	30 minutes
(11)		ver power demand requirement than sleep mode (in		40 minutes
(v) (w)		re the display sleep mode is set to activate after nergy-saving potential of power management function		10 minutes
(x)	User information on I	User information described in User Grow to enable the power management functionality:		
		User information described in User G	Suide	
(z)		measurements: — test voltage in V and frequency ir system, — information and documentation on the in	Hz, — total harmonic distortion of	
		230V, 50Hz, Total Harmonic Distortion	<2 %	
Addition	nal Notebook Batter		TD (( F )	
		Battery[ies] <u>not</u> user replaceable  The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a
Internal/b	ouilt-in Battery			
External/	detachable Battery			
Bios Bac	kup Battery			
Other:				
Additiona	al information			
1)				
Akymyπatoph Las baterias o Výměnu bate Brugeren kan Der Akku/die Kasutajad eis e H μπαταρία[- La/les batteria/le Leistotāji paši s Šio gaminio b A termék akki Il-batterija/bat Batteriat [ene De batterij/ene Użytkownik n A ou as bater Bateria (bater Bateriu(-ie) v Baterij/baterij/baterij/ Tämän tuotte Det är inte en	ната[ите] батерия[и] в този de este producto по рuede ine/baterií v tomto výrobku by i kke uden videre udskifte be Akkus dieses Produkts kann saa selle toote akut/akusid is eg] ото проїбу ашто беу рто e(s présente(s) dans ce produce lako zamijeniti Bateriju s batterie in questo prodoto nevar nomainīt šā ražojuma baterijos [bateriju] pats vartot umulátorát/akkumulátorait a tetriji fdan il-prodott ma tista: ] i dette produktet kan ikke le i) in dit product is (zijn) door ie može sam w łatwy sposót ias deste produto não poder riile) din acest produs nu poa tomto výrobku nemôže vymi e v tem izdelku uporabniki se en akku [akut] ei[vät] ole heļ kelt för kunden att själv byta	ρούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες  uit ne peuvent être facilement remplacée(s) par les utilisateurs o  sam u ovom proizvodu.  on può/possono essere facilmente sostituita/e dall'utente.  akumulatoru(-us).  ojas negali lengvai pakeisti.  felhasználó nem tudja egyedül egyszerűen kicserélni.  k/jistghux tiģi/jiģu sostitwita/i mill-utenti stess.  stt erstattes av brukerne selv.  de gebruiker niet gemakkelijk vervangbaar.  o  wymienić baterii w tym produkcie.  n ser facilmente substituídas pelos próprios utilizadores.  tte (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.  eñat' používatel.  ami ne morejo zlahka zamenjati.  posti käyttäjän vaihdettavissa.	t werden.	

Annex B1 of ECMA-370 5<sup>th</sup> edition (Lenovo) 2015-04-08