



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo	_			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemer	nts given in this declaration.				
Type of product *	NOTEBOOK				
Commercial name *	ThinkPad X280				
Model number *	20KE, 20KF				
Issue date *	2017/12/28				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		20KE, 20KF	Logo	Long		
Issue dat	e *	2017/12/28		Lend		J _{TM}
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ie 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail vw.lenovo.com/social_responsibility/us/en/environment.html	contact):			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal	\boxtimes		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See lega	al 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\square		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements): see legal requirements (see legal requirements	gal reference).			
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products,				
	, ,	al reference). d information is; given in item P15 or added to this document,				
		available at (add URL):				
		ww.lenovo.com/social_responsibility/us/en/datasheets_not				
P5		packaging			_	
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.	y, cadmium ar	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature see legal reference).	of the material(s) 🔀		
P5.3*	The pro	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Montre	al 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	20KE, 20KF	Logo	Lonovo
Issue date *	2017/12/28		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: PC+ABS Material type: PC			
P7.12	Insulation materials of external electrical cables are PVC free.		<u></u>	
P7.13	Insulation materials of internal electrical cables are PVC free.		Щ	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in part containing more than 25% post-consumer recycled content.	d 📙	П	
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all \boxtimes PCBs > 25 g \boxtimes are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	w 🔀		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Phosphorus Modified Epoxy Resin CAS #: confidential	,		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations i concentrations above 0,1%: 1. Chemical name: Oligomeric phosphorous compound, CAS #: confidential (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "	n 🔀		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of recycled material is 6.0 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	20KE, 20	OKF			Logo			
Issue dat	e *	2017/12/	28				Lend	DVC) _{TM}
Product	environr	nental at	tributes - Market r	equirements (conti	nued)		Require	emen	t met
Item				•	•		Yes	No	n.a.
			stance requirements						
P7.21*	Biobase	d plastic m	aterial content is used	d in the product (See N	OTE B7):			\boxtimes	
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g. 								
P7.22*	Light sou	urces are f	ree from mercury, i.e.	less than 0,1 mg/lamp		or lamp: ma			
P8	Batterie		specify: Number of lar	iips. and maxiii	um mercury content pe	er lamp: mg			
P8.1*			omposition: Lithium I	on/Lithium Manganes	se Dioxide				
P9	Energy	consump	tion (See NOTE B8)						
P9.1		product the		ls or energy consumpti					
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stand modes and test n		ergy	
Peak (On-	-max)		65 W	65 W	65 W	Full load			
Catego	<u>ry 11</u>								
Short Idle Enabled	e State - W	OL	6.49 W	6.42 W	6.17 W	Use for ENERGY registration (Pidl			
Long Idle Enabled	State - W	OL	4.68 W	4.58 W	4.5 W	Use for ENERGY registration (Pidl			
Sleep (S3	B) - WOL E	nabled	0.47 W	0.47 W	0.47 W	Use for ENERGY registration(Pslee			
Off (S5) -	WOL Enai	bled	0.26 W	0.26 W	0.26 W	Use for ENERGY registration(P _{off})			
Catego	ry <u>12</u>								
Short Idle Enabled	e State - W	OL.	5.73 W	5.84 W	5.86 W	Use for ENERGY registration (Pidl			
Long Idle State - WOL Enabled		OL	3.42 W	3.48 W	3.5 W	Use for ENERGY registration (Pidi			
Sleep (S3) - WOL Enabled		0.42 W	0.42 W	0.42 W	Use for ENERGY STAR V6 registration(P _{sleep})				
Off (S5) - WOL Enabled		0.26 W	0.26 W	0.26 W	Use for ENERGY registration(Poff)				
			100	100	1				
wall outlet but di	oad r supply / charger isconnected from	plugged in the the product.)	W	W	W				
PTEC * Typical Er	nergy Cons	sumption	W	W	W				
ETEC *I1	nergy Cons	•	23.16 kWh/year	22.89 kWh/year	22.17 kWh/year	$E_{TEC} = (8760/100 + P_{sleep} \times 0.35 + I_{short Idle} \times 0.30)$			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

20.25 kWh/year

20.35 kWh/year

Poff: Off Mode(S5) - WOL Enabled; Psleep: Sleep Mode(S3) - WOL Enabled; Pidle: Idle State - WOL Enabled

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

19.91 kWh/year

External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI

Information about the energy save function is provided with the product.

ETEC *12

P9.2*

P9.3

Annual Energy Consumption

Display resolution * : 2.074 (1920*1080) megapixels
Default time to enter energy save mode: 10 minutes

Energy efficiency class (monitors only):

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

 $E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$

+ P_{sleep} x 0.35 + P_{long_idle} x 0.10+

P_{short_ldle} x 0.30)

P10	Emissions					
	Noise emission	on – Declared according to ISO 9296 (See NOTE I	B9)			
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, L _{WA,c} (B)			
	Idle	* HDD idle	* 3.0			
	Operation	* Operating (CPU)	* 3.8			
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p{ m Am}}$	23 (operator position desktop – idle)			
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p{ m Am}}$	30 (operator position desktop – operating CPU)			
	Measured according to: ☐ ISO 7779 ☐ ECMA-74					
	Other (only if not covered by ECMA-74)					

woder number		ZUKE, ZUKF						
Issue date *		2017/12/28				Lenc		м
Product	environr	nental attribut	es - Market requirements (co	ontinued)		Require	ment	met
Item						Yes	No	n.a.
		nagnetic emissi						
P10.4			he requirement for low frequency AC adapter only)	electromagnetic fields	of the following volunta	nry 🔀		
P12		nics for comput						
P12.1*	The disp	lay meets the erg	gonomic requirements of ISO 924	1-307 for visual display	y technologies.			
P12.2*	The phys	sical input device	meets the requirements of ISO 9	995 and ISO 9241-410).	\boxtimes		
P13		Packaging and documentation						
P13.1*	Product	packaging materi	al type(s): Corrugated Cardboar	rd weight (ko	g): 0.544			
	Product	packaging materi	al type(s): Others (Plastic Bag)	weight (kg): 0.011				
P13.2*	Product	plastic primary pa	ackaging is free from PVC.	3 3 (3)		X		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 70 (Japan only) %							
P13.4*	Specify r		d product documentation (tick box	():				
P13.5	User and If Yes, pl Totally c Element	I product docume ease specify: hlorine-free al chlorine-free	s item if paper documentation use entation on paper media is chlorin					
	Processe	ed chlorine-free						
P14		ry programs						
P14.1	ENERG	Y STAR® el: <i>EPEAT</i>	quirements of the following volunt Criteria version: 6.1 Criteria version: 1680.1 Criteria version: Ver.13	Date: 2017/11/20 Date: 2018/2/2 Date: 2018/2/2	Product category: I1 & Product category: Not Product category: Not	ebook ebook		
	Eco-labe		Criteria version: NB5.0	Date: 2018/2/2	Product category: Not	ebook		
	Eco-labe		Criteria version:	Date:	Product category:			
P15		nal information (
P9			specific configuration may var					
	informati knowled provided informati	on contained in the ge available at the here is approximon.		vided by supplier in this r shall have no obligati al purposes only. See a	s document is provided on to update such inforr a Lenovo Account Repre	based on supposation. The in-	plier's formati	on
P9	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. See Energy Star Qualified Notebooks & Tablet Computers for the latest information:							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad X280	Logo	
Model Number	20KE, 20KF		Lenovo
Issue Date	2017/12/28		reliovo"
Additional information			

d) (t	Product environmental attributes Year of manufacture:				
1)	real of manufacture.				2018
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	II discrete graphics of	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	12			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
capi	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	# <i>:</i> (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NA			
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	19.57			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	20.4			
g)	Idle state power demand (Watts);	-		-	6.7
1)	Sleep mode power demand (Watts);				0.61
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.73
)	Off mode power demand (Watts);				0.34
()	Off mode with WOL enabled power dema	and (Watts) (where en	abled);		0.45
)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output power	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
n)	External power supply efficiency (if applie	cable)*:			
	Average active efficiency: 45W: 87,98%	,88,63%,88,83%, 65 W	/:89,41%,88,62%,88,9	96%	
	*internal note: show values for all available external po	ower supplies			
)	Minimum number of loading cycles that t	he batteries can withst	tand (applies only to n	otebook computers):	500 cycles
p-1)	Measurement methodology used to dete	rmine information men	tioned in points (I) - ir	nternal PSU efficiency:	

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EPA "Test Method for Calculating the Energy Efficiency of Single-Voltage External AC-DC and AC-AC Power Supplies" dated August 11, 2004					
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: IEC 61960 measurement methodology					
(p-4)		dology used to determine information mentioned in n Point P9.1 in the Product IT Eco Declaration: IEC 62623 / IEC EN50564:2011 measurement n	·			
(q)	Sequence of steps for	or achieving a stable condition with respect to power IEC 62623 / IEC EN50564:2011 measurement in				
(r)		eep and/or off mode was selected or programmed: agement, sleep mode: ACPI system level G1/S3 (ACPI system level G2/S5 ('soft off') st				
(s)	off mode:	required to reach the mode where the equipment aut or power management, 30mins automatically reac				
(t)		te condition before the computer automatically re not exceed the applicable power demand requirement		30		
(u)	•	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	•	NA		
(v)	Length of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	10		
(w)		nergy-saving potential of power management function refer to user manual	nality:			
(x)		now to enable the power management functionality: refer to user manual				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the insting: 230V/50HZ, Total Harmonic Distortion	strumentation, set-up and circuits			
Addition	al Notebook Batter		Dattan Caal was need as abla			
		Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a		
Internal/b	uilt-in Battery					
External/o	detachable Battery					
Bios Back	kup Battery					
Other:	Other:					
Additional	linformation					
4)						
1) The hattervlies	sl in this product cannot be	easily replaced by users themselves				

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissá. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.