

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Ienovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter @lenovo.com	lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environm	ent.html
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datashee	ts_notebooks.html

	(based on product specification or test results based obtained from sample testing), that the estatements given in this declaration.
Type of product *	Server
Commercial name *	ThinkServer TD350
Model number *	70DG,70DH,70DJ,70DK,70DL,70DM,70DN,70DQ
Issue date *	August 28, 2014
Intended market *	☑ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	Energy Star qualified

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	equireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see w w w .itecodeclaration.org).		

Model number *	ThinkServer TD350		
	MT: 70DG,70DH,70DJ,70DK,70DL,70DM,7	ODN,7	70 DQ
Issue date *	August 28, 2014	Logo	lenovo

Product environmental attributes - Legal requirements		Require	mem	met
ltem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent	\boxtimes		
	chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See			
	legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	X		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X	П	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	X	\Box	
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	X	$\overline{}$	
1 1.5	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate	$\overline{}$	$\overline{}$	\square
F1.0		ш	Ш	
	(TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			
D4 7*	Comment: Legal reference has no maximum concentration values. Toutile and leather parts with direct pkin content do not contain more than 0.0039/. And colorants that onlife		$\overline{}$	
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split	ш		\boxtimes
D4 0*	aromatic amines. (See legal reference and Note B1)		_	<u> </u>
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as	Ш		\boxtimes
	pentachlorophenol and derivatives (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\boxtimes		Ш
	microgram/cm²/w eek (see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		Ш
	http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\boxtimes		
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	accumulators do not contain more than 0.0005/0 of mercury of 0.002/0 of caumum (occ legal reference)			Ш
	Batteries and accumulators are easily removable by either users or service providers (as dependent on			
	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance,			
P3	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3 P3.1*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling			
P3.1*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference).			
	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal			
P3.1* P3.2*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.1*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it			
P3.1* P3.2* P3.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.1* P3.2* P3.3* P3.4*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference).			
P3.1* P3.2* P3.3* P3.4* P4	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies w ith legally required safety standards as specified (see legal reference). The product complies w ith legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies w ith legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance w ith applicable legal requirements (see legal reference). Consumable materials			
P3.1* P3.2* P3.3* P3.4*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies w ith legally required safety standards as specified (see legal reference). The product complies w ith legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies w ith legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance w ith applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see			
P3.1* P3.2* P3.3* P3.4* P4.1*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P3.1* P3.2* P3.3* P3.4* P4	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies w ith legally required safety standards as specified (see legal reference). The product complies w ith legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies w ith legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance w ith applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see			\boxtimes
P3.1* P3.2* P3.3* P3.4* P4.1*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P3.1* P3.2* P3.3* P3.4* P4 P4.1*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by w eight (see legal reference).			\boxtimes
P3.1* P3.2* P3.3* P3.4* P4 P4.1*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by w eight (see legal reference).			\boxtimes
P3.1* P3.2* P3.3* P3.4* P4 P4.1*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by w eight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P3.1* P3.2* P3.3* P3.4* P4.1* P4.2* P4.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). Product packaging			
P3.1* P3.2* P3.3* P3.4* P4 P4.1* P4.2* P4.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by w eight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			\boxtimes
P3.1* P3.2* P3.3* P3.4* P4 P4.1* P4.2* P4.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by w eight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). Product packaging Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes	
	Protocol (see legal reference).		
	Comment: Legal reference has no maximum concentration values.		

Model number *	ThinkServer TD350		
	MT: 70DG,70DH,70DJ,70DK,70DL,70DM,7	ODN,7	70 DQ
Issue date *	August 28, 2014	Logo	lenovo

Product		Require	nent	met
ltem	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes	ullet	
P7	Design			
	Disassembly, recycling	<u> </u>		
P7.1*	Parts that have to be treated separately are easily separable			Щ.
P7.2*	Plastic materials in covers/housing have no surface coating.	<u> </u>	\boxtimes	_Ц_
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes	<u> </u>	Ц_
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: years	<u>-</u>		
P7.10	Service is available after end of production for: years	_		
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC+ABS Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes	
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\boxtimes		
D7 47	Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):			
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	ш		
	TDDI A (additive) [2], TDDI A (reactive) [2], Other, oriented Harris. , OAO #.			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
	ISO 1043-4: Brominated Epoxy Resin See P14			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in		Ш	Ш
	concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
		\boxtimes	<u>Ц</u>	<u> </u>
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,			
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' w eight >25g, recycled material content is 0%.			
P7.21	Of total plastic parts' w eight >25g, biobased material content is 0%.		_	
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg		Ш	Ш
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

P8.1*	Battery chemical composition: lithium, Manganese dioxide	
P8.2	Batteries meet the requirements of the following voluntary program/s:	

Model number *	ThinkServer TD350		
	MT: 70DG,70DH,70DJ,70DK,70DL,70DM,7	ODN,	70DQ
Issue date *	August 28, 2014	Logo	lenovo

	environmental a	ttributes - Market	requirements (continued)	Requirement i	met
Item	<u> </u>	mtion			Yes No	n.a.
P9	Energy consum	ne follow ing pow er le	vels or energy co	nsumptions are	reported: See P14	
Energy mo	-	Power level at		Pow er level	Reference / Standard for energy modes and	$\overline{}$
Lifergy IIIo	ue	100 V AC	115 V AC	at 230	test method *	ш
Peak (On	-max)	W	590.50 W	W	Full load	
Off	-	W	16.20 W	W	Use for ErP	$\overline{\Box}$
Minimur	n Power Confi	duration			<u>l</u>	
Idle		64.87 W	60.88 W	59.78 W	Use for ENERGY STAR V2 registration	\Box
	m Power Conf				osoror Energia de Companya de	
Idle	in i ower com	266.84 W	241.60 W	250.97 W	Use for ENERGY STAR V2 registration	$\overline{}$
	Dower Config		241.00 11	200.57 **	OSCIOI ENERO I OTAR VZ Tegratration	
Idle	Power Config	120.57 W	119.16 W	119.67 W	Use for ENERGY STAR V2 registration	$\overline{}$
				119.67 VV	USE FOR ENERGY STAR V2 registration	<u> Ш</u>
	1 Performance	Power Configu		I \		
Idle		64.87 W	60.88 W	59.78 W	Use for ENERGY STAR V2 registration	Ш
	d Performance	Power Configu	1	T		
Idle		266.84 W	241.60 W	250.97 W	Use for ENERGY STAR V2 registration	<u>Ц</u>
						Ш
EPS No-loa		W	W	W		
	ow er supply / cha the w all outlet but	rger				
	ted from the produ	ct.)				
	'	·	10/	10/		
PTEC *	ergy Consumption	W	W	W		
Typical En	orgy concumption					
TEC *						\boxtimes
Typical En	ergy Consumption	kWh/w eek	kWh/w eek	kWh/w eek		
ETEC *					$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35)$	
Annual En	ergy Consumption	kWh/year	kWh/year	kWh/year	+ P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)	_
		P Off Mode(S	5) - WOL Enabled:	P. : Sleep Mode	e(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display res	solution* : N	Megapixels	o) - WOL Lindbied,	T sleep. Greep in Gar	(65) - WOL Enabled, Traile State - WOL Enabled	\Box
Print Speed		mages per minute				
			nutes			$\overline{\Box}$
P9.2*	e to enter energy s	the energy save fun		vith the product		
		ts the energy requirer	·	•		<u> </u>
P9.3*	•	version: <i>Version 2.0</i>		, , ,		
	Others specify:					П
P10	Emissions					
P10.1	· · · · · · · · · · · · · · · · · · ·	 Declared according Mode description 	ig to ISO 9296	Declared	Declared A-w eighted	
F10.1	IVIDGE	wode description		A-w eighted	<u> </u>	
				sound pow	er	
				level L_{WAd} ((B) Operator position Bystander positions	
					Desktop (only if product is not	
					or Desk side operator attended)	
	Idle	* HDD:Idle		* 5.8	OI DOOR OIGO	
	Operation	* HDD: Operating		* 6.1		
	Other mode					
	Measured accord		ECMA-74			
		Other	(only if not cove	ered by ECMA-7	4 w ith L _{pAm} measurement distance m)	

-	

Model number *	ThinkServer TD350			
	MT: 70DG,70DH,70DJ,70DK,70DL,70DM,70DN,70DQ			
Issue date *	August 28, 2014	Logo	lenovo.	

Product	Product environmental attributes - Market requirements (continued)			
ltem		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard ☐, other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for:			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary			\boxtimes
	program/s:			
P11	Consumable materials for printing products			N/2
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	<u> </u>	<u>Ц</u>	\square
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.		Ш	\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			X
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			<u> </u>
P13.1*	Product packaging material type(s): Carton weight (kg): 4.0			
1 10.1	Product packaging material type(s): <i>EPE</i> w eight (kg): 3.2			
	Product packaging material type(s): Wood w eight (kg): 3.75			
P13.2*	Product plastic packaging is free from PVC.	X		
P13.3*	Specify media for user and product documentation (tick box):			$\overline{\Box}$
	Electronic , Paper , Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer			
	recycled fiber: 0%			
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implie			
	information contained in this document. All information provided by supplier in this document is provided based			
	know ledge available at the time of completion, and supplier shall have no obligation to update such information			
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Represer information.	itative fo	or mor	е
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:			
' '	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=	:CO		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- Workstation/Server -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Workstation, mobile workstation, desktop thin client, small-scale server and computer server

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkServer TD350	Logo
Model Number	MT: 70DG,70DH,70DJ,70DK,70DL, 70DM,70DN,70DQ	lenovo.
Issue Date	August 28, 2014	
Additional information		

(d)	year of manufacture:			Please refer to name plate of product
(e)	internal/external pow er supply	efficiency:		printe or product
	PS-2451-6L-LF	000/ 000/ 500/ 000/	1000/ 040/	
	Pow er Efficiency :10% 86%	20% 90 % 50% 92 % 1	100% 91%	
	FSD062-EL0G			
	Pow er Efficiency :10% 80%	20% 88 % 50% 92 % 1	100% 88 %	
	PS-2551-6L-LF			
	Pow er Efficiency:10% 88%	20% 91% 50% 94% 1	100% 93%	
	PS-2751-3L-LF			
	Pow er Efficiency :10% 87%	20% 92 % 50% 94 % 1	100% 93%	
	DPS-750AB-20 A			
	Pow er Efficiency :10% 92%	20% 95 % 50% 96 % 1	100% 94%	
	DPS-750AB-21 A			
	Pow er Efficiency :10% 81%	20% 93 % 50% 94 % 1	100% 92%	
	DPS-550AB-5 A			
	Pow er Efficiency :10% 85%	20% 92% 50% 94% 1	100% 92%	
	DPS-1100EB A			
	Pow er Efficiency :10% 84%	20% 92 % 50% 94 % 1	100% 93 %	
	DPS-1600AB-1 A			
		20% 93 % 50% 94 % 1	100% 90%	

(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: -Test Voltage: 230V, Frequency: 50Hz -Total harmonic distortion: <2% - Information and documentation on the instrumentation: Please refer to additional information, - Set-up and circuits used for electrical testing: Please refer to additional information	
(g)	maximum pow er (Watts) 590.5	
(h)	idle state pow er (Watts) 266.84	
(i)	sleep mode pow er (Watts) N/A	
(j)	off mode pow er (Watts) 16.20	
(I-1)	the measurement methodology used to determine information mentioned in points (e): 80 PLUS test method	
(I-2)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:	
	ENERGY STAR Program Requirements Product Specification for Computer Servers Test Method Rev. Mar- 2013	

Additional information

-Information and documentation on the instrumentation

Instrument I.D.	Instrument Type	Range Used	Make and Model
A8	AC POWER SOURCE	1~280VAC;1~550HZ;1000V A	EC1000S; SN:9136092
B43	Digital Watch	Full range	HS-70W; SN:107Q05R
B45	Pow er Meter	0~600V;0~20A	WT210;SN:27D941999
B48	Humidity/Temperature Sensor	15~30°C ;12~89%RH	Watchport/H;SN:W11492318

- Set-up and circuits used for electrical testing:

