

### Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Think	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo.		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html		
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Workstation				
Commercial name *	ThinkStation P710				
Model number *	30B6,30B7				
Issue date *	2016-4-26				
Intended market *	☑ Global   Europe   Asia, Pacific & Japan   Americas   Other				
Additional information	ENERGY STAR® Qualified; EPEAT GOLD Rating; GREENGUARD Certified				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	30B6,30B7		
Issue date *	2016-4-26	Logo	Lenovo.

Product	oduct environmental attributes - Legal requirements			t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\boxtimes$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			M
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	30B6,30B7		
Issue date *	2016-4-26	Logo	Lenovo.

P6. 1 Treatment information P6.1* Information for recyclers/treatment facilities is available (see legal reference).	et
P6.1* Information for recyclers/treatment facilities is available (see legal reference).	ı.a.
P7.1* Parts that have to be treated separately are easily separable P7.2* Plastic materials in covers/housing have no surface coating. P7.3* Plastic parts >100g consist of one material or of easily separable materials. P7.4* Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9. Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.11* Product cover/housing material type: Material type: ABS Material type: PC/ABS Material type: Steel P7.12 Electrical cable insulation materials of power cables are PVC free. P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	
Disassembly, recycling  P7.1* Parts that have to be treated separately are easily separable  P7.2* Plastic materials in covers/housing have no surface coating.  P7.3* Plastic parts >100g consist of one material or of easily separable materials.  P7.4* Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.  P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.  P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels).  Product lifetime  P7.7* Upgrading can be done e.g. with processor, memory, cards or drives  P7.8* Upgrading can be done using commonly available tools  P7.9. Spare parts are available after end of production for: 5 years  P7.10 Service is available after end of production for: 5 years  Material and substance requirements  P7.11* Product cover/housing material type:  Material type: ABS  Material type: PC/ABS  Material type: Steel  P7.12 Electrical cable insulation materials of power cables are PVC free.  P7.13 Electrical cable insulation materials of signal cables are PVC free  P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	
P7.1* Parts that have to be treated separately are easily separable  P7.2* Plastic materials in covers/housing have no surface coating.  P7.3* Plastic parts >100g consist of one material or of easily separable materials.  P7.4* Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.  P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.  P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels).  P7.7* Upgrading can be done e.g. with processor, memory, cards or drives  P7.8* Upgrading can be done using commonly available tools  P7.9. Spare parts are available after end of production for: 5 years  P7.10 Service is available after end of production for: 5 years  P7.11* Product cover/housing material type:  Material and substance requirements  P7.12 Electrical cable insulation materials of power cables are PVC free.  P7.13 Electrical cable insulation materials of signal cables are PVC free  P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	
P7.2* Plastic materials in covers/housing have no surface coating.  P7.3* Plastic parts >100g consist of one material or of easily separable materials.  P7.4* Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.  P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.  P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels).  Product lifetime  P7.7* Upgrading can be done e.g. with processor, memory, cards or drives  P7.8* Upgrading can be done using commonly available tools  P7.9. Spare parts are available after end of production for: 5 years  P7.10 Service is available after end of production for: 5 years  Material and substance requirements  P7.11* Product cover/housing material type: Material type: ABS Material type: Steel  P7.12 Electrical cable insulation materials of power cables are PVC free.  P7.13 Electrical cable insulation materials of signal cables are PVC free  P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	_
P7.3* Plastic parts >100g consist of one material or of easily separable materials.  P7.4* Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.  P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.  P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels).  Product lifetime  P7.7* Upgrading can be done e.g. with processor, memory, cards or drives  P7.8* Upgrading can be done using commonly available tools  P7.9. Spare parts are available after end of production for: 5 years  P7.10 Service is available after end of production for: 5 years  Material and substance requirements  P7.11* Product cover/housing material type:  Material type: ABS  Material type: PC/ABS  Material type: Steel  P7.12 Electrical cable insulation materials of power cables are PVC free.  P7.13 Electrical cable insulation materials of signal cables are PVC free  P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	
P7.4* Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.  P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.  P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels).  Product lifetime  P7.7* Upgrading can be done e.g. with processor, memory, cards or drives  P7.8* Upgrading can be done using commonly available tools  P7.9. Spare parts are available after end of production for: 5 years  P7.10 Service is available after end of production for: 5 years  Material and substance requirements  P7.11* Product cover/housing material type:  Material type: ABS  Material type: PC/ABS  Material type: Steel  P7.12 Electrical cable insulation materials of power cables are PVC free.  P7.13 Electrical cable insulation materials of signal cables are PVC free  P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	
P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.  P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels).  Product lifetime  P7.7* Upgrading can be done e.g. with processor, memory, cards or drives  P7.8* Upgrading can be done using commonly available tools  P7.9. Spare parts are available after end of production for: 5 years  P7.10 Service is available after end of production for: 5 years  Material and substance requirements  P7.11* Product cover/housing material type: Material type: ABS  Material type: PC/ABS  Material type: Steel  P7.12 Electrical cable insulation materials of power cables are PVC free.  P7.13 Electrical cable insulation materials of signal cables are PVC free  P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	
P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels).  Product lifetime  P7.7* Upgrading can be done e.g. with processor, memory, cards or drives  P7.8* Upgrading can be done using commonly available tools  P7.9. Spare parts are available after end of production for: 5 years  P7.10 Service is available after end of production for: 5 years  Material and substance requirements  P7.11* Product cover/housing material type: Material type: ABS Material type: PC/ABS Material type: Steel  P7.12 Electrical cable insulation materials of power cables are PVC free.  P7.13 Electrical cable insulation materials of signal cables are PVC free  P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	
Product lifetime  P7.7* Upgrading can be done e.g. with processor, memory, cards or drives  P7.8* Upgrading can be done using commonly available tools  P7.9. Spare parts are available after end of production for: 5 years  P7.10 Service is available after end of production for: 5 years  Material and substance requirements  P7.11* Product cover/housing material type:  Material type: ABS Material type: PC/ABS Material type: Steel  P7.12 Electrical cable insulation materials of power cables are PVC free.  P7.13 Electrical cable insulation materials of signal cables are PVC free  P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	
P7.7* Upgrading can be done e.g. with processor, memory, cards or drives  P7.8* Upgrading can be done using commonly available tools  P7.9. Spare parts are available after end of production for: 5 years  P7.10 Service is available after end of production for: 5 years  Material and substance requirements  P7.11* Product cover/housing material type: Material type: ABS Material type: PC/ABS Material type: Steel  P7.12 Electrical cable insulation materials of power cables are PVC free.  P7.13 Electrical cable insulation materials of signal cables are PVC free  P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	
P7.8* Upgrading can be done using commonly available tools  P7.9. Spare parts are available after end of production for: 5 years  P7.10 Service is available after end of production for: 5 years  Material and substance requirements  P7.11* Product cover/housing material type: Material type: ABS Material type: PC/ABS Material type: Steel  P7.12 Electrical cable insulation materials of power cables are PVC free.  P7.13 Electrical cable insulation materials of signal cables are PVC free  P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	
P7.9. Spare parts are available after end of production for: 5 years  P7.10 Service is available after end of production for: 5 years  Material and substance requirements  P7.11* Product cover/housing material type: Material type: ABS Material type: PC/ABS Material type: Steel  P7.12 Electrical cable insulation materials of power cables are PVC free.  P7.13 Electrical cable insulation materials of signal cables are PVC free  P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	
P7.10 Service is available after end of production for: 5 years    Material and substance requirements	
Material and substance requirements  P7.11* Product cover/housing material type: Material type: ABS Material type: Steel  P7.12 Electrical cable insulation materials of power cables are PVC free.  P7.13 Electrical cable insulation materials of signal cables are PVC free  P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	
P7.11* Product cover/housing material type:  Material type: ABS Material type: PC/ABS Material type: Steel  P7.12 Electrical cable insulation materials of power cables are PVC free.  P7.13 Electrical cable insulation materials of signal cables are PVC free  P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	
Material type: ABS Material type: PC/ABS Material type: Steel  P7.12 Electrical cable insulation materials of power cables are PVC free.  P7.13 Electrical cable insulation materials of signal cables are PVC free  P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	
P7.12 Electrical cable insulation materials of power cables are PVC free.  P7.13 Electrical cable insulation materials of signal cables are PVC free  P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	
P7.13 Electrical cable insulation materials of signal cables are PVC free  P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	
P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.	
P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)	
P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:  Marking: >WOTE PC/ABS2000 <ul:e310240< td=""><td></td></ul:e310240<>	
P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: DOPO, CAS #: 35948-25-5  Alt. 2	
Chemical specifications of flame retardants in printed circuit boards (without components) >25g according SO 1043-4:	
concentrations above 0.1%:	
Comment: No legal limits exist, this is a market requirement.  1. Chemical name: <i>Bisphenol-A Bis(Diphenyl Phosphate)</i> , CAS #: <i>5945-33-5</i> 2. Chemical name: , CAS #:  3. Chemical name: , CAS #: Alt. 2	
Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	$\boxtimes$
P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	
P7.20 Of total plastic parts' weight >25g, recycled material content is <b>39.13%</b> .	
P7.21 Of total plastic parts' weight >25g, biobased material content is <i>0</i> %.	
If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg	
P8 Batteries  P9 1* Pottory chemical composition: Lithium Manageness Dioxide	
P8.1* Battery chemical composition: Lithium Manganese Dioxide  P8.2 Batteries meet the requirements of the following voluntary program/s:	

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	30B6,30B7		
Issue date *	2016-4-26	Logo	Lenovo.

Product environmental attributes - Market requirements (continued) Requirement met						
Item Yes No n.a.						
P9 Energy consumption						
9.1						
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	· · · · · · · · · · · · · · · · · · ·	
Peak (On-	max)	230.70 W	228.24 W	224.12 W	Full load	
Short Idle	State - WOL Enable	ed 72.29 W	<b>72.16</b> W	<b>72.56</b> W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	
Long Idle	State - WOL Enable	d 70.51 W	<b>70.49</b> W	<b>72.87</b> W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	
Sleep (S3)	- WOL Enabled	7.37 W	<b>7.21</b> W	<b>7.14</b> W	Use for ENERGY STAR V6 registration (Psleep)	
Sleep (S3)	) - WOL Disabled	W	W3	W	Reference	
Off (S5) -	WOL Enabled	2.25 W	2.25 W	2.24 W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - 1	WOL Disabled	W	W	W	Use for EuP	
EPS No-lo	ad	W	W	W		
plugged in	oower supply / charge the wall outlet but ted from the product.					
PTEC * Typical En	ergy Consumption	41.02 W	<b>40.95</b> W	41.44 W	P <sub>TEC</sub> = P <sub>OFF</sub> ×T <sub>OFF</sub> + P <sub>SLEEP</sub> ×T <sub>SLEEP</sub> + P <sub>LONG_IDEL</sub> ×T <sub>LONG_IDEL</sub> + P <sub>SHORT_IDLE</sub> ×T <sub>SHORT_IDLE</sub>	
TEC * Typical En	ergy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumption kWh/year kWh/year kWh/year						
P <sub>off</sub> : Off Mode(S5) - WOL Enabled; P		P <sub>sleep</sub> : Sleep Mode	(S3) - WOL Enabled; P <sub>idle</sub> : Idle State - WOL Enabled			
Display res	solution* : Me	gapixels				
Print Spee	d * : Ima	ages per minute				
Default tim	e to enter energy sav	ve mode: 25 minutes	i			
P9.2*	Information about the	ne energy save funct	ion is provided wit	th the product.		
P9.3*		the energy requirem rersion: <b>Version 6.1</b>		ng voluntary prog duct category: <mark>N</mark>		
P10	Emissions					
D40.4		Declared according t	o ISO 9296	Daalaasid	Declared A:	
P10.1	Wode IV	lode description		Declared A-weighted sound power level $L_{W\!Ad}$	Per (B) Operator position S	
					or Desk side (only if product is not operator attended)	
	Idle *	HDD:Idle		* 3.94	30.2	
	Operation *	HDD: Operating		* 3.94	30.4	
	Other mode					
	Measured accordin	~ =	ECMA-74			
D10.0	The product	Other			with L <sub>pAm</sub> measurement distance m)	
P1U.2	P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:					

Model nui	mber *	30B6,30B7				
Issue date	*		Logo	Leno	VO.	
	environn	nental attributes - Market requirements (continued)		Require		
Item				Yes	No	n.a.
		al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				$\boxtimes$
P10.4	Typical e	emission rate (print phase) is (mg/h):				$\boxtimes$
		Dust Ozone Styrene Benzene TVOC				
P10.5		Il emission requirements of the following voluntary program/s are met for :  Oust Ozone Styrene Benzene	TVOC 🗌			
		nagnetic emissions				
P10.6	program.		wing voluntary			$\boxtimes$
P11	Consum	able materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requi	, ,			$\boxtimes$
P11.2*	EN1228		e requirements	of		
P11.3*	2-sided (	duplex) printing/copying is an integrated product function.				$\boxtimes$
P12	Ergonor	nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	jies.			$\boxtimes$
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		$\boxtimes$		
P13		ng and documentation				
P13.1*	Product Product	packaging material type(s): <i>carton</i> packaging material type(s): <i>EPE</i> packaging material type(s): weight (kg): <i>0.83</i> weight (kg):				
P13.2*	Product	plastic packaging is free from PVC.		$\boxtimes$		
P13.3*		nedia for user and product documentation (tick box): c 🔀, Paper 🔀, Other 🗌				
P13.4*		er user and product documentation, please specify contained percentage of post-cor % (Japan only 100%)	nsumer recycled	d		
P14	Addition	nal information (See Note B4)				
	informati knowled	supplier makes no representations, guarantees, assurances or warranties whether end on contained in this document. All information provided by supplier in this document ge available at the time of completion, and supplier shall have no obligation to upday here is approximate and provided for informational purposes only. See a Lenovo A on.	t is provided ba te such informa	sed on supp tion. The inf	lier's ormat	iion
P9	See Ene	rgy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup	&pgw_code=C	0		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## **Lenovo ErP Lot3 Information Sheet**

#### - Workstation/Server -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### Products scope of this sheet:

Workstation, mobile workstation, desktop thin client, small-scale server and computer server

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkStation P710	Logo		
Model Number	30B6,30B7	Lenovo		
Issue Date	2016-4-26	Lei 10 VO.		
Additional information	ENERGY STAR® Qualified; EPEAT GOLD Rating; GREENGUARD Certified			

e) f)	internal/external power supply eff		label
·)		internal/external power supply efficiency:	
·)	10% 85.94% 20% 90.40% 50	% 92.35% 100% 90.14% Average 90.96% or level:	
	test parameters for measurement  — test voltage in V and frequency  — total harmonic distortion of the  — information and documentation	in Hz	ng:
	Test voltage in V and frequency i Total harmonic distortion of the e		
		n the instrumentation, set-up and circuits used for electrical testing	
	5.7-4 Equipment and Fixture	AC Power Source : Chroma 6530     Power Meter: YOKOGAWA WT210	
		Connect a power meter to variable AC power source.     Connect power cord of system DUT to the power meter.	
		Input Power Measurement	
	5.7-5 Test Setup	AC Power Source Power Meter	System DUT
g)	maximum power (Watts) 633.8		633.8
h)	idle state power (Watts)		290.7
i)	sleep mode power (Watts)		18.300
j)	off mode power (Watts)		0.360
-1)	the measurement methodology used to determine information mentioned in points (e): 80 PLUS test method		
-2)	the measurement methodology u defined in Point P9.1 in the Produ	sed to determine information mentioned in maximum, idle, sleep, o act IT Eco Declaration:	ff mode power as