

ECMA/TC38-TG3/2015/026 (Rev. 1 - 15 April 2015)

## Annex B2 - Product environmental attributes Workstations and Servers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo Logo					
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs					
e-mail address	Alvin L Carter	Lenovo				
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statements given in this declaration.				
Type of product *	Server			
Commercial name *	ThinkSystem HR330A			
Model number *	7X33			
Issue date *	20190107			
Intended market *	🗌 Global 📃 Europe 📃 Asia, Pacific & Japan 🔀 Americas 🔀 Other <i>PRC</i>			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model number *	7X33	Logo	Lanova	
Issue date *	20190107		Lei Iovo.	

Produc	et environmental attributes - Legal requirements R	equire	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\bowtie$		
P1.2*	Products do not contain Asbestos (see legal reference).	$\times$		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
D4 4*	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	$\boxtimes$		
P1.5*	terphenyl (PCT) in preparations (see legal reference). Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the			
F1.5	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm <sup>2</sup> /week			
1 1.0	(see legal reference).			
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\mathbf{X}$		
	https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal	$\boxtimes$		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	$\boxtimes$		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).			
10.1	The Declaration of Conformity can be requested at (add link or e-mail address):			
P3.2*	The product complies with the Eco design requirements for energy-related products,			$\mathbf{X}$
	(see legal reference).			
	Required information is; given in item P15 or added to this document,			
	available at (add URL):		_	
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	$\square$		
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)	$\boxtimes$		
	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol	$\boxtimes$		
	(see legal reference).			
DC	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		7X33	Logo	Lon		
Issue date * 20190107		20190107		Len	ovc	D <sub>TM</sub>
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	ment I	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling t have to be treated separately are easily separable				
					<u> </u>	<u> </u>
P7.2*		aterials in covers/housing have no surface coating.			Щ.	<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.			Ц_	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	$\square$		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		$\square$		
	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir	g can be done using commonly available tools		$\square$		
P7.9	Spare pa	rts are available after end of production for: <b>5</b> years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		type: Steel Material type: PC+ABS Materia	il type:			
P7.12		n materials of external electrical cables are PVC free.			Ц_	
P7.13		n materials of internal electrical cables are PVC free.				
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine ir n 25% post-consumer recycled content.	e retardants, an	d		
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g din IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🗌		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co A (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	omponents):			
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "	s/preparations i	n		
	<u>Alt. 2: </u> Ch	ical name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043				
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:				
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)					
P7.20*	lfYES;a a) Oft ape or	sumer recycled plastic material content is used in the product (See Note B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 0%.	t (calculated as			
L	b) The	weight of recycled material is g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 7X33		Logo	
Issue date *	20190107		Lenovo.
Product environ		Requirement me	

Requirement met

Yes No	n.a.
--------	------

	Material and s	ubstance requirements	(continued)			
P7.21*	Biobased plast	c material content is used	in the product (See N	OTE B7):		
	a) Of total pla	one of the two alternative astic parts' weight > 25 g, c by weight) is %.		,	ated as a percentage of	
	or	o by worging to 70.				
	b) The weigh	t of the biobased plastic r	naterial is g.			
P7.22*		re free from mercury, i.e. ed specify: Number of lan		um mercury content p	er lamp: mg	
P8	Batteries					
P8.1*	Battery chemic	al composition: Lithium Io	on			
P9		mption (See NOTE B8)				
P9.1	For the product	the following power level				
Energy m	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	$\boxtimes$
EPS No-lo	bad	W	W	W		X
	r supply / charger plugged in lisconnected from the produc					
PTEC *		W	W	W		$\boxtimes$
Typical Er	nergy Consumptio	n				
ETEC *		kWh/year	kWh/year	kWh/year		$\mathbf{X}$
	nergy Consumptio				ed; Pidle: Idle State - WOL Enabled	
External F	Power Supply Effic	ciency Level (International	Efficiency Marking Pro	otocol) * :		X
Display re	solution * :	megapixels				$\boxtimes$
Default tin	ne to enter energy	v save mode: minut	tes			$\times$
P9.2*	Information abo	out the energy save function	on is provided with the	product.		
P9.3	Energy efficien	cy class (monitors only):				$\boxtimes$
P10	Emissions					
	Noise emissio	n – Declared according to	ISO 9296 (See NOTE	B9)		
P10.1	Mode	Mode description		Statistical upper lim	nit A-weighted sound power level, L <sub>WA,</sub>	с (В)
	ldle	* system boot into OS running	, no application	* 6.3		
	Operation	* stress CPU to 100%		* 8.4		
	Other mode	Declared A-weighted sound	<b>d pressure level (dB)</b> <sub>L<sub>p</sub>Am</sub>	(operator po	osition desktop – idle)	
				osition desktop – operating)		
	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)					

Item

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	7X33				Logo		
Issue date *		20190107			Leno	VO <sub>m</sub>		
Product	environ	mental attribu	tes - Market requirement	ts (continued)			Require	ment m
Item							Yes	No n.
		magnetic emiss						
P10.4	Comput program		the requirement for low frequ	ency electromagnetic	c fields of the foll	owing volunt	ary	
P12		mics for compu						
P12.1*	The disp	olay meets the e	rgonomic requirements of ISC	9241-307 for visual	display technolo	gies.		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.							
P13	Packag	ing and docum	entation					
P13.1*	Product Product	packaging mate packaging mate	rial type(s): <i>Paper - Corruga</i> rial type(s): <i>Paper - Corruga</i> rial type(s): <i>Plastic - Solid E</i> rial type(s): <i>Plastic - HDPE</i>	ted single wall wei	ght (kg): 0.359 .816			
P13.2*	Product	plastic primary p	backaging is free from PVC.				$\boxtimes$	
P13.3*			rrugated fiberboard packagin er content: <b>30</b> %	g, specify the contai	ned percentage	of minimum	n post-	Ē
P13.4*	Specify media for user and product documentation (tick box):							
P13.5	Ùser an		nis item if paper documentation nentation on paper media is cl					
	Totally chlorine-free							
P14	Volunta	ry programs						
P14.1	The pro	duct meets the r	equirements of the following v	voluntary program(s):				
P15	Eco-labe Eco-labe	el:	Criteria version: Criteria version: Criteria version: (See NOTE B10)	Date: Date: Date:		category: category: category:		
P9			f specific configuration ma	v vary: description (	of the tested pro	duct config	uration:	
1.5	NOTE: S informat knowled	Supplier makes i ion contained in ge available at t l here is approxi	no representations, guarantee this document. All information he time of completion, and su mate and provided for informa	es, assurances or war n provided by supplier pplier shall have no o	ranties whether in this documer bligation to upda	express or in nt is provided ate such info	nplied, regarding I based on supp rmation. The inf	lier's ormation
P9	See Ene	ergy Star Qualifie	ed Notebooks & Tablet Comp ov/index.cfm?fuseaction=find_	uters for the latest info _a_product.showProd	ormation: luctGroup&pgw_	code=CO		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1