

ECMA/TC38-TG3/2015/026 (Rev. 1 - 15 April 2015)

Annex B2 - Product environmental attributes Workstations and Servers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs					
e-mail address	Alvin L Carter	Lenovo				
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Server				
Commercial name *	ThinkSystem HR350A				
Model number *	7X35				
Issue date *	20190107				
Intended market *	🔄 Global 📃 Europe 📃 Asia, Pacific & Japan 🔀 Americas 🔀 Other <i>PRC</i>				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model number *	7X35	Logo	
Issue date *	20190107		Lenovo.

Produc	Require	menf	met				
Item		Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	; ⊠					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\boxtimes					
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\boxtimes					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\square					
P3	Conformity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):						
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).			\boxtimes			
	Required information is; given in item P15 or added to this document, available at (add URL):						
P5	Product packaging						
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.						
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).						
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). (see legal reference). Comment: Legal reference has no maximum concentration values.						
P6	Treatment information						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		7X35	Logo			
Issue date * 20190107		20190107		Len	ovc	тм
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	ment ı	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7 P7.1*		Disassembly, recycling t have to be treated separately are easily separable				
P7.2*					<u> </u>	╧
P7.3*		naterials in covers/housing have no surface coating.			<u> </u>	<u> </u>
		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ц_	<u> </u>
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		Ц_	<u> </u>
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).				
D7 7	Product					
P7.7*	10	g can be done e.g. with processor, memory, cards or drives			Ц_	Ц_
P7.8*		g can be done using commonly available tools		\square		<u> </u>
P7.9		rts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
D7.44		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: Steel Material type: PC+ABS Materia	altura			
P7.12		type: Steel Material type: PC+ABS Materia n materials of external electrical cables are PVC free.	ar type.			
P7.13		n materials of internal electrical cables are PVC free.		<u> </u>	╞	╞
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romino and 0.1	0/.	╞	╞
1 7.14	weight (' polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in n 25% post-consumer recycled content.	e retardants, ar	nd		
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	en 🗌		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co A (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	omponents):			
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "	s/preparations	in		
	3. Chemi	ical name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which		— <u> </u>	Ħ	Ħ
	•	the following Risk phrases; and Hazard statements:				
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)					
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):			\boxtimes	
	a) Of t a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 0% . weight of recycled material is g.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 7X35		Logo				
Issue date *	20190107		Lenovo			
Product environment	Product environmental attributes - Market requirements (continued) Requirement I					

Item

Requirement met

Yes No n.a	
------------	--

	Material and s	ubstance requirements	(continued)					
P7.21*		c material content is used		DTE B7):				
	a) Of total pla	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.						
	or	, , , , , , , , , , , , , , , , , , ,						
	, ,	t of the biobased plastic r	v					
P7.22*		re free from mercury, i.e. ed specify: Number of lan		um mercury content p	er lamp: mg			
P8	Batteries							
P8.1*	Battery chemica	al composition: <i>Lithium I</i>	on					
P9		mption (See NOTE B8)						
P9.1		the following power level						
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	\square		
EPS No-lo	bad	W	W	W		X		
(External power wall outlet but d	r supply / charger plugged in lisconnected from the produc	the t.)						
PTEC * W		W	W		\mathbf{X}			
	nergy Consumptio	n						
ETEC * kWh/year kWh/year				kWh/year		\boxtimes		
	nergy Consumptio				led; Pidle: Idle State - WOL Enabled			
External F	Power Supply Effic	ency Level (International	Efficiency Marking Pro	otocol) * :		\boxtimes		
Display re	solution * :	megapixels				\boxtimes		
Default tin	ne to enter energy	v save mode: minut	tes			X		
P9.2*	Information abo	out the energy save function	on is provided with the	product.				
P9.3	Energy efficience	cy class (monitors only):				X		
P10	Emissions							
	Noise emissio	n – Declared according to	ISO 9296 (See NOTE	B9)				
P10.1	Mode	Mode description		Statistical upper limit A-weighted sound power level, LWA				
	Idle * system boot into OS, no application * 6 running							
	Operation	* stress CPU to 100%		* 6.3				
	Other mode	Declared A-weighted sound	d pressure level (dB) _{L_{pAm}}	(operator po	osition desktop – idle)			
	Other mode Declared A-weighted sound pressure level (dB) L _{pAm} (operator position desktop – operating)							
	Measured according to: King ISO 7779 ECMA-74							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	umber *	7X35				Logo			
Issue dat	te *	20190107			Leno	VO,	DTH		
Product	t environ	mental attribu	tes - Market requirement	ts (continued)			Require	ment	met
Item							Yes	No	n.a.
	Electro	magnetic emiss	ions						
P10.4	Comput program		the requirement for low frequ	ency electromagnetic	c fields of the foll	lowing volunt	ary		
P12		mics for compu							
P12.1*	The disp	play meets the e	rgonomic requirements of ISC	9241-307 for visual	display technolo	gies.			\square
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.								
P13	Packag	ing and docum	entation						
P13.1*	Product Product	packaging mate packaging mate	rial type(s): <i>Paper - Corruga</i> rial type(s): <i>Paper - Corruga</i> rial type(s): <i>Plastic - Solid E</i> rial type(s): <i>Plastic - HDPE</i>	ted single wall wei	ght (kg): 0.472 .284				
P13.2*	Product	plastic primary	backaging is free from PVC.				\boxtimes		
P13.3*			rrugated fiberboard packagin er content: 30 %	g, specify the contai	ned percentage	of minimum	n post-		
P13.4*	Specify		nd product documentation (tid	ck box):					
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:								
	Totally chlorine-free								
P14	Volunta	ry programs							
P14.1			equirements of the following v	voluntary program(s):					
P15	Eco-lab Eco-lab	el:	Criteria version: Criteria version: Criteria version: (See NOTE B10)	Date: Date: Date:	Product	category: category: category:			
P9			f specific configuration ma	v varv: description o	of the tested pro	oduct config	uration:		
	NOTE: S informat knowled	Supplier makes i ion contained in ge available at t d here is approxi	no representations, guarantee this document. All information he time of completion, and su mate and provided for informa	es, assurances or war n provided by supplier pplier shall have no o	ranties whether r in this documer bligation to upda	express or in nt is provided ate such infor	nplied, regarding based on supp mation. The info	lier's ormati	on
P9	See Ene	ergy Star Qualifie	ed Notebooks & Tablet Comp ov/index.cfm?fuseaction=find_	uters for the latest info _a_product.showProd	ormation: luctGroup&pgw_	_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1