

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_monitors.html					

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Display					
Commercial name *	E1922 Wide					
Model number *	MT: 60B8-AAR6					
Issue date *	2014.02.13					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🛛	

Model number	E1922 wD	MT:60B8-AAR6		
Issue date *	2014.2.13		Logo	lenovo

	environmental attributes - Legal requirements	Require	mem	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			X
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	I 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	E1922 wD	MT:60B8-AAR6		
Issue date *	2014.2.13		Logo	lenovo

Product	environmental attributes - Market requirements - Environmental conscious design	quire	ment	met				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.				
P6	Treatment information							
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes						
P7	Design							
	Disassembly, recycling							
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes						
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes					
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes						
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\boxtimes}$	$\overline{\sqcap}$					
	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square	П					
P7.8*	Upgrading can be done using commonly available tools		Ħ	Ħ				
P7.9.	Spare parts are available after end of production for: 5 years			Ħ				
P7.10	Service is available after end of production for: 5 years			Ħ				
	Material and substance requirements							
P7.11*	Product cover/housing material type:							
	Material type: <i>PC</i> Material type:							
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes					
P7.13	Electrical cable insulation materials of signal cables are PVC free	Ħ		Ħ				
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	$\overline{\boxtimes}$		Ħ				
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See			H				
11.10	Note B2)							
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			\boxtimes				
P7.17	Alt. 1							
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):	\boxtimes						
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: 9,10-DIHYDRO-9-OXA-10-	_						
	PHOSPAPHENANTHRENE-10-OXIDE(DOPO) , CAS #: 35948-25-5							
	Alt O							
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	\boxtimes	Ш	Ш				
	ISO 1043-4: FR(40)							
P7.18	Alt. 1							
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in	\boxtimes						
	concentrations above 0.1%:							
	Comment: No legal limits exist, this is a market requirement.							
	1. Chemical name: ABS SD-0150 , CAS #: 9003-56-9 2. Chemical name: 2-Methyl-2-propenoic acid methyl ester homopolymer , CAS #: 139189-30-3							
	3. Chemical name: , CAS #: 159169-50-5							
	Alt. 2							
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	_	_					
			Ц	$\underline{\underline{X}}$				
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		Ш					
P7.20	Of total plastic parts' weight >25g, recycled material content is 85%.							
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.							
P7.22	Light sources are free from mercury							
Do	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg							
P8 P8.1*	Batteries Battery chemical composition:							
P8.2	Batteries meet the requirements of the following voluntary program/s:							

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	E1922 wD	MT:60B8-AAR6		
Issue date *	2014.2.13		Logo	lenovo

Product e	oduct environmental attributes - Market requirements (continued) Requirement met							
Item								
	Energy consump							
9.1	For the product the	e following power leve	els or energy consum	nptions are reporte	ed: See P14			
Energy mod	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *			
Peak (On-r	max)	12.3 W	2.3 W 12.2 W 12.7 W Full load [
Category	<u>/ A</u>							
Idle State -	WOL Enabled	12.3 W	12.2 W	12.7 W	Use for Energy Star V6 registration (Pidle)			
	- WOL Enabled	0.19 W	0.19 W	0.25 W	Use for ENERGY STAR registration(P _{sleep})			
Sleep (S3)	- WOL Disabled	0.19 W	0.19 W	0.25 W	Reference			
, ,	VOL Enabled	0.11 W	0.11 W	0.17 W	Use for Energy Star V6 registration(Poff)			
Off (S5) - V	VOL Disabled	0.11 W	0.11 W	0.17 W	Use for EuP			
Category	/ B	1						
Idle State -	WOL Enabled	W	W	W	Use for ENERGY STAR V5 registration(P _{idle})			
Sleep (S3)	- WOL Enabled	W	W	W	Use for ENERGY STAR V5 registration (Psleep)			
Sleep (S3)	- WOL Disabled	W	W	W	Reference			
	VOL Enabled	W	W	W	Use for ENERGY STAR V5 registration(P _{off})			
,	VOL Disabled	W	W	W	Use for EuP			
EPS No-loa	nd ower supply /	W	W	W				
	gged in the wall							
outlet but di the product	isconnected from							
PTEC *	•,	W	W	W		\vdash		
Typical Ene	ergy Consumption							
TEC *		kWh/week	kWh/week					
	ergy Consumption	KVVII/WEEK	KVVII/WEEK	kWh/week				
ETEC *		33.07 kWh/year	22 94 MMb/2007	24 40k/Mb/2005	E (9760/4000) v /P v 0.6 : P v 0.4 :			
	ergy Consumption	33.07 kwn/year	32.81 KWh/year	34.49 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$			
Display res	olution* : 1600*90		WOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WO	DL Enabled; P _{idle} : Idle State - WOL Enabled			
Print Speed		nages per minute						
•			_					
		ave mode: 20 second		the a man alvest		Щ		
		the energy save funct	·	•		Ш		
P9.3*	ENERGY STAF	eets the energy require R® version: 6.0 Tier:			am/s:			
P10	Others specify: Emissions							
		- Declared according	to ISO 9296					
		Mode description	Declared Declared A-weighte		Declared A-weighted			
				A-weighted sound power	sound pressure level $L_{p{\sf Am}}$ (dB)			
				level $L_{W\!Ad}$ (E				
				,,,,,d	Desktop (only if product is not			
					or Desk side operator attended)			
	Idle	* HDD: Operating		*				
	Operation Other mode	* HDD: Operating						
}								
	Measured according to: SO7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)							
P10.2	The product meet	s the acoustic noise re						

woder name	,	E1922 v	שש	IVI I :6UL	38-AAR6						
Issue date *		2014.2.13					Logo		lenov	10.	
Product en	vironm	nental attribu	ıtes - Ma	arket requirer	nents (contin	ued)		F	Require	ment	met
Item					(00000				Yes	No	n.a.
C	Chemica	l emissions fr	om print	ing products							
P10.3* T	est perfo	ormed accordir	ng to ECM	/A-328 (ISO/IE	C 28360) standa	rd, other specify	/ :				\boxtimes
		mission rate (p			,						$\overline{\boxtimes}$
		Dust C)zone	Styrene	Benzene	TVOC					
P10.5 C		l emission requust	uirements Ozone	of the following Styre	voluntary progra	am/s are me Benzene	et for :				
		nagnetic emiss									
p	rogram/s	s: CE			frequency elect	omagnetic fields of	the following volu	untary			
		able materials									
						ion, even if not lega					\boxtimes
Е	Paper co EN12281		consumer	recycled fiber	s can be used,	provided that it me	eets the requirer	ments of			
P11.3* 2	2-sided (d	duplex) printing	g/copying	is an integrated	product function	٦.					\boxtimes
		nics for comp									
P12.1* T	The displ	ay meets the e	ergonomic	requirements of	of ISO 9241-307	for visual display te	chnologies.		\boxtimes		
P12.2* T	The phys	ical input devic	e meets t	the requirement	s of ISO 9995 a	nd ISO 9241-410.					\boxtimes
		ng and docum									
F	Product p	packaging mate packaging mate packaging mate	erial type(s): PE Bag	weight (kg): 0 weight (kg): 0 weight (kg): 0	.025					
		packaging mate			weight (kg): 0						
		plastic packagir			5 (0/				\square		
P13.3* S	Specify m	nedia for user a	and produ	ct documentation	on (tick box):						币
		c 🔀, Paper 🔀			, ,						
	or paper iber: 80		duct docur	mentation, plea	se specify conta	ined percentage of	post-consumer re	ecycled			
P14 #	Addition	al information	(See No	te B4)							
ii k p ii	nformation nowledgo provided nformation	on contained in ge available at the here is approxi on.	this docu the time o imate and	iment. All inforr if completion, a I provided for in	nation provided nd supplier shall formational purp	ces or warranties who supplier in this do have no obligation oses only. See a Le	ocument is provide to update such in enovo Account Re	led base Iformatio	d on sup n. The in	plier's forma	
						r the latest informoduct.showProduc		ode=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19