

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.		
Type of product *	Monitor		
Commercial name *	ThinkVision L1711p		
Model number *	М/Т: 5047-Н*2		
Issue date *	2009, September 03		
Intended market *	🛛 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other		
Additional information	ENERGY STAR® 5.0 Qualified; EPEAT Gold Rating, GREENGUARD Certification		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀			

Product Item P1.1* P1.2* P1.3*	environi Hazardo Products 0.1% pol reference Products	nental attributes - Legal requirements us substances and preparations do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, ybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal	Require Yes			
Item P1 P1.1* P1.2*	Hazardo Products 0.1% pol reference Products	us substances and preparations do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, ybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal	Yes			
Item P1 P1.1* P1.2*	Hazardo Products 0.1% pol reference Products	us substances and preparations do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, ybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal	Yes			
P1.1* P1.2*	Products 0.1% pol reference Products	do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, ybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal				
P1.2*	0.1% pol reference Products	ybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal				
	Products	and Note B1)				
P1.3*		do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.	$\boxtimes$			
	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- thane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ation values.				
P1.4*	Products	do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated (PCT) in preparations (see legal reference).	$\boxtimes$			
P1.5*	Products	do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$			
P1.6*	Textile a Tris-(azir	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), idinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). t: Legal reference has no maximum concentration values.				
P1.7*	Textile a	nd leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split amines. (See legal reference and Note B1)			$\boxtimes$	
P1.8*	Wooden pentachle	parts do not contain arsenic and chromium as a wood preservation treatment as well as prophenol and derivatives (see legal reference). t: Legal reference has no maximum concentration values.			$\square$	
P1.9*	Parts wit microgra	m direct and prolonged skin contact do not release nickel in concentrations above 0.5 m/cm <sup>2</sup> /week (see legal reference). t: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): w.lenovo.com/social_responsibility/us/en/environment.html				
P2	Batteries	3				
P2.1*	more tha marked v	duct contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains n 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be vith the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)					
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)					
P3		MC connection to the telephone network and labeling				
P3.1*	The prod	uct complies with legally required safety standards as specified (see legal reference).	$\boxtimes$			
P3.2*	The prod	uct complies with legally required standards for electromagnetic compatibility (see legal reference).				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies					
P3.4*	The prod	uct is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$			
P4	Consum	able materials				
P4.1*	If a photo	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see prence and Note B1).				
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\square$	
P4.3*	product/p	toner formulation/preparation is classified as hazardous according to applicable regulations, the backaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these ents is available (see legal reference).				
P5		packaging				
P5.1*	hexavale	g and packaging components do not contain more than 0.01% lead, mercury, cadmium and nt chromium by weight of these together.	1			
P5.2*	Plastic pa	ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$			
P5.3*	The proc Protocol	luct packaging material is free from ozone depleting substances as specified in the Montrea (see legal reference). t: Legal reference has no maximum concentration values.	I 🛛			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	<sup>Imber*</sup> ThinkVision L1711p M/T: 5047-H*2					
Issue da		lenovo				
Produce	t onvironmentel attributes. Market requirements. Environmental conscious design	Poquiromont mot				
Item	t environmental attributes - Market requirements - Environmental conscious design *=mandatory to fill in. Additional information regarding each item may be found under P14.	Requirement met Yes No n.a				
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).					
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*	Plastic materials in covers/housing have no surface coating.					
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.					
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tool					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	s. 🛛 🗌				
F7.0						
P7.7*	Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives					
P7.8*	Upgrading can be done using commonly available tools					
P7.9.						
P7.10	Spare parts are available after end of production for: 5 years					
P7.10	Service is available after end of production for: 5 years					
P7.11*	Material and substance requirements Product cover/housing material type:					
F 7.11	Material type: ABS Material type: Material type:					
P7.12	Electrical cable insulation materials of power cables are PVC free.					
P7.13	Electrical cable insulation materials of signal cables are PVC free					
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.					
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See 🛛					
17.10	Note B2)					
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:					
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) □, TBBPA (reactive) ⊠, Other; chemical name: , CAS #:					
<b>DT</b> 10	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g accordir ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>	ng 🗌 🗌 🗌				
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparation concentrations above 0.1%:	s in 🔲 🗌 🔀				
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must co complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:	ntain				
	3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45 R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	, 🗌 🗌 🛛				
P7.20	Of total plastic parts' weight >25g, recycled material content is +25%.					
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.					
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: 2 and max. mercury content per lamp: 2.3 mg					
P8	Batteries					
P8.1*	Battery chemical composition:	$\square$				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nu	number* ThinkVision L1711p M/T: 5047-H*2									
Issue dat	ie *		eptember 03			Logo	lenovo			
Product	uct environmental attributes - Market requirements (continued) Requirement r						t met			
Item										
P9	P9 Energy consumption									
9.1	For the p	product the	e following power leve	els or energy consu	mptions are reporte	ed:				
Energy m	ode		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standa and test method *	rd for energy modes	;		
Peak (On	-max)		W	<b>21</b> W	16 W	Full load				
On-idle			W	18 W	16 W	On Mode/Active Pow	ver			
Save 1			W	0.4 W	<b>0.43</b> W	Sleep Mode/Low Po	wer			
Off			W	0.4 W	0.36 W	Off Mode/Standby P	'ower			
			W	W	W			17		
			W	W	W					
EPS No-l	oad		W	W	W			┼岩		
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)		he wall		vv						
PTEC Typical E	nergy Cons	* sumption	W	W	W					
TEC *			kWh/week	kWh/week	kWh/week					
Typical E	nergy Cons	sumption								
Display re	esolution	: <b>1280*10</b>	24 Megapixels							
Print Spe	ed	: In	nages per minute							
Default tir	ne to enter	energy sa	ave mode: 10 minutes	S						
P9.2*			the energy save func		the product.					
P9.3*										
P10	Emissio	ons								
	Noise e	mission –	Declared according	to ISO 9296						
P10.1	Modo		Mode description		Declared	Declared /	\_woighted			
1 10.1	Mode	Mode Mode description		A-weighted sound	Declared A-weighted sound pressure level $L_{pAm}$ (dB)					
					power	Operator				
				level	position 🗌					
				$L_{WAd}$ (B)	Desktop 🗌					
						or Desk side 🗌				
	Idle		*		*					
	Operat		*		*					
	Other				74			-		
	ivieasu	irea acco	ording to: 🔀 ISO			h L <sub>nAm</sub> measurement o	distance <b>m</b> )			
P10.2										
1 10.2	The product meets the acoustic noise requirements of the following voluntary program/s:									

٦

Model nu	mber *	ThinkVision L1711p M/T: 5047-H*2				
Issue date	e *	2009, September 03 Log	jo la	eno	vo	
Product	environn	nental attributes - Market requirements (continued)	R	equire	ment	met
Item		()		Yes	No	n.a.
	Chemica	al emissions from printing products				
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard , other specify:				$\square$
P10.4		emission rate (print phase) is (mg/h):				
		Dust Ozone Styrene Benzene TVOC				
P10.5	Chemica	Il emission requirements of the following voluntary program/s are met for :				$\boxtimes$
	0	Dust 📃 Ozone 🗌 Styrene 🗌 Benzene 🗌 TVC				
		nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following /s: MPR-II	g voluntary	$\boxtimes$		
P11		hable materials for printing products		-	-	
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required	(see P4.3).			$\boxtimes$
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the re	quirements of			$\boxtimes$
P11.3*	2-sided (	(duplex) printing/copying is an integrated product function.				$\boxtimes$
P12	Ergonor	nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		$\boxtimes$		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		$\boxtimes$		
P13	Packagi	ng and documentation				
P13.1*	Product	packaging material type(s): <i>EPS</i> weight (kg): <i>0.13</i> packaging material type(s): <i>Corrugated</i> weight (kg): <i>1.1</i>				
P13.2*		packaging material type(s): weight (kg): plastic packaging is free from PVC.		$\boxtimes$		
P13.3*		nedia for user and product documentation (tick box):				╞
	Electron	ic 🔀, Paper 🔀, Other 🗌				
P13.4*		er user and product documentation, please specify contained percentage of post-consun %(Japan only 70%)	ner recycled			
P14		nal information (See Note B4)				
	informati knowled provided informati		provided based uch information unt Representat	on supp . The inf	olier's ormat	
P7.17		does not contain free TBBPA in printed circuit boards(without components)>25g.				
P9		ergy Star Qualified Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&pg	w_code=MO			

Annex B of ECMA-370 4<sup>th</sup> edition, June 2009

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19