



Product environmental attributes – THE ECO DECLARATION

	Brand *	Lenovo	Logo
	Company name *	Lenovo	_
	Contact information *	Lenovo (Sweden) AB	
		Lars Bjälkvall	lenovo
.		Box 1242	
		164 28 STOCKHOLM SWEDEN	
		LarsB@lenovo.com	
	Internet site *	www.pc.ibm.com/ww/lenovo/about/environmen	t
	Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Type of product * Monitor			
Commercial name *	Commercial name * Lenovo ThinkVison L1900			
Model number *	Model number * 6135-HE1			
Issue date *	Issue date * 2008-08-28			
Intended market *	Intended market * Global Europe Japan U.S. Other			
Additional information	Additional information ENERGY STAR® 4.1 Qualified; EPEAT Gold Rating, TCO'03, GREENGUARD Certified			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\boxtimes	

Model number *	Lenovo ThinkVision L1900	Models: 6135-HE1		
Issue date *	2008-08-28		Logo	lenovo

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\times		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (<i>EU</i> : <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i>)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (<i>EU</i> 76/769/ <i>EEC</i>)			\square
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in <i>EU</i> 76/769/ <i>EEC</i> , amendment 2003/3/ <i>EC</i>			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (<i>EU 76/769/EEC</i>)			\square
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC	\square		
P2	Batteries			
P2.1*	If hazardous batteries (as defined in <i>91/157/EEC</i>) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in <i>91/157/EEC</i> , <i>93/86/EEC</i>)			\square
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			\square
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			\square
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	\boxtimes		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	\square		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\square		

Model number *	Lenovo ThinkVision L1900	Models: 6135-HE1		
Issue date *	2008-08-28		Logo	lenovo

Product environmental attributes - Market requirements - Environmental conscious design Requirement met							
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design			100	110	ma.	
	Disassembly, re			\square			
P7.1*	Parts that have to be treated separately are easily separable						
P7.2*	Plastic materials in covers/housing have no surface coating.						
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.						
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).						
	Product lifetime						
P7.7*			ssor, memory, cards or drives			\square	
P7.8*	Upgrading can be	e done using commonly	y available tools			\boxtimes	
P7.9.	Spare parts are a	available after end of pr	oduction for: 5 years				
P7.10	Service is availab	ole after end of product	ion for: 5 years				
		ostance requirements		·			
P7.11*		using material type:					
D7 40*	Material type: AE		Material type: Material type: wer cables are halogen free (including PVC)				
P7.12*		· · · · · · · · · · · · · · · · · · ·		<u> </u>			
P7.13*			gnal cables are halogen free (including PVC)				
P7.14		plastic parts >25g are	-	\square			
P7.15	•		onents) >25g are halogen free		\square		
P7.16	Chemical specifications of flame retardants in cover / housing plastic parts >25g according ISO 1043-4:					\square	
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Brominated Epoxy Resin See P14						
P7.18	Weight of recycled material in plastic parts is 1073 grams						
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)						
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: 2 and max. mercury content per lamp: 2.7 mg						
P8	Batteries	and the base of the first of th					
P8.1*	Product does not	contain batteries defin	ed as hazardous according to 91/157/EEC				
P8.2*			Battery chemical composition:			\boxtimes	
P8.3			ollowing voluntary program/s:				
P9	Energy consum						
9.1 Mode	Power level at	Time (s) to <mode></mode>	els or energy consumptions have been measured: Mode description	Referen	~ <u>~</u> /	n.a.	
Wode	* 115 Volts			Standard		n.a.	
On-max	28 W		* On-Max	*See P1	4		
On- normal	* 16.8 W	to	* On Mode/Active Power	*See P1	4		
On-idle	W	to	*	*		\boxtimes	
Save 1	* 0.51 W	to	* Sleep Mode/Low Power	*See P14			
Save 2	W to * *			\times			
Off 1	* 0.37 W	0.37 W to * Off Mode/Standby Power *See P14					
Off 2	W	to	*	*		\boxtimes	
No load	* W		External power supplies/charger plugged in but disconnected from the product	*			
TEC	* kWh/v	Typical Energy Consum		*		\boxtimes	
P9.2*			tion is provided with the product.				
P9.3			ents of the following voluntary program/s:				
			hts for Computer Monitors: Eligibility Criteria (Version 4.1)				

Model number *	Lenovo ThinkVision L1900	Models: 6135-HE1		
Issue date *	2008-08-28		Logo	lenovo

	uct environmental attributes - Market requirements (continued) Requirement met						
Item						n.a.	
P10	Emissions						
	Noise emission	 Declared according to ISO 9296 					
P10.1	Mode	Mode description	Declared	Declared A-weigh			
			A-weighted	sound pressure level L		:4:	-
			sound power level L _{WAd} (B)	Operator position Bysta	ander pos	itions	
				Desister (only if	f product i	is not	
					rator atter		
	Idle	*	*	or Deskside			
	Operation	*	*				\square
	Other mode						-
	Other mode						
	Measured accord	ding to: 🚺 ISO 7779 🚺 ECMA-74					
		Other (only if not covered	d by ECMA-74 wit	h L _{pAm} measurement distance	m)		
P10.2	The product mee	ets the acoustic noise requirements of the fo					
	Chemical emiss	sions from printing products					
P10.3*	Test performed a	according to ECMA-328 standard 🗌, other	specify:				\square
	The test covers:	Dust Ozone Styrene	Benzene	e 🗌 TVOC 🗌			
P10.4	The product mee	ets the chemical emission requirements of th	ne following volunt	tary program/s:			\boxtimes
	Electromagneti						
P10.5	Computer displat program/s:	y meets the requirement for low frequency e	electromagnetic fie	elds of the following voluntary			\square
P11		aterials for printing products					
P11.1*	(see P4.3).	y Data Sheet (MSDS) is available for the ink					\square
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.					\square	
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					\boxtimes	
P12	Ergonomics for computing products						
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays.						
P12.2*	The product keyboard meets the requirements of ISO 9995 and EN 29241-4.						\square
P12.3*	The computer input device meets the requirements of ISO 9241-9.						\boxtimes
P13	Packaging and documentation						
P13.1*	Product packagi	ng material type(s): Corrugated cardboard			\bowtie		
		ng material type(s): <i>Polyethylene</i> ng material type(s): <i>EPS</i>	weight (kg): weight (kg):				
P13.2*		ackaging is halogen free (including PVC)			\square		
P13.3*	User and produc	t documentation do not contain chlorine ble	ached paper			Ħ.	Ħ
P13.4*	User and produc	t documentation contain recycled paper				Ħ	Ħ
P14	Additional infor	mation				<u> </u>	
		makes no representations, guarantees, as	surances or warra	nties whether express or implie	d, regard	ling th	е
		ained in this document. All information provi					
	knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more						
	information.						
P7.11	Product contains postconsumer recycled content plastic.						
P7.17	Product does n	ot contain free TBBPA in printed circuit l	boards.				
P9.1	ENERGY STAR * Lenovo Interr	Program Requirements for Computer Menal Standard	onitors (Version	4.1)			
	Power level at 230 Volts 21W On-Max						
	17W On Mode/Active Power						
	0.55W Sleep Mode/Low Power						
		de/Standby Power					
	ENERGY STAR	® 4.1 Qualified; EPEAT Gold Rating, TCC	0'03, GREENGUA	RD Certified			