



## Product environmental attributes – THE ECO DECLARATION

|   | Brand *                | Lenovo                                    | Logo   |
|---|------------------------|---|--------|
|   | Company name *         | Lenovo                                    | _      |
|   | Contact information *  | Lenovo (Sweden) AB                        |        |
|   |                        | Lars Bjälkvall                            | lenovo |
| . |                        | Box 1242                                  |        |
|   |                        | 164 28 STOCKHOLM SWEDEN                   |        |
|   |                        | LarsB@lenovo.com                          |        |
|   | Internet site *        | www.pc.ibm.com/ww/lenovo/about/environmen | t      |
|   | Additional information |   |        |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. |  |  |  |  |  |
|--|--|--|--|--|--|
| Type of product *  | Type of product * Monitor  |  |  |  |  |
| Commercial name *  | Commercial name * Lenovo ThinkVison L1900p   |  |  |  |  |
| Model number *   | Model number * 4431-H*1  |  |  |  |  |
| Issue date *   | Issue date * 2008-09-23  |  |  |  |  |
| Intended market *  | Intended market * Global Europe Japan U.S. Other   |  |  |  |  |
| Additional information   | Additional information ENERGY STAR® 4.1 Qualified; EPEAT Gold Rating, TCO'03, GREENGUARD Certified |  |  |  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

| Quality C | Control Requirement met   |             |    |
|-----------|---|-------------|----|
| Item      | Additional information regarding each item may be found under P14.  | Yes         | No |
| QC1 *     | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration   | $\boxtimes$ |    |
| QC2 *     | The company is a member of an eco declaration system that enforces regular independent quality control<br>such as organized by IT-Företagen (see www.itecodeclaration.org). | $\boxtimes$ |    |

| Model number * | Lenovo ThinkVision L1900p | Models: 4431-H*1 |      |        |
|----------------|---------------------------|------------------|------|--------|
| Issue date *   | 2008-09-23                |                  | Logo | lenovo |

| Product environmental attributes - Legal requirements Requirement met |   |             |    |             |  |  |  |  |
|---|---|-------------|----|-------------|--|--|--|--|
| Item  | *=mandatory to fill in. Additional information regarding each item may be found under P14.  | Yes         | No | n.a.        |  |  |  |  |
| P1  | Hazardous substances and preparations   |             |    |             |  |  |  |  |
| P1.1*   | Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU</i> 2002/95/EC and its amendments   | $\square$   |    |             |  |  |  |  |
| P1.2*   | Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)  | $\boxtimes$ |    |             |  |  |  |  |
| P1.3*   | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),<br>hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-<br>trichloroethane, methyl bromide ( <i>EU</i> : <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i> ) |             |    |             |  |  |  |  |
| P1.4*   | Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)  | $\boxtimes$ |    |             |  |  |  |  |
| P1.5*   | Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002                  |             |    |             |  |  |  |  |
| P1.6*   | Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) ( <i>EU 76/769/EEC</i> )  |             |    | $\square$   |  |  |  |  |
| P1.7*   | Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in <i>EU</i> 76/769/ <i>EEC</i> , amendment 2003/3/ <i>EC</i>  |             |    | $\square$   |  |  |  |  |
| P1.8*   | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as<br>pentachlorophenol and derivatives ( <i>EU 76/769/EEC</i> )  |             |    | $\square$   |  |  |  |  |
| P1.9*   | Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC   | $\square$   |    |             |  |  |  |  |
| P2  | Batteries   |             |    |             |  |  |  |  |
| P2.1*   | If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)   |             |    | $\square$   |  |  |  |  |
| P2.2*   | If batteries are used in the product they do not contain mercury in concentrations higher than specified in<br>91/157/EEC   |             |    | $\square$   |  |  |  |  |
| P2.3*   | If batteries are permanently installed in the product, information on the environmentally hazardous<br>substances and safe removal method is listed in the user manual (91/157/EEC)   |             |    | $\square$   |  |  |  |  |
| P3  | Electrical safety, EMC and connection to the telephone network  |             |    |             |  |  |  |  |
| P3.1*   | The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)   | $\boxtimes$ |    |             |  |  |  |  |
| P3.2*   | The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 <sup>th</sup> 2007  | $\boxtimes$ |    |             |  |  |  |  |
| P3.3*   | If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)  | $\boxtimes$ |    |             |  |  |  |  |
| P3.4*   | The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)   | $\boxtimes$ |    |             |  |  |  |  |
| P4  | Consumable materials  |             |    |             |  |  |  |  |
| P4.1*   | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)   |             |    | $\boxtimes$ |  |  |  |  |
| P4.2*   | If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)   |             |    | $\boxtimes$ |  |  |  |  |
| P4.3*   | If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.  |             |    |             |  |  |  |  |
| P5  | Product packaging   |             |    |             |  |  |  |  |
| P5.1*   | The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).   | $\square$   |    |             |  |  |  |  |
| P5.2*   | Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)   | $\boxtimes$ |    |             |  |  |  |  |
| P5.3*   | The product packaging material is free from CFC/HCFC.   |             |    |             |  |  |  |  |
| P6  | Treatment information   |             |    |             |  |  |  |  |
| P6.1*   | Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.  | $\boxtimes$ |    |             |  |  |  |  |

| Model number * | Lenovo ThinkVision L1900p | Models: 4431-H*1 |      |        |
|----------------|---------------------------|------------------|------|--------|
| Issue date *   | 2008-09-23                |                  | Logo | lenovo |

| Product       | environmental a  | ttributes - Market req<br>Requirem             | uirements - Environmental conscious design                                   |                       |          |              |
|---------------|--|--|--|-----------------------|----------|--------------|
| Item          | *=mandatory to fi  |  | ation regarding each item may be found under P14.                            | Yes                   | No       | n.a.         |
| P7            | Design   |  |  | 100                   | 110      | 11.0.        |
| P7.1*         | Disassembly, re  | b be treated separately                        |  |                       |          |              |
|               |  |  |  |                       | ⊢⊢       |              |
| P7.2*         |  | in covers/housing have                         |  |                       | Ц        |              |
| P7.3*         |  | -  | rial or of easily separable materials.                                       |                       | <u>Ц</u> |              |
| P7.4*         |  |  | according to ISO 11469 referring ISO 1043.                                   | $\square$             |          |              |
| P7.5          | Plastic parts are  | free from metal inlays of                      | or have inlays that can be removed with commonly available tools.            | $\square$             |          |              |
| P7.6*         | Labels are easily separable. (This requirement does not apply to safety/regulatory labels).  |  |  |                       |          |              |
|               | Product lifetime   |  |  |                       |          |              |
| P7.7*         |  |  | ssor, memory, cards or drives  |                       |          | $\mathbf{X}$ |
| P7.8*         | Upgrading can be   | e done using commonly                          | y available tools  |                       |          | $\bowtie$    |
| P7.9.         |  | available after end of pr                      |  |                       |          |              |
| P7.10         | Service is availab   | ole after end of product                       | ion for: <b>5</b> years  |                       |          |              |
|               |  | ostance requirements                           | 8  |                       |          |              |
| P7.11*        |  | using material type:                           | Material tempe   |                       |          |              |
| P7.12*        | Material type: AE  |  | Material type: Material type:<br>wer cables are halogen free (including PVC) |                       |          |              |
|               |  |  |  | <u> </u>              |          |              |
| P7.13*        |  | ,  | gnal cables are halogen free (including PVC)                                 |                       |          |              |
| P7.14         |  | plastic parts >25g are                         |  |                       |          |              |
| P7.15         |  |  | onents) >25g are halogen free  |                       |          |              |
| P7.16         |  |  | ants in cover / housing plastic parts >25g according ISO 1043-4:             |                       |          |              |
| P7.17         | Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Brominated Epoxy Resin See P14 |  |  |                       |          |              |
| P7.18         | Weight of recycled material in plastic parts is 885 grams  |  |  |                       |          |              |
| P7.19         | Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, X R50/51/53 and R60/61 (67/548/EEC)        |  |  |                       |          |              |
| P7.20         |  | e free from mercury<br>d specify: Number of la | mps: 2 and max. mercury content per lamp: 2.7 mg                             |                       |          |              |
| P8            | Batteries  |  |  |                       |          |              |
| P8.1*         | Product does not   | contain batteries defin                        | ed as hazardous according to 91/157/EEC                                      |                       |          | $\square$    |
| P8.2*         |  |  | Battery chemical composition:  |                       |          | $\boxtimes$  |
| P8.3          |  |  | ollowing voluntary program/s:  |                       |          | $\bowtie$    |
| P9            | Energy consum  |  |  |                       |          |              |
| 9.1<br>Mada   |  |  | els or energy consumptions have been measured:                               | Deferen               | aa/      |              |
| Mode          | Power level at<br>* 115 Volts  | Time (s) to <mode></mode>                      | Mode description   | Reference<br>Standard | b        | n.a.         |
| On-max        | 21 W   |  | * On-Max   | *See P1               |          |              |
| On-<br>normal | * 17.1 W   | to   | * On Mode/Active Power   | *See P1               | 4        |              |
| On-idle       | W  | to   | *  | *                     |          | $\boxtimes$  |
| Save 1        | * <b>0.45</b> W  | to   | * Sleep Mode/Low Power   | *See P1               | 4        |              |
| Save 2        | W  | to   | *  | *                     |          | $\boxtimes$  |
| Off 1         | * 0.3 W  | to   | * Off Mode/Standby Power   | *See P1               | 4        |              |
| Off 2         | W  | to   | *  | *                     |          | $\square$    |
| No load       | * W  |  | External power supplies/charger plugged in but disconnected from the product | *                     |          |              |
| TEC           | * kWh/v 1  | Typical Energy Consum                          |  | *                     |          | $\square$    |
| P9.2*         |  |  | tion is provided with the product.   |                       |          |              |
| P9.3          |  | <u>.</u>                                       | ents of the following voluntary program/s:                                   |                       |          |              |
|               |  |  | nts for Computer Monitors: Eligibility Criteria (Version 4.1)                |                       |          |              |

| Model number * | Lenovo ThinkVision L1900p | Models: 4431-H*1 |      |        |
|----------------|---------------------------|------------------|------|--------|
| Issue date *   | 2008-09-23                |                  | Logo | lenovo |

| Product e        | oduct environmental attributes - Market requirements (continued) Requirement met  |   |   |                                |                                |           |             |  |
|------------------|---|---|---|--------------------------------|--------------------------------|-----------|-------------|--|
| Item             |   |   |   |                                |                                |           | n.a.        |  |
| P10              | Emissions   |   |   |                                |                                |           |             |  |
|                  | Noise emission  | <ul> <li>Declared according to ISO 9296</li> </ul>                                      |   |                                |                                |           |             |  |
| P10.1            | Mode  | Mode description  | Declared                                  | Declare                        | d A-weighted                   |           |             |  |
|                  |   |   | A-weighted                                |                                | ire level L <sub>pAm</sub> (dB |           | _           |  |
|                  |   |   | sound power<br>level L <sub>WAd</sub> (B) | Operator position              | Bystander po                   | ositions  |             |  |
|                  |   |   |   |                                | (only if produc                |           |             |  |
|                  |   |   |   | Desktop                        | operator at                    |           |             |  |
|                  | Idle  | *   | *   | or Deskside                    | •                              |           |             |  |
|                  | laic  |   |   |                                |                                |           |             |  |
|                  | Operation   | *   | *   |                                |                                |           | $\square$   |  |
|                  | Other mode  |   |   |                                |                                |           |             |  |
|                  | Measured accore   | ding to: 📃 ISO 7779 📃 ECMA-74   |   |                                |                                |           |             |  |
|                  |   |   |   | h L <sub>pAm</sub> measurement | distance r                     | n)        |             |  |
| P10.2            |   | ets the acoustic noise requirements of the fo   | llowing voluntary                         | program/s:                     |                                |           |             |  |
| P10.3*           |   | sions from printing products  |   |                                |                                |           |             |  |
| F 10.3           | The test covers:  | according to ECMA-328 standard , other Dust Ozone Styrene                               | specity:<br>Benzene                       |                                |                                |           |             |  |
| P10.4            |   | Dust Ozone Styrene  |   |                                |                                |           | $\boxtimes$ |  |
|                  | Electromagneti  |   |   | ary program/o.                 |                                |           |             |  |
| P10.5            | Computer displa   | y meets the requirement for low frequency e   | electromagnetic fie                       | elds of the following v        | oluntary                       |           | $\square$   |  |
| D44              | program/s:  |   |   |                                |                                |           |             |  |
| P11<br>P11.1*    |   | aterials for printing products y Data Sheet (MSDS) is available for the ink             | /toner preparation                        | even if not legally r          |                                |           | $\boxtimes$ |  |
|                  | (see P4.3).   |   |   | • •                            |                                |           |             |  |
| P11.2*           | Paper containing recycled fibres that meets the requirements of EN12281 can be used.  |   |   |                                |                                |           | $\square$   |  |
| P11.3*           | 2-sided (duplex) printing/copying is an integrated product function.  |   |   |                                |                                |           |             |  |
| P12<br>P12.1*    | Ergonomics for computing products           The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays |   |   |                                |                                |           |             |  |
|                  | and EN-ISO13406-2 for flat panel displays.  |   |   |                                |                                |           |             |  |
| P12.2*           | The product keyboard meets the requirements of ISO 9995 and EN 29241-4.   |   |   |                                |                                |           |             |  |
| P12.3*           |   |   |   |                                |                                |           |             |  |
| P13.1*           | Packaging and documentation           Product packaging material type(s): Corrugated cardboard         weight (kg): 1.26                |   |   |                                |                                |           |             |  |
| 1 10.1           |   | ng material type(s): <i>Polyethylene</i>  | weight (kg):                              |                                |                                |           |             |  |
| D ( 0 ot         |   | ng material type(s): EPS  | weight (kg):                              | 0.3                            |                                |           |             |  |
| P13.2*           |   | ackaging is halogen free (including PVC)  |   |                                |                                | <u> </u>  | <u> </u>    |  |
| P13.3*<br>P13.4* |   | t documentation do not contain chlorine ble   | ached paper                               |                                |                                |           | <u> </u>    |  |
| P13.4            | Additional infor  | t documentation contain recycled paper  |   |                                |                                | <u> </u>  |             |  |
| F14              |   | mation<br>makes no representations, guarantees, ass                                     | surances or warra                         | nties whether expres           | s or implied, rega             | rding th  | 1e          |  |
|                  | information conta   | ained in this document. All information provi   | ded by supplier in                        | this document is pro           | vided based on s               | upplier's | S           |  |
|                  |   | able at the time of completion, and supplier approximate and provided for informational |   |                                |                                |           |             |  |
|                  | information.  |   | purposes only. Ot                         |                                |                                |           |             |  |
| P7.11            | Product contain   | ns postconsumer recycled content plasti   | с.  |                                |                                |           |             |  |
| P7.17            |   | ot contain free TBBPA in printed circuit l  |   |                                |                                |           |             |  |
| P9.1             | ENERGY STAR<br>* Lenovo Interr  | Program Requirements for Computer Menal Standard  | onitors (Version                          | 4.1)                           |                                |           |             |  |
|                  | Power level at 230 Volts  |   |   |                                |                                |           |             |  |
|                  | 21W On-Max  |   |   |                                |                                |           |             |  |
|                  | 17.4W On Mode/Active Power<br>0.48W Sleep Mode/Low Power  |   |   |                                |                                |           |             |  |
|                  |   | de/Standby Power  |   |                                |                                |           |             |  |
|                  |   | 8 4.1 Qualified; EPEAT Gold Rating, TCC   | )'03, GREENGUA                            | RD Certified                   |                                |           |             |  |