



Product environmental attributes - THE ECO DECLARATION

Brand *	Lenovo	Logo
Company name *	Lenovo	_
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@us.lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environmen	t t
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	Lenovo L194 Wide			
Model number *	4434-HB*			
Issue date *	2007-09-27			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality (Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Lenovo L194 Wide 4434 HB*		
Issue date *	2007-09-27	Logo	lenovo

	t environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in EU 2002/95/EC and its amendments			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrochromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-tiple and the project of the project			
P1.4*	trichloroethane, methyl bromide (<i>EU</i> : <i>Regulation</i> (<i>EC</i>) <i>No.</i> 2037/2000, 2038/2000, 2039/2000) Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (<i>EU</i> 76/769/ <i>EEC</i>)			
			<u>Ц</u>	
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002</i>		Ш	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	X		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	X		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	Lenovo L194 Wide 4434 HB*		
Issue date *	2007-09-27	Logo	lenovo

Product	t environmental attrib	utes - Market requ Requireme	irements - Environmental conscious design nt met				
Item	*=mandatory to fill in.	Additional informati	on regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, recycli	ing					
P7.1*	Parts that have to be treated separately are easily separable						
P7.2*	Plastic materials in co	\boxtimes					
P7.3*	Plastic parts >100g co	nsist of one materia	al or of easily separable materials.				
P7.4*	Plastic parts >25g hav	e material codes a	ccording to ISO 11469 referring ISO 1043.		Ħ	$\overline{\Box}$	
P7.5			have inlays that can be removed with commonly available tools.		Ħ		
P7.6*	Labels are easily sepa	arable. (This require	ment does not apply to safety/regulatory labels).	X	Ħ		
	Product lifetime	, , , , ,					
P7.7*		e e.g. with process	or, memory, cards or drives		П	X	
P7.8*	Upgrading can be don				Ħ	X	
P7.9.	Spare parts are availa						
P7.10	Service is available af		·			∺	
17.10	Material and substar	·	inioi. Veais	•			
P7.11*	Product cover/housing						
	Material type: ABS	,	Material type: Material type:				
P7.12*	Electrical cable insulat	tion material of pow	er cables are halogen free (including PVC)		\boxtimes		
P7.13*	Electrical cable insulat	tion material of sign	al cables are halogen free (including PVC)				
P7.14	All cover/housing plas	tic parts >25g are h	alogen free		Ħ	$\overline{}$	
P7.15			ents) >25g are halogen free		X	\dashv	
P7.16	<u>'</u>	· .	ts in cover / housing plastic parts >25g according ISO 1043-4:			X	
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO						
P7.18	Weight of recycled material in plastic parts is						
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, S50/51/53 and R60/61 (67/548/EEC)						
P7.20			sps: 4 and max. mercury content per lamp: 3.0 mg				
P8	Batteries						
P8.1*	Product does not cont	ain batteries define	d as hazardous according to 91/157/EEC			\boxtimes	
P8.2*			Battery chemical composition:			\boxtimes	
P8.3	Batteries meet the req	uirements of the fol	lowing voluntary program/s:			\boxtimes	
P9	Energy consumption						
9.1			s or energy consumptions have been measured:	Deferen	/		
Mode	Power level at * 115 Volts	Time (s) to <mode></mode>	Mode description	Reference		n.a.	
On-max	W	3.110402	*	*	-	\boxtimes	
On-	* 27.2 W	to	* On Mode/Active Power	*See P1	4		
normal							
On-idle	W	to	*	*		\boxtimes	
Save 1	* 0.61 W	to	* Sleep Mode/Low Power	*See P1	4		
Save 2	W	to	*	*			
Off 1	* 0.63 W	to	* Off Mode/Standby Power	*See P1	4		
Off 2	0.61 W	to	* Hard Off Mode	*See P1	4	Ħ	
No load	* W		External power supplies/charger plugged in but disconnected from the product	*			
TEC	* kWh/y Typical Energy Consumption per year						
P9.2*	• • •		on is provided with the product.	\boxtimes			
P9.3			nts of the following voluntary program/s:				
	ENERGY STAR® 4.0 Others specify:		. J				

Model number *	Lenovo L194 Wide 4434 HB*		
Issue date *	2007-09-27	Logo	lenovo

Flectromagnetic emissions Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: P11	Product 6	environmental att	tributes - Market requirements	s (continued)	Requirement n	net			
Note emission – Declared according to ISO 9296 Note emission – Declared according to ISO 9296 Declared A-weighted Sound prover level Luxa (B) Declared A-weighted Sound Prover level Luxa (B)							Yes N	o n.a.	
Mode Mode description A Declared A A-weighted Sound pressure level Loom (BB) Operation Declared A Declared A Sound pressure level Loom (BB) Operation Declared A Declared		, , ,							
Mode Mode description A Declared A A-weighted Sound pressure level Loom (BB) Operation Declared A Declared A Sound pressure level Loom (BB) Operation Declared A Declared									
A-weighted sound prover level L _{MAR} (B) Desktop Operator position Operator position Operator position Operator position Operator attended)		Noise emission	 Declared according to ISO 92 	296					
A-weighted sound prover level L _{MAR} (B) Desktop Operator position Operator position Operator position Operator position Operator attended)			1	<u> </u>					
Sound power	P10.1	Mode	Mode description						
level Linux (B)								ns	
Idle						Operator position	Dystarider position		
Idle						Deskton	(only if product is	not	
Idle						. =	operator attende	ed)	
Operation Other mode Measured according to: SISO 7779 ECMA-74 Measured according to: Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m) P10.2 The product meets the acoustic noise requirements of the following voluntary program/s: The product meets the acoustic noise requirements of the following voluntary program/s:		Idle	*		*	or Bookoldo		\neg	
Other mode Measured according to: ISO 7779 ECMA-74 Incompleted Determination Dete									
Measured according to: SISO 7779 ECMA-74 (only if not covered by ECMA-74 with L_pam measurement distance m) The product meets the acoustic noise requirements of the following voluntary program/s: Chemical emissions from printing products P10.3* Test performed according to ECMA-328 standard, other specify: The test covers: Dust Ozone Styrene Benzene TVOC P10.4* The product meets the chemical emission requirements of the following voluntary program/s: Electromagnetic emissions P10.5* Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: P11 Consumable materials for printing products P11.1* A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required See P4.3). P11.2* Paper containing recycled fibres that meets the requirements of EN12281 can be used See P4.3) P11.2* Paper containing recycled fibres that meets the requirements of EN12281 can be used See P4.3) P12.1* The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO/13406-2 for flat panel displays. P12.2* The product keyboard meets the requirements of ISO 9995 and EN 29241-4 Security and EN-ISO/13406-2 for flat panel displays. P12.2* The computer input device meets the requirements of ISO 9241-9 Security of the computer products of the product packaging material type(s): Corrugated cardboard weight (kg): 0.89 Security of the computer products of the product packaging material type(s): EPS Weight (kg): 0.28 Security of the computer product documentation on to contain chlorine bleached paper Security of the computer of the completion, and supplier shall have no obligation to update the information on the completion, and supplier in this document is provided based on supplier in formation contained in this document. All information provided by supplier in this document is provided based on supplier in formation contained free TBBPA in printed ci		Operation	*		*			\boxtimes	
Measured according to: SISO 7779 ECMA-74 (only if not covered by ECMA-74 with L_pam measurement distance m) The product meets the acoustic noise requirements of the following voluntary program/s: Chemical emissions from printing products P10.3* Test performed according to ECMA-328 standard, other specify: The test covers: Dust Ozone Styrene Benzene TVOC P10.4* The product meets the chemical emission requirements of the following voluntary program/s: Electromagnetic emissions P10.5* Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: P11 Consumable materials for printing products P11.1* A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required See P4.3). P11.2* Paper containing recycled fibres that meets the requirements of EN12281 can be used See P4.3) P11.2* Paper containing recycled fibres that meets the requirements of EN12281 can be used See P4.3) P12.1* The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO/13406-2 for flat panel displays. P12.2* The product keyboard meets the requirements of ISO 9995 and EN 29241-4 Security and EN-ISO/13406-2 for flat panel displays. P12.2* The computer input device meets the requirements of ISO 9241-9 Security of the computer products of the product packaging material type(s): Corrugated cardboard weight (kg): 0.89 Security of the computer products of the product packaging material type(s): EPS Weight (kg): 0.28 Security of the computer product documentation on to contain chlorine bleached paper Security of the computer of the completion, and supplier shall have no obligation to update the information on the completion, and supplier in this document is provided based on supplier in formation contained in this document. All information provided by supplier in this document is provided based on supplier in formation contained free TBBPA in printed ci		Other mode	-					_	
P10.2 The product meets the acoustic noise requirements of the following voluntary program/s: Chemical emissions from printing products P10.3* Test performed according to ECMA-328 standard, other specify: The test covers: Dust Ozone Styrene Benzene TVOC P10.4 The product meets the chemical emission requirements of the following voluntary program/s: Electromagnetic emissions P10.5 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: Electromagnetic emissions P11.1* Consumable materials for printing products P11.1.* Advatical Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required See P4.3). P11.2* Paper containing recycled fibres that meets the requirements of EN12281 can be used See P4.3). P11.2* Paper containing recycled fibres that meets the requirements of EN12281 can be used See P4.3). P11.2* The computer injurity/copying is an integrated product function And EN1-SO13406-2 for flat panel displays weight (kg): 0.89 P12.2* The product keyboard meets the requirements of ISO 9995 and EN 29241-4			ding to: SISO 7770 FCM/	Λ_74					
P10.3* Test perduct meets the acoustic noise requirements of the following voluntary program/s: P10.3* Test performed according to ECMA-328 standard, other specify: The test covers: Dust Ozone Styrene Benzene TVOC P10.4 The product meets the chemical emission requirements of the following voluntary program/s: Electromagnetic emissions P10.5 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: P11. Consumable materials for printing products P11.1* A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required See P4.3). P11.2* Paper containing recycled fibres that meets the requirements of EN12281 can be used Year See P4.3). P11.2.* Paper containing recycled fibres that meets the requirements of EN12281 can be used Year See P4.3). P12. Ergonomics for computing products P12.1* The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays. P12.2* The product peaked requirements of ISO 9995 and EN 29241-4		Weasured accord			by FCMA-74 with	n I measurement (distance m)		
Chemical emissions from printing products	P10.2	The product mee						_ 	
P10.3* Test performed according to ECMA-328 standard	-		<u> </u>		3 , ,				
The test covers: Dust Ozone Styrene Benzene TVOC The product meets the chemical emission requirements of the following voluntary program/s:	P10.3*			rd , other s	specify:			1 🖂	
P10.4 The product meets the chemical emission requirements of the following voluntary program/s: Electromagnetic emissions		•		_	'	TVOC			
Flectromagnetic emissions Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: P11	P10.4							1 [
P11.1 Consumable materials for printing products Naterial Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing recycled fibres that meets the requirements of EN12281 can be used. P11.3* Paper containing recycled fibres that meets the requirements of EN12281 can be used. P12.1* Paper containing recycled fibres that meets the requirements of EN12281 can be used. P12.1* The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays. P12.2* The computer system meets the requirements of ISO 9995 and EN 29241-4. P12.3* The computer input device meets the requirements of ISO 9241-9. P13.1* Product packaging material type(s): Corrugated cardboard weight (kg): 0.89 P13.1* Product packaging material type(s): Polyethylene weight (kg): 0.04 Product packaging material type(s): Polyethylene weight (kg): 0.04 Product packaging material type(s): EPS weight (kg): 0.28 P13.2* Product packaging material type(s): EPS P13.4* User and product documentation do not contain chlorine bleached paper P14 Additional information NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.59 W Off Mode/Standby Power									
P11. Consumable materials for printing products P11.1* A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing recycled fibres that meets the requirements of EN12281 can be used. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P12. Ergonomics for computing products P12.1* The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays. P12.2* The product keyboard meets the requirements of ISO 9995 and EN 29241-4. P12.3* The computer input device meets the requirements of ISO 9241-9. P13.3* Packaging and documentation P13.1* Product packaging material type(s): Corrugated cardboard weight (kg): 0.89 P13.2* Product packaging material type(s): Polyethylene weight (kg): 0.28 P13.2* Product plastic packaging is halogen free (including PVC) P13.3* User and product documentation do not contain chlorine bleached paper P13.4* User and product documentation contain recycled paper NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document, all information provided by supplier in this document. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.59 W Off Mode/Standby Power	P10.5								
P11.1.* A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2.* Paper containing recycled fibres that meets the requirements of EN12281 can be used. P11.3.* 2-sided (duplex) printing/copying is an integrated product function. P12. Ergonomics for computing products P12.1.* The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays. P12.2.* The product keyboard meets the requirements of ISO 9995 and EN 29241-4. P12.3.* The computer input device meets the requirements of ISO 9995 and EN 29241-4. P13.1.* Product packaging material type(s): Corrugated cardboard weight (kg): 0.89 Product packaging material type(s): Polyethylene P13.1.* Product packaging material type(s): EPS P13.2.* Product plastic packaging is halogen free (including PVC) P13.3.* User and product documentation do not contain chlorine bleached paper P13.4.* User and product documentation contain recycled paper NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 2.30 Volts 2.7 W On Mode/Active Power 0.59 W Off Mode/Standby Power									
See P4.3 .									
P11.3* 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1* The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays. P12.2* The product keyboard meets the requirements of ISO 9995 and EN 29241-4. P12.3* The computer input device meets the requirements of ISO 9941-9. P13.1* Product packaging material type(s): Corrugated cardboard weight (kg): 0.89 Product packaging material type(s): Polyethylene Weight (kg): 0.04 Product packaging material type(s): EPS Weight (kg): 0.28 P13.2* Product plastic packaging is halogen free (including PVC) P13.3* User and product documentation do not contain chlorine bleached paper P13.4* User and product documentation contain recycled paper P14 Additional information NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product contains postconsumer recycled content plastic. P7.17 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.59 W Off Mode/Standby Power 0.59 W Off Mode/Standby Power		(see P4.3).							
P12.1* The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays. P12.2* The product keyboard meets the requirements of ISO 9995 and EN 29241-4. P12.3* The computer input device meets the requirements of ISO 9995 and EN 29241-9. P13. Packaging and documentation P13.1* Product packaging material type(s): Corrugated cardboard weight (kg): 0.89 Product packaging material type(s): Polyethylene weight (kg): 0.28 Product packaging material type(s): EPS weight (kg): 0.28 P13.2* Product plastic packaging is halogen free (including PVC) P13.3* User and product documentation do not contain chlorine bleached paper P14. Additional information NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product contains postconsumer recycled content plastic. P7.17 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.69 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power									
P12.1* The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays. P12.2* The product keyboard meets the requirements of ISO 9995 and EN 29241-4. P12.3* The computer input device meets the requirements of ISO 9241-9. P13.1* Product packaging material type(s): Corrugated cardboard weight (kg): 0.89 Product packaging material type(s): Polyethylene weight (kg): 0.04 Product packaging material type(s): EPS weight (kg): 0.28 P13.2* Product plastic packaging is halogen free (including PVC) P13.3* User and product documentation do not contain chlorine bleached paper P14. Additional information NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product contains postconsumer recycled content plastic. P7.17 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power									
and EN-ISO13406-2 for flat panel displays. P12.2* The product keyboard meets the requirements of ISO 9995 and EN 29241-4. P12.3* The computer input device meets the requirements of ISO 9241-9. P13.1* Product packaging material type(s): Corrugated cardboard weight (kg): 0.89 Product packaging material type(s): Polyethylene weight (kg): 0.04 Product packaging material type(s): EPS Weight (kg): 0.28 P13.2* Product plastic packaging is halogen free (including PVC) P13.3* User and product documentation do not contain chlorine bleached paper P13.4* User and product documentation contain recycled paper P14 Additional information NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power									
P12.3* The computer input device meets the requirements of ISO 9241-9. P13 Packaging and documentation P13.1* Product packaging material type(s): Corrugated cardboard weight (kg): 0.89 Product packaging material type(s): Polyethylene weight (kg): 0.04 Product packaging material type(s): EPS weight (kg): 0.28 P13.2* Product plastic packaging is halogen free (including PVC) P13.3* User and product documentation do not contain chlorine bleached paper P14 Additional information NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product contains postconsumer recycled content plastic. P7.17 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power		and EN-ISO1340	06-2 for flat panel displays.			o loi CRT displays			
P13.1* Product packaging material type(s): Corrugated cardboard weight (kg): 0.89 Product packaging material type(s): Polyethylene weight (kg): 0.04 Product packaging material type(s): EPS weight (kg): 0.28 P13.2* Product packaging is halogen free (including PVC) P13.3* User and product documentation do not contain chlorine bleached paper P14. Additional information NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product contains postconsumer recycled content plastic. P7.17 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power									
P13.1* Product packaging material type(s): Corrugated cardboard weight (kg): 0.89 Product packaging material type(s): Polyethylene weight (kg): 0.04 Product packaging material type(s): EPS weight (kg): 0.28 P13.2* Product plastic packaging is halogen free (including PVC) P13.3* User and product documentation do not contain chlorine bleached paper P14 Additional information NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product contains postconsumer recycled content plastic. P7.17 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power			· · · · · · · · · · · · · · · · · · ·	ents of ISO 92	41-9.		<u> </u>		
Product packaging material type(s): Polyethylene Product packaging material type(s): EPS weight (kg): 0.28 P13.2* Product plastic packaging is halogen free (including PVC) P13.3* User and product documentation do not contain chlorine bleached paper P13.4* User and product documentation contain recycled paper P14 Additional information NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product contains postconsumer recycled content plastic. P7.17 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power				d oordboord	woight (kg):	0.00		7	
Product packaging material type(s): EPS weight (kg): 0.28 P13.2* Product plastic packaging is halogen free (including PVC) P13.3* User and product documentation do not contain chlorine bleached paper P13.4* User and product documentation contain recycled paper P14 Additional information NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product contains postconsumer recycled content plastic. P7.17 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power	P13.1"				0 (0)			J	
P13.3* User and product documentation do not contain chlorine bleached paper P13.4* User and product documentation contain recycled paper P14 Additional information NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product contains postconsumer recycled content plastic. P7.17 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power									
P13.4* User and product documentation contain recycled paper P14 Additional information NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product contains postconsumer recycled content plastic. P7.17 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power	P13.2*	Product plastic p	ackaging is halogen free (includ	ding PVC)					
P14 Additional information NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product contains postconsumer recycled content plastic. P7.17 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power	P13.3*	User and produc	t documentation do not contain	chlorine blea	ched paper				
NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product contains postconsumer recycled content plastic. P7.17 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power	P13.4*	User and produc	t documentation contain recycle	ed paper					
the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product contains postconsumer recycled content plastic. P7.17 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power	P14								
knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product contains postconsumer recycled content plastic. P7.17 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power									
provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P7.11 Product contains postconsumer recycled content plastic. P7.17 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power									
P7.11 Product contains postconsumer recycled content plastic. P7.17 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power									
P7.17 Product does not contain free TBBPA in printed circuit boards. P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power									
P9.1 EPA Energy Star Eligibility Criteria (Version 4.0) Power level at 230 Volts 27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power		· · · · · · · · · · · · · · · · · · ·							
Power level at 230 Volts 27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power					oards.				
27 W On Mode/Active Power 0.6 W Sleep Mode/Low Power 0.59 W Off Mode/Standby Power	P9.1			1 51011 4.0)					
0.59 W Off Mode/Standby Power									
·			•						
		0.59 W Off Mode/Standby Power 0.6 W Hard Off Mode							