

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Monitor			
Commercial name *	ThinkVision L2250p Wide			
Model number *	М/Т: 2572-Н*6			
Issue date *	2009, September 03			
Intended market *	🛛 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information	ENERGY STAR® 5.0 Qualified; EPEAT Gold Rating, GREENGUARD Certification			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requirement met		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model n	umber *	ThinkVision L2250p Wide M/T: 2572-H*6				
lssue da	ite *	2009, September 03	Logo	lend	vo	
	4			Demilie		
tem	tenviron	mental attributes - Legal requirements		Require Yes	No	n.a.
P1	Hazardo	us substances and preparations		163	110	11.a.
P1.1*	Products	o do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hex ybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE).		nium, 🔀		
P1.2*		e and Note B1) s do not contain Asbestos (see legal reference).				
	Commer	nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	a do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrac ethane, methyl bromide (see legal reference). Comment: Legal reference has no ation values.		-		
P1.4*	Products	do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polyce (PCT) in preparations (see legal reference).	chlorinated	$\boxtimes$		
P1.5*		do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 can national at least 48% per mass of chlorine in the SCCP (see legal reference).	arbon atoms i	n the  🔀		
P1.6*	Textile a Tris-(aziı	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-pl ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal referen nt: Legal reference has no maximum concentration values.		IS),		$\square$
P1.7*	Textile a	nd leather parts with direct skin contact do not contain more than 0.003% Azo co amines. (See legal reference and Note B1)	lorants that sp	olit		$\square$
P1.8*	Wooden pentachl	parts do not contain arsenic and chromium as a wood preservation treatment as orophenol and derivatives (see legal reference). ht: Legal reference has no maximum concentration values.	well as			$\boxtimes$
P1.9*	Parts wit microgra	h direct and prolonged skin contact do not release nickel in concentrations above m/cm <sup>2</sup> /week (see legal reference). ht: Max limit in legal reference when tested according to EN1811:1998.	9 0.5			
P1.10*	REACH	Article 33 information about substances in articles is available at (add URL or ma w.lenovo.com/social_responsibility/us/en/environment.html	il contact):	$\boxtimes$		
P2	Batterie	S			• • •	
P2.1*	more that marked v	duct contains a battery or an accumulator, it is labeled with the disposal symbol a in 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of le with the chemical symbol for the metal concerned, Hg or Pb. Information on prope in user manual. (See legal reference)	ead, it shall be			
P2.2*	Button co	ells used in the product do not contain more than 2% by weight of mercury. Other ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See		ce)		$\boxtimes$
P2.3*	Batteries design o	and accumulators are easily removable by either users or service providers (as f the product). Exception: Batteries that are permanently installed for safety, perf ntegrity reasons do not have to be "easily removable". (See legal reference)	dependent or	the		
P3		EMC connection to the telephone network and labeling				
P3.1*	The proc	luct complies with legally required safety standards as specified (see legal reference	nce).	$\boxtimes$		
P3.2*		luct complies with legally required standards for electromagnetic compatibility (se	-	. 🗠		
P3.3*	with lega	t is intended for connection to a public telecom network or contains a radio transmilly required standards for radio and telecommunication devices (see legal reference)	nce).	olies		
P3.4*	The proc	luct is labeled to show conformance with applicable legal requirements (see legal	l reference).			
P4		able materials				
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium r erence and Note B1).	,			
P4.2*		er is used in the product, it does not contain cadmium max 0.1% by weight (see l	8			$\boxtimes$
P4.3*	product/	/toner formulation/preparation is classified as hazardous according to applicable backaging is adequately labeled and a Safety Data Sheet (SDS) in accordance w ents is available (see legal reference).		ne		$\square$
P5	Product	packaging				
P5.1*		ng and packaging components do not contain more than 0.01% lead, merci nt chromium by weight of these together.	ury, cadmium	and 🔀		
P5.2*		ackaging material is marked according to ISO 11469 referring ISO 1043 (see leg	al reference).	$\boxtimes$		
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specifie (see legal reference). nt: Legal reference has no maximum concentration values.	ed in the Mo	ntreal 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	umber *	ThinkVision L2250p Wide M/T: 2572-H*6				
Issue da	te *	2009, September 03	-ogo	eno	vo	
Produce	tonviron	mental attributor. Market requiremente. Environmental conscieus de	cian D	oquiro	mont	mot
Item		mental attributes - Market requirements - Environmental conscious de tory to fill in. Additional information regarding each item may be found under P14.	sign r	equire Yes	No	n.a
P6	•	nt information		105	110	11.0
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		$\square$		
P7	Design					
	•	mbly, recycling				
P7.1*	Parts tha	t have to be treated separately are easily separable		$\boxtimes$		
P7.2*	Plastic m	aterials in covers/housing have no surface coating.		$\square$		
P7.3*	Plastic pa	arts >100g consist of one material or of easily separable materials.			Π	
P7.4*	Plastic pa	arts >25g have material codes according to ISO 11469 referring ISO 1043.			Ħ	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly ava	ailable tools.		⊢⊢	-
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).			⊢⊢	
17.0	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives			_	X
P7.8*		g can be done using commonly available tools		<u> </u>	<u> </u>	
-						
P7.9.	·	rts are available after end of production for: 5 years				
P7.10		s available after end of production for: 5 years		-		
		and substance requirements				
P7.11*		cover/housing material type:				
P7.12		aterial type: ABS Material type: Material t cable insulation materials of power cables are PVC free.	type:			_
				<u> </u>		
P7.13		cable insulation materials of signal cables are PVC free				
P7.14		/housing plastic parts >25g are free from chlorine and bromine.		$\square$		
P7.15	Note B2)		249-2-21. (See	$\boxtimes$		
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				$\mathbf{X}$
P7.17		I specifications of flame retardants in printed circuit boards >25g (without components TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:	s):			
	ISO 1043	l specifications of flame retardants in printed circuit boards (without components) >25 8-4: <i>Brominated Epoxy Resin See P14</i>	og according			
P7.18	concentra	etarded plastic parts >25g contain the following flame retardant substances/p ations above 0.1%:	preparations in			
	Provide a complete 1. Chemi	t: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The lis chemical name, CAS number and supplier. cal name: , CAS #: , Supplier: cal name: , CAS #: , Supplier:	st must contain			
	3. Chemi Alt. 2	cal name: , CAS #: , Supplier: I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	•	arts >25g are free from flame retardant substances/ preparations above 0.1% classifi 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	ed as R45,			
P7.20		lastic parts' weight >25g, recycled material content is +25%.				
P7.21		lastic parts' weight >25g, biobased material content is 0%.				
P7.22		rces are free from mercury y is used specify: Number of lamps: 2 and max. mercury content per lamp: 2.3 mg				$\boxtimes$
P8	Batteries	s		* 		
P8.1*	Battery c	hemical composition:				$\boxtimes$
P8.2	,	meet the requirements of the following voluntary program/s:				Ī

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Issue date *     2009, September 03     Logo       Product environmental attributes - Market requirements (continued)     Requirement met	Model num	nber *	ThinkVision L2250p Wide M/T: 2572-H*6									
Item         Yes         No         n.a.           9         Energy consumption         Power level at Power level at Power level at Betrence / Standard for energy modes         Image: Standar	Issue date	*		September 03				Logo	le	eno	vo	
Item         Yes         No         n.a.           9         Energy consumption         Power level at Power level at Power level at Betrence / Standard for energy modes         Image: Standar	Product e	environn	nental at	tributes - Market	requirements (co	ontinued)			R	eauire	ment	met
9.1 For the product the following power levels or energy consumptions are reported:  Energy mode Power level at Power level at Power level at Reference / Standard for energy modes at 230 W 21 W / CAC and test method ' Peak (0n-max) W 28 W 21 W / CAC and test method ' Peak (0n-max) W 28 W 21 W / CAC and test method ' Peak (0n-max) W 28 W 21 W / CAC and test method ' Save 1 W 0.45 W 0.68 W Sieep Mode/Low Power Off W 0.38 W 0.61 W O'/ Mode/Standby Power W W W W EPS No-load W W W W Product disconnected from the product).  PTEC ' W W W W W PTEC ' MW W W W PTEC ' W W W W PTEC ' No-load C W W W W PTEC ' No-load C W W W W PTEC ' W W W W PTEC ' No-load C W W W W PTEC ' W W W W W PTEC ' W W W W PTEC ' W W W W PTEC ' W W W W W W PTEC ' W W W W W W PTEC ' W W W W W PTEC ' W W W W W PTEC ' W W W W W W PTEC ' W W W W W W W W W W W W PTEC ' W W W W W W W W W W W W W W W W W W						,						n.a.
Energy mode         Power level at 100 V AC         Power level at 115 V AC         Power level at 23 W         Reference / Standard for energy modes and test method*           Peak (0n-max)         W         28 W         21 W         Full load           On-idid         W         19 W         17 W         On Mode/Active Power         Image: Comparison of the comparison of th	P9											
S         100         VAC         115         VAC         230         VAC         and test method *         Image: Comparison of the second of t	9.1	For the p	product the	e following power leve	els or energy consur	mptions are reporte	ed:					
On-idle         W         19         W         17         W         On Mode/Active Power         □           Save 1         W         0.45         W         0.66         W         Sileep Mode/Law Power         □           Off         W         0.81         W         0.61         W         Off Mode/Standby Power         □           W         W         W         W         W         □         □           EPS No-load         W         W         W         W         □         □           (External power supply / charger plugged in the wall outlet but disconnected from         W         W         W         □         □           PTEC         W         W         W         W         □         □         □           Tpical Energy Consumption         W         W         W         W         □	Energy mo	de							for en	ergy n	nodes	
Save 1       W       0.45       W       Sileep Mode/Low Power       Image: Comparison of the comparison of thecomparison of thecompari	Peak (On-r	max)		W	28 W	<b>21</b> W	Full load					
Off       W       0.38       W       0.61       W       Off Mode/Standby Power         W       W       W       W       W       Image: Control of the standard stan	On-idle		W	<b>19</b> W	17 W	On Mode/A	Active Powe	er				
W       W       W         W       W       W         W       W       W         W       W       W         EPS No-load       W       W         (External power supply/ charger plugged in the walt outle but disconnected from the product.)       W       W         PTEC       W       W       W         TEC*       KWh/week       KWh/week         TPTC       KWh/week       KWh/week         PTeC       KWh/week       KWh/week         Tec*       KWh/week       KWh/week         Print Speed       Images per minute       Images per minute         Default time to enter energy save mode: 10 minutes       Images per minute       Images per minute         Default time to enter energy save function is provided with the product.       Images per minute       Images per minute         Default time to enter energy requirements of the following voluntary program/s: ENERCY STAR& version: 5.0       Product category: Monitors       Images per minute         Default time to enter energy requirements of the following voluntary program/s: ENERCY STAR& version: 5.0       Product category: Monitors       Images per minute         Detaut time to enter energy requirements of the following voluntary program/s: ENERCY STAR& version: 5.0       Prode       Images per minute	Save 1		W	0.45 W	0.68 W	Sleep Mod	e/Low Pow	er				
W       W       W       W         EPS No-load       W       W       W       W         EPS No-load       W       W       W       W       Image number of the product of the prode product of the product of the product of t	Off			W	0.38 W	<b>0.61</b> W	Off Mode/S	Standby Po	wer			
EPS No-load       W       Pitted interval       Pitted interval <td></td> <td></td> <td></td> <td>W</td> <td>W</td> <td>W</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>				W	W	W						
(External power supply / charger plugged in the wall outle but disconnected from the product.)       W       W       W         PTEC       *       W       W       W         Tpical Energy Consumption       KWh/week       kWh/week       kWh/week       Images per minute         Display resolution       1680*1050 Megapixels       Images per minute       Images per minute       Images per minute         Default ime to enter energy save mode: 10 minutes       Images per minute       Images per minute       Images per minute         P9.2*       Information about the energy save function is provided with the product.       Images per minute       Images per minute         Default ime to enter energy save function is provided with the product.       Images per minute       Images per minute       Images per minute         P9.2*       Information about the energy save function is provided with the product.       Images per minute       Images per minute       Images per minute         P10*       Emissions       Images per minute				W	W	W						
(External power supply / charger plugged in the wall outle but disconnected from the product.)       W       W       W         PTEC       *       W       W       W         Tpical Energy Consumption       KWh/week       KWh/week       KWh/week       Images per minute         Display resolution       1680*1050 Megapixels       Images per minute       Images per minute       Images per minute         Default ime to enter energy save mode: 10 minutes       Images per minute       Images per minute       Images per minute         Default ime to enter energy save function is provided with the product.       Images per minute       Images per minute       Images per minute         Default ime to enter energy save function is provided with the product.       Images per minute       Images per minute       Images per minute         Default ime to enter energy save function is provided with the product.       Images per minute       Images per minute       Images per minute         Default ime to enter energy save function is provided with the product.       Images per minute       Images per minute       Images per minute         Default ime to enter energy save function is provided with the product.       Images per minute       Images per minute       Images per minute         Default ime to enter energy save function is provided with the product category: Monitors       Images per minute       Images per minute	EPS No-loa	ad		W	W	W						
Typical Energy Consumption       KWh/week       kWh/week       kWh/week       kWh/week       kWh/week       kWh/week       kWh/week       kWh/week       images per solution       images per minute	(External p charger plu outlet but d	ower supp Igged in the second	ne wall									
Typical Energy Consumption       Images per minute         Display resolution : 1680*1050 Megapixels       Images per minute         Print Speed : Images per minute       Images per minute         Default time to enter energy save mode: 10 minutes       Images per minute         P9.2*       Information about the energy save function is provided with the product.       Images per minute         P9.3*       The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 5.0       Product category: Monitors         Others specify:       Images per minute       Images per minute         P10       Emissions       Images per minute         P10       Emissions       Images per minute         P10.1       Mode       Mode description       Declared A-weighted sound power level $L_{pAm}$ (dB)         power       Operator position power       Images per mode       Images per mode         Idle       *       Images per mode       Images per mediation power       Images per mode         Idle       *       Images per mode       Images per mode       Images per mode         Idle       *       Images per mode       Images per mode       Images per mode         Idle       *       Images per mode       Images per mode       Images per mode         Idle		ergy Cons	* sumption	W	W	W						
Display resolution : 1680*1050 Megapixels         Print Speed : Images per minute         Default time to enter energy save mode: 10 minutes         P9.2*       Information about the energy requirements of the following voluntary program/s: ENERGY STAR® version: 5.0 Product category: Monitors Others specify:         P10       Emissions         P10.1       Mode description         Declared A-weighted sound power       Declared A-weighted sound power         Ievel L <sub>WAd</sub> (B)       Desktop or Desk side         Idle       *         Operation       *         Other mode       *         Other (only if not covered by ECMA-74 with LpAm measurement distance m)	TEC *			kWh/week	kWh/week	kWh/week						
Print Speed       Images per minute         Default time to enter energy save mode: 10 minutes       Images per minute         P9.2*       Information about the energy save function is provided with the product.         P9.3*       The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 5.0         P10       Emissions         P10       Emission – Declared according to ISO 9296         P10.1       Mode         Mode       Mode description         Declared       A-weighted sound power         Idle       *         Operation       *         Operation       *         Other mode       ISO7779         Measured according to:       ISO7779         ECMA-74       Other         (only if not covered by ECMA-74 with LpAm measurement distance       m)	Typical Ene	ergy Cons	umption									
Default time to enter energy save mode: 10 minutes       Image: Content of the product of the product of the product.         P9.2*       Information about the energy save function is provided with the product.       Image: Content of the product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 5.0       Product category: Monitors Others specify:         P10       Emissions       Image: Content of the product category: Monitors Others specify:       Image: Content of the product category: Monitors Others specify:         P10       Emission – Declared according to ISO 9296       Declared A-weighted sound power level $L_{pAm}$ (dB)         P10.1       Mode       Mode description       Declared A-weighted sound power level $L_{pAm}$ (dB)         Idle       *       Operator position Image: Other mode Image: Other mode Image: Other mode Image: Other mode Image: Other Image: Othe	Display res	olution	: <b>168</b> 0*10	50 Megapixels								
P9.2*       Information about the energy save function is provided with the product.       Image: Constraint of the following voluntary program/s: ENERGY STAR® version: 5.0 Product category: Monitors Others specify:         P10       Emissions         Noise emission – Declared according to ISO 9296         P10.1       Mode         Mode       Mode description         Declared A-weighted sound power       Declared A-weighted sound power         Idle       *         Operation       *         Operation       *         Other mode       *         Other daccording to:       ISO7779         ECMA-774       Other         Other       (only if not covered by ECMA-74 with LpAm measurement distance	Print Speed	d :	: In	nages per minute								
P9.3°       The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 5.0 Product category: Monitors Others specify:       □	Default time	e to enter	energy sa	ave mode: 10 minutes	s							
ENERGY STAR® version: 5.0 Product category: Monitors Others specify: P10 Emissions Noise emission – Declared according to ISO 9296 P10.1 Mode Mode description Declared A-weighted Sound power level LWAd (B) Operator Declared Idle * Operation * Other mode Measured according to: X ISO7779 CMA-74 Other (only if not covered by ECMA-74 with LpAm measurement distance m)	P9.2*	Informati	on about	the energy save func	tion is provided with	the product.				$\boxtimes$		
Noise emission – Declared according to ISO 9296         P10.1       Mode       Mode description       Declared A-weighted sound power       Declared A-weighted sound pressure level $L_{pAm}$ (dB)         Idle       *       Operator Idle       *       Operator Desktop       Or Desk side       X         Idle       *       *       X       X       X       X         Other mode       i       i       i       X       X       X         Other mode       i       i       i       X       X       X       X         Other mode       i       i       i       i       X       X       X       X	P9.3*	ENERG	Y STAR®				/s:			$\boxtimes$		
P10.1       Mode       Mode description       Declared A-weighted sound power       Declared A-weighted sound pressure level $L_{pAm}$ (dB)         Idle       *       Operator position       Operator position       or Desk side       Idle         Idle       *       *       Idle       *       Idle       *       Idle         Measured according to:       ISO7779       ECMA-74       ECMA-74 with LpAm measurement distance       m)	P10	Emissio	ns									
A-weighted sound power       sound pressure level $L_{pAm}$ (dB)         Operator level $L_{WAd}$ (B)       Operator Desktop or Desk side         Idle       *         Operation       *         Operation       *         Other mode       image: source level by ECMA-74 with LpAm measurement distance         Other       (only if not covered by ECMA-74 with LpAm measurement distance		Noise er	mission –	Declared according	to ISO 9296							
A-weighted sound power       sound pressure level $L_{pAm}$ (dB)         Operator level $L_{WAd}$ (B)       Operator Desktop or Desk side         Idle       *         Operation       *         Operation       *         Other mode       image: source level by ECMA-74 with LpAm measurement distance         Other       (only if not covered by ECMA-74 with LpAm measurement distance	P10.1	Mode	1	Mode description		Declared	De	clared A-	weiaht	ed		
Idle       *       Operation       Idle       *       Idle						A-weighted sound			-		B)	
Idle       *       Idle       <						power	0	perator				
Idle       *       or Desk side       Image: Constraint of the state of the s						level	posi	tion 🗌				
Idle       *       Image: Constraint of the second						$L_{WAd}$ (B)	Desk	ktop 🗌				
Operation       *       Image: Constraint of the cons							or Desk s	side 🗌				
Other mode       Measured according to: ISO7779 ECMA-74         Other       (only if not covered by ECMA-74 with LpAm measurement distance m)												
Measured according to: ISO7779 ECMA-74				*		*						
Other (only if not covered by ECMA-74 with L <sub>pAm</sub> measurement distance <b>m</b> )				ording to: 🔽 ISO		-74						-
		weasu		-			h L <sub>pAm</sub> meas	surement dis	stance	r	n)	
	P10.2	The proc	luct meets									

Model nu	mber *	ThinkVision L2250p Wide M/T: 2572-H*6				
Issue date	e *	Logo	leno	vo		
Product	environn	nental attributes - Market requirements (continued)		Require	ment	met
Item				Yes	No	n.a.
	Chemica	al emissions from printing products				
P10.3*	Test per	ormed according to ECMA-328 (ISO/IEC 28360) standard , other specify:				$\square$
P10.4		mission rate (print phase) is (mg/h):				
		Dust Ozone Styrene Benzene TVOC				
P10.5		I emission requirements of the following voluntary program/s are met for : Dust Ozone Styrene Benzene				$\boxtimes$
		nagnetic emissions				
P10.6	Compute	r display meets the requirement for low frequency electromagnetic fields of the follo /s: MPR-II	wing voluntary	$\boxtimes$		
P11	Consum	able materials for printing products		•		
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally require	red (see P4.3).			$\times$
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the	e requirements	of		$\boxtimes$
P11.3*	2-sided (	duplex) printing/copying is an integrated product function.				$\times$
P12	Ergonor	nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	ies.	$\boxtimes$		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		$\boxtimes$		
P13	Packagi	ng and documentation				
P13.1*	Product	packaging material type(s): <i>EPS</i> weight (kg): <i>0.29</i> packaging material type(s): <i>Corrugated</i> weight (kg): <i>1.1</i> packaging material type(s): weight (kg):				
P13.2*	Product	plastic packaging is free from PVC.		$\boxtimes$		
P13.3*		nedia for user and product documentation (tick box): c 🔯, Paper 🔯, Other 🗌				
P13.4*		r user and product documentation, please specify contained percentage of post-con %(Japan only 70%)	sumer recycled			
P14		al information (See Note B4)				
	informati knowled provided informati		is provided bas e such informati ccount Represer	ed on supp on. The inf	olier's formati	
P7.17		does not contain free TBBPA in printed circuit boards(without components)>2	25g.			
P9		rgy Star Qualified Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup	&pgw code=M(	2		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19