



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs						
e-mail address	Alvin L Carter		Lenovo				
	alcarter@lenovo.com						
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html						
Additional information	The latest version of this document can be found at:						
	http://www.lenovo.com/ecodeclaration						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	ThinkVision L27q-20				
Model number *	65D4, 65D5				
Issue date *	2017/2/14				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	Model number * 65D4, 65D5 Logo		010			
Issue da	te *	2017/2/14	Lend	DVC	D _m	
Product	environ	mental attributes - Legal requirements	Require	men	t met	
Item			Yes	No	n.a.	
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes			
P1.2*		s do not contain Asbestos (see legal reference).	\boxtimes			
		nt: Legal reference has no maximum concentration value.				
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\bowtie			
		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-				
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square			
1 1		yl (PCT) in preparations (see legal reference).		ш		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the				
		ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*						
		al reference).				
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes			
DO		vw.lenovo.com/social_responsibility/us/en/environment.html				
P2.1*	Batterie					
F2.1	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal		$\overline{}$	\square	
	reference			ш		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)			\boxtimes	
P3	Conforr	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference).	\square	П	\Box	
	The Dec	claration of Conformity can be requested at (add link or e-mail address):				
P3.2*		duct complies with the Eco design requirements for energy-related products,	$\overline{\mathbf{X}}$	П		
		al reference).				
	Require	d information is; given in item P15 or added to this document,	\boxtimes			
		available at (add URL):				
P5	Product	t packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium and	d 🔀	\Box		
	hexaval	ent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature of the material(s) 🔀			
DE 04		pe legal reference).				
P5.3*	The pro	duct packaging material is free from ozone depleting substances as specified in the Montrea	I 🛛			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Protocol (see legal reference).

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

P6

P6.1*

Treatment information

Model number *	65D4, 65D5	Logo	Longvo
Issue date *	2017/2/14		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)									
	- Environmental conscious design Requirement met									
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.									
P7	Design									
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable		_							
				+						
P7.2*	Plastic materials in covers/housing have no surface coating.			\perp						
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		<u> </u>	<u> </u>						
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Щ.							
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u>Ц</u>							
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		Ш						
	Product lifetime									
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes	<u>Ц</u>							
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		Ш						
P7.9	Spare parts are available after end of production for: 5 years									
P7.10	Service is available after end of production for: 5 years									
	Material and substance requirements									
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):									
D7 40	Material type: PC Material type: Insulation materials of external electrical cables are PVC free.									
P7.12		_#		\perp						
P7.13	Insulation materials of internal electrical cables are PVC free.		<u> </u>	Щ.						
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		Ш	Ш						
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts									
	containing more than 25% post-consumer recycled content.									
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)									
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:									
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name, CAS #:	\boxtimes	П							
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	_								
	according ISO 1043-4:									
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in									
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)		\boxtimes							
	2. Chemical name: , CAS #: (See NOTE B4)									
	3. Chemical name: , CAS #: "									
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:									
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	\boxtimes								
	assigned the following Risk phrases; and Hazard statements:									
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)									
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes								
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 33%. or b) The weight of recycled material is 767.5 g.									

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	65D4, 65D5	Logo	Lanava
Issue date *	2017/2/14		LEHOVO.

Product environmental attributes - Market requirements (continued) Requirement met									
Item			•	•	Yes No n.a.				
		stance requirements							
P7.21*	Biobased plastic m	aterial content is used	in the product (See N	OTE B7):					
	If YES; at least one	e of the two alternative	s below shall be answ	ered;					
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage								
	of total plastic by weight) is %.								
P7.22*	22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp.								
Do		specify: Number of lan	nps: and maxim	um mercury content pe	r lamp: mg				
P8.1*	Batteries Battery chemical co	omnosition:							
P9	•	tion (See NOTE B8)							
P9.1			s or energy consumpti	ons are reported:					
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy				
		100 V AC	115 V AC	230 V AC	modes and test method *				
Peak (On-	max)	21.2 W	19.3 W	21.3 W	Full load				
Categor	<u>y</u>								
	State - WOL	21.3 W	19.3 W	21.3 W	Use for ENERGY STAR V6				
Enabled					registration (P _{idle})				
Long Idle	State - WOL	21.3 W	19.3 W	21.3 W	Use for ENERGY STAR V6				
Enabled					registration (P _{idle})				
Sleep (S3)	- WOL Enabled	0.3 W	0.3 W	0.3 W	Use for ENERGY STAR V6 registration(P _{sleep})				
Sleep (S3)	- WOL Disabled	0.3 W	0.3 W	0.3 W	Reference				
Off (S5) - V	NOL Enabled	0.19 W	0.19 W	0.22 W	Use for ENERGY STAR V6				
					registration(P _{off})				
Off (S5) - V	WOL Disabled	0.19 W	0.19 W	0.22 W	Use for ErP				
		W	W	W	Reference				
Categor	y								
Short Idle	State - WOL	W	W	W	Reference				
Enabled									
Long Idle	State - WOL	W	W	W	Reference				
Enabled									
Sleep (S3)	- WOL Enabled	W	W	W	Reference				
	- WOL Disabled	W	W	W	Reference				
,	WOL Enabled	W	W	W	Reference				
	WOL Disabled	W	W	W	Reference				
0 (00)		W	W	W	Reference				
		**		•	110.00				
Categor	V								
_		10/	10/	10/	Deference				
Short Idle Enabled	State - WOL	W	W	W	Reference				
Long Idle	State - WOL	W	W	W	Reference				
Enabled			"						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Sleep (S3)) - WOL Enabled	W	W	W	Reference			
Sleep (S3)) - WOL Disabled	W	W	W	Reference			
Off (S5) -	WOL Enabled	W	W	W	Reference			
Off (S5) -	WOL Disabled	W	W	W	Reference			
		W	W	W	Reference			
EPS No-lo		W	W	W				
	supply / charger plugged in the sconnected from the product.)							
PTEC * Typical En	nergy Consumption	28.7 W	28.05 W	28.33 W				
ETEC * Annual En	ergy Consumption	67 kWh/year	60.7 kWh/year	67.1 kWh/year				
External P	ower Supply Efficie	ncy Level (Internatio	nal Efficiency Marking F	Protocol) * : VI				
Display res	solution * : 2560*14	40 megapixels						
Default tim	ne to enter energy s	ave mode: 0.25 min	utes					
P9.2*	Information about	the energy save fur	nction is provided with th	ne product.				
P9.3	Energy efficiency	class (monitors only	r): EPA7.0					
P10	Emissions							
	Noise emission -	 Declared according 	g to ISO 9296 (See NO	TE B9)				
P10.1		Mode description		Statistical upper I	limit A-weighted sound power level, L _{WA,c} (B)			
	Idle	* HDD: Idle		*				
		* HDD: Operating		*				
			ound pressure level (dB) L_p		position desktop – idle)			
Other mode Declared A-weighted sound pressure level (dB) L_{pAm} (operator position desktop – operating)				position desktop – operating)				
	Measured accord	ing to: 🔀 ISO 7779	ECMA-74					
	Other (only if not covered by ECMA-74)							

Model number *		65D4-GCC1-WW; 65D5-GCC1-WW							anc	VO	
Issue dat	te *	2017/2/14						L	eno	VO,	тм
Product	environn	nental attributes	- Market requirer	ments (con	tinued)			R	equire	ment	met
Item									Yes	No	n.a.
		nagnetic emission									
P10.4	program	(s):	requirement for low	frequency el	ectromagne	etic fields of the foll	lowing volunta	ary			
P12	Ergonor	nics for computing	g products								
P12.1*			nomic requirements o				gies.		\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.										
P13	Packagi	ng and documenta	ation								
P13.1*	Product Product	packaging material packaging material packaging material packaging material	type(s): PE Bag type(s): Paper	weight (kg weight (kg weight (kg weight (kg): 0.03): 0.03						
P13.2*	Product	plastic primary pack	kaging is free from P\	VC.					\boxtimes		
P13.3*											
P13.4*	Specify r	media <u>for</u> user and	oroduct documentation	on (tick box):							
P13.5											
	•	hlorine-free al chlorine-free									
	Processe	ed chlorine-free									
P14		ry programs									
P14.1	The prod	luct meets the requ	irements of the follow	ving voluntary	y program(s	s):					
	Eco-labe	el:	Criteria version: Criteria version: Criteria version:		Date: Date: Date:	Product	category: category: category:				
P15		nal information (Se									
P9			pecific configuration								
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.										
P9			Notebooks & Tablet Condex.cfm?fuseaction=				_code=CO				
1											

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1