

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo Logo					
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter @lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_monitors.html					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Display				
Commercial name *	LT1913p				
Model number *	MT:60AA-HAR1				
Issue date *	2013.11.25				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🛛	

Model number *	LT1913pA	MT: 60AA-HAR1		
Issue date *	2013.11.25		Logo	lenovo

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\boxtimes
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes	\Box	
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	d 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	LT1913pA	MT: 60AA-HAR1		
Issue date *	2013.11.25		Logo	lenovo

Product		equiren	nent	met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes				
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes				
P7.2*	Plastic materials in covers/housing have no surface coating.		$\overline{\boxtimes}$			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		$\overline{\sqcap}$			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		$\overline{\sqcap}$			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	$\overline{\Box}$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X	Ħ	Ħ		
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes	П	П		
P7.8*	Upgrading can be done using commonly available tools	X	$\overline{\sqcap}$			
P7.9.	Spare parts are available after end of production for: 5 years			Ħ		
P7.10	Service is available after end of production for: 5 years			Ħ		
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
	Material type: PC Material type: PC					
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes			
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes				
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes			
	Note B2)					
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:					
P7.17	Alt. 1					
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	\boxtimes	Ш	Ш		
	TBBFA (additive) , TBBFA (reactive) , Other, Chemical Hame. , CAS #.					
	Alt. 2					
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	\boxtimes				
	ISO 1043-4: <i>FR(16)</i>					
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in		\Box			
	concentrations above 0.1%:	Ш	Ш			
	Comment: No legal limits exist, this is a market requirement.					
	1. Chemical name: , CAS #:					
	2. Chemical name: , CAS #:					
	3. Chemical name: , CAS #:					
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
	Charles openion of hame retardants in place parts 220g according 100 1010 1.			\boxtimes		
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20	Of total plastic parts' weight >25g, recycled material content is 85%.					
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.					
P7.22	Light sources are free from mercury					
DO	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg					
P8 1*	Batteries Pottony chemical composition:					
P8.1*	Battery chemical composition:					
P8.2	Batteries meet the requirements of the following voluntary program/s:			\boxtimes		

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	LT1913pA	MT: 60AA-HAR1		
Issue date *	2013.11.25		Logo	lenovo

Product environmental attributes - Market requirements (continued) Requirement met							
Item					Yes No	n.a.	
•	consumpt						
9.1 For the	product the	following power leve			ported: See P14		
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *		
Peak (On-max)	Peak (On-max) 15.66W 15.65W Full load			Full load			
Category A			l	1			
Idle State - WOL E	nabled	15.66 W	15.65W	15.65 W	Use for ENERGY STAR V6 registration (Pidle)		
Sleep (S3) - WOL	Enabled	0.15W	0.15W	0.17W	Use for ENERGY STAR V6 registration(P _{sleep})	一	
Sleep (S3) - WOL	Disabled	0.15W	0.15W	0.17W	Reference	Ħ	
Off (S5) - WOL En	abled	0.10 W	0.10W	0.11 W	Use for ENERGY STAR V6 registration(Poff)	Ħ	
Off (S5) - WOL Dis	sabled	0.10 W	0.10W	0.11 W	Use for EuP		
Category B		L	L	L			
Idle State - WOL E	nabled	W	W	W	Use for ENERGY STAR V6 registration(Pidle)	\Box	
Sleep (S3) - WOL	Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{sleep})	一	
Sleep (S3) - WOL	Disabled	W	W	W	Reference		
Off (S5) - WOL En	abled	W	W	W	Use for ENERGY STAR V6 registration(Poff)		
Off (S5) - WOL Dis	sabled	W	W	W	Use for EuP		
EPS No-load		W	W	W			
(External power su charger plugged in outlet but disconne the product.)	the wall					 	
PTEC *		W	W	W			
Typical Energy Cor	nsumption					Ī	
TEC * Typical Energy Cor	nsumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Cor	sumption	41.81 kWh/year	41.55 kWh/year	41.62 kWh/ye ar	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$		
		P _{off} : Off Mode(\$5) -	WOL Enabled; P _{sleej}	: Sleep Mode(S3)	- WOL Enabled; P _{idle} : Idle State - WOL Enabled		
Display resolution*	1280*102	24 Megapixels					
Print Speed *	: Im	ages per minute				\boxtimes	
Default time to ente	er energy sa	ve mode: 15 second	s			\Box	
P9.2* Informa	ation about t	he energy save func	tion is provided wi	th the product.		$\overline{}$	
		ets the energy requir ® version: Version				<u> </u>	
	ers specify:						
P10 Emissi		Declared according	to 100 0206				
	Noise emission – Declared according to ISO 9296 10.1 Mode Mode description Declared Declared A-weighted		Declared A-weighted				
		,		A-weighted	sound pressure level L_{mAm} (dB)	Ì	
				sound power	# <u> </u>	Ì	
				level L_{WAd} (Desktop 🖂	Ī	
					or Desk side (only if product is not operator attended)	Ì	
Idle	*	HDD:Idle		*	operator attended)		
Operati		HDD: Operating		*		\boxtimes	
Other n						i I	
Measured according to: SISO7779 ECMA-74							
Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)							
P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:							

Model nu	ımber *	LT1913pA	MT: 60A)	A-HAR1					
Issue dat	te *	2013.11.25				Logo	leno	/O .	
	environr	mental attributes -	Market require	ments (continued)			Require		
Item	<u> </u>						Yes	No	n.a.
D40.0*		al emissions from p							
P10.3*		formed according to E		C 28360) standard	, other specify:				
P10.4	• •	emission rate (print ph	, , ,						\boxtimes
		Dust Ozone	Styrene	Benzene	TVOC				
P10.5		al emission requireme Dust		g voluntary program/s ene Ben:	are met for : zene	TVOC		Ш	
	Electron	magnetic emissions		Control of the Contro					
P10.6	Compute		equirement for low	rfrequency electromag	netic fields of the fo	llowing voluntary	\boxtimes		
P11	Consum	nable materials for p	rinting products						
P11.1*	A Safety	Data Sheet (SDS) is	available for the ir	nk/toner preparation, e	ven if not legally req	uired (see P4.3).			\boxtimes
P11.2*	Paper c EN1228		mer recycled fiber	rs can be used, provi	ded that it meets t	he requirements	of		\boxtimes
P11.3*	2-sided	(duplex) printing/copy	ing is an integrated	d product function.					\boxtimes
P12	Ergonoi	mics for computing	products						
P12.1*	The disp	olay meets the ergono	mic requirements	of ISO 9241-307 for vi	sual display technol	ogies.	\boxtimes		
P12.2*	The phys	sical input device mee	ets the requiremen	ts of ISO 9995 and ISO	O 9241-410.				\boxtimes
P13	Packagi	ing and documentati	ion						
P13.1*	Product Product	packaging material ty packaging material ty packaging material ty packaging material ty	pe(s): PE Bag pe(s): Paper	weight (kg): 0.260 weight (kg): 0.020 weight (kg): 0.036 weight (kg): 1.080	0				
P13.2*	Product	plastic packaging is fi	ree from PVC.				\boxtimes		
P13.3*		media for user and price X , Paper X , Oth		on (tick box):					
P13.4*	For pape fiber: 7		ocumentation, plea	ase specify contained p	percentage of post-o	onsumer recycled	d		
P14		nal information (See							
	informat knowled provided informat	ion contained in this of ge available at the tim I here is approximate ion.	document. All inform ne of completion, a and provided for in	rantees, assurances or mation provided by sup and supplier shall have aformational purposes	oplier in this docume no obligation to upo only. See a Lenovo	ent is provided bas late such informat Account Represe	sed on sup tion. The in	plier's forma	3
P9				et Computers for the tion=find_a_product			0		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19