

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo Logo				
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_	_ /			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Display				
Commercial name *	LT1952p Wide				
Model number *	MT: 2448				
Issue date *	2013.11.25				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🛛	

Model number *	LT1952pwD	MT:2448		
Issue date *	2013.11.25		Logo	lenovo.

<b>Product</b>	duct environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$	$\Box$	
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\square$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	d 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	LT1952pwD	MT: 2448			
Issue date *	2013.11.25		Log	go	lenovo

Product		equirer	nent	met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$			
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$			
P7.2*	Plastic materials in covers/housing have no surface coating.	$\overline{\Box}$	$\overline{\boxtimes}$		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		$\overline{\sqcap}$		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		$\overline{\sqcap}$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		$\overline{\sqcap}$	$\overline{\Box}$	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	Ħ	
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		П		
P7.8*	Upgrading can be done using commonly available tools		$\overline{\sqcap}$		
P7.9.	Spare parts are available after end of production for: 5 years			Ħ	
P7.10	Service is available after end of production for: 5 years			Ħ	
	Material and substance requirements				
P7.11*	Product cover/housing material type:				
	Material type: <b>PC</b> Material type: <b>PC</b>				
P7.12	Electrical cable insulation materials of power cables are PVC free.		$\boxtimes$		
P7.13	Electrical cable insulation materials of signal cables are PVC free		$\boxtimes$		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	$\boxtimes$			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		$\boxtimes$		
	Note B2)				
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:				
P7.17	Alt. 1				
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):  TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	$\boxtimes$		Ш	
	TBBFA (additive) , TBBFA (reactive) , Other, Chemical Hame. , CAS #.				
	Alt. 2				
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	$\boxtimes$			
	ISO 1043-4: <i>FR(16)</i>				
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in				
	concentrations above 0.1%:	Ш	Ш		
	Comment: No legal limits exist, this is a market requirement.				
	1. Chemical name: , CAS #:				
	2. Chemical name: , CAS #:				
	3. Chemical name: , CAS #:				
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
	Chomical specifications of name retardants in plastic parts >20g according 100 1040 4.			$\boxtimes$	
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				
P7.20	Of total plastic parts' weight >25g, recycled material content is <b>85%</b> .				
P7.21	Of total plastic parts' weight >25g, biobased material content is <b>0%</b> .				
P7.22	Light sources are free from mercury				
	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg				
P8	Batteries				
P8.1*	Battery chemical composition:				
P8.2	Batteries meet the requirements of the following voluntary program/s:				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	LT1952pwD	MT: 2448		
Issue date *	2013.11.25		Logo	lenovo.

Product e	Product environmental attributes - Market requirements (continued) Requirement met						
Item					Yes No	n.a.	
	Energy consump						
9.1 For the product the following power levels or energy consumptions are reported: See P14							
Energy mod	de *	Power level at <b>100</b> V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *		
Peak (On-n	nax)	14.37 W	15.03W	15.21 W	Full load		
Category A							
Idle State -	WOL Enabled	14.37W	14.41 W	<b>15.21</b> W	Use for ENERGY STAR V6 registration (P <sub>idle</sub> )		
Sleep (S3)	- WOL Enabled	0.21 W	0.31W	<i>0.38</i> W	Use for ENERGY STAR V6 registration(P <sub>sieep</sub> )		
Sleep (S3)	- WOL Disabled	<b>0.21</b> W	0.31 W	<b>0.38</b> W	Reference		
Off (S5) - W	/OL Enabled	0.13 W	<b>0.20</b> W	0.21W	Use for ENERGY STAR V6 registration(Poff)		
Off (S5) - W	OL Disabled	0.13 W	<b>0.20</b> W	<b>0.21</b> W	Use for EuP		
Category	<u> B</u>						
Idle State -	WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Pidle)		
Sleep (S3)	- WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (Psleep)		
Sleep (S3)	- WOL Disabled	W	W	W	Reference		
Off (S5) - W	OL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)		
Off (S5) - W	VOL Disabled	W	W	W	Use for EuP		
EPS No-loa		W	W	W			
charger plug	ower supply / gged in the wall sconnected from						
the product.	)						
PTEC * Typical Ene	rgy Consumption	W	W	W			
TEC * Typical Ene	rgy Consumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Ene	rgy Consumption	kWh/year	<b>40.82</b> KWh/year	<b>41.41</b> kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.6 + P <sub>sleep</sub> x 0.1 + P <sub>idle</sub> x 0.3)		
Dienlay reso	olution* : 1//0*00		<b>NOL Enabled; P<sub>sleep</sub>: S</b>	Sleep Mode(S3) - WO	DL Enabled; P <sub>idle</sub> : Idle State - WOL Enabled		
Print Speed	Display resolution*: 1440*900 Megapixels						
·		nages per minute					
		ave mode: 15 second		the a man alvest		붜	
P9.2 P9.3*		the energy save funct	•	•		Ш	
P9.3		eets the energy require R® version: <b>6.0</b> Tier:			anivs.		
P10	Emissions						
		- Declared according t	to ISO 9296				
P10.1	Mode	Mode description		Declared A-weighted	Declared A-weighted sound pressure level $L_{p{\sf Am}}$ (dB)		
				sound power			
				level $L_{W\!Ad}$ (E	Operator position Bystander positions  Desktop		
					or Desk side (only if product is not		
	Idle	* HDD:Idle		*	operator attended)	$\square$	
-	Operation	* HDD: Operating		*		$\boxtimes$	
	Other mode						
	Measured accordi	ng to: 🔀 ISO7779 🗌	ECMA-74				
D40.0	The man division of	Other			L <sub>pAm</sub> measurement distance m)		
P10.2	rne product meets	s the acoustic noise re	equirements of the fo	Dilowing voluntary p	program/s:	$\boxtimes$	

Model nu	mber *	LT1952pwD MT: 2448			
Issue date	e *	2013.11.25 Logo	leno	VO.	
Product	environr	mental attributes - Market requirements (continued)	Require	menf	met
Item	0	montal dia batto market regamemente (continues)	Yes	No	n.a.
	Chemic	al emissions from printing products			
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:		$\overline{\Box}$	$\square$
P10.4		emission rate (print phase) is (mg/h):			
	• •	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemica	al emission requirements of the following voluntary program/s are met for :			X
		Dust Ozone Styrene Benzene TVOC			
	Electron	magnetic emissions			
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following voluntary	$\boxtimes$		
	program				
P11		nable materials for printing products			
P11.1*		/ Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	<u></u> _	Щ	
P11.2*	EN1228		i <u> </u>		
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.			$\boxtimes$
P12		mics for computing products			
P12.1*		play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			$\boxtimes$
P13	Packagi	ing and documentation			
P13.1*		packaging material type(s): EPS weight (kg): 0.230			
		packaging material type(s): <i>PE Bag</i> weight (kg): 0.025			
P13.2*	Product	packaging material type(s): Paper weight (kg): 0.946 plastic packaging is free from PVC.			
P13.3*		media for user and product documentation (tick box):			井
P13.3		ic N, Paper N, Other			Ш
P13.4*		er user and product documentation, please specify contained percentage of post-consumer recycled			$\Box$
	fiber: 8				ш
P14		nal information (See Note B4)			
	informat knowled provided informat		ed on sup on. The ir	oplier's nforma	3
P9	See Ene	ergy Star Qualified Notebooks & Tablet Computers for the latest information:			
	nttp://w	www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19