

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo Logo				
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at				
	http://www.lenovo.com/social_responsibility/us/en/datasheets_i	monitors.html			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Display				
Commercial name *	LT2223p Wide				
Model number *	MT: 60A1-MAR2				
Issue date *	2013/11/25				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	LT2223pwC	MT: 60A1-MAR2		
Issue date *	2013/11/25		Logo	lenovo

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\boxtimes
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	I 🔯		
	Comment. Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	LT2223pwC	MT: 60A1-MAR2		
Issue date *	2013/11/25		Logo	lenovo

Product	environmental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\square	П	
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ	Ī
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Ħ	Ħ
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Ħ	\overline{H}
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		+	-
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\square	+	\overline{H}
17.0	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		$\overline{}$	
P7.8*	Upgrading can be done using commonly available tools	-	╫	$\overline{\mathbb{X}}$
P7.9.				
P7.10	Spare parts are available after end of production for: 5 years	_		-
P7.10	Service is available after end of production for: 5 years			
P7.11*	Material and substance requirements Product cover/housing material type:			
F1.11	Material type: PC Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\square	
P7.13	Electrical cable insulation materials of signal cables are PVC free	- H		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			H
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		$\overline{\Box}$	
	Note B2)	· ⊔		
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #: 79-94-7			
P= 10	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>FR(16)</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	ı 🔲		
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 85%.		-	-
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury	\boxtimes		
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg			
P8.1*	Battery chemical composition:			
P8.2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	LT2223pwC	MT: 60A1-MAR2			
Issue date *	2013/11/25		Logo	lenovo	

Product envi	ronmental at	tributes - Market i	requirements (continued)	Requirement	met	
Item					Yes No	n.a.	
P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported: See P14							
9.1 For	the product the	following power leve			ported: See P14		
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *		
Peak (On-Max))	28.8 W	29 W	29.1 W	Full load		
Category A			I	1			
Idle State - WO	L Enabled	20.55 W	20.56 W	20.83 W	Use for ENERGY STAR V6 registration (P _{idle})	П	
Sleep (S3) - W0	OL Enabled	0.35 W	0.37W	0.42 W	Use for ENERGY STAR V6 registration(P _{sleep})	〒	
Sleep (S3) - W0	OL Disabled	0.35 W	0.37 W	0.42 W	Reference	〒	
Off (S5) - WOL	Enabled	0.28 W	0.29 W	0.36 W	Use for ENERGY STAR V6 registration(Poff)		
Off (S5) - WOL	Disabled	0.28 W	0.29 W	0.36 W	Use for EuP		
Category B							
Idle State - WO	L Enabled	W	W	W	Use for ENERGY STAR V6 registration(Pidle)		
Sleep (S3) - W0	OL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{sleep})		
Sleep (S3) - W0	OL Disabled	W	W	W	Reference		
Off (S5) - WOL	Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)		
Off (S5) - WOL	Disabled	W	W	W	Use for EuP		
EPS No-load		W	W	W			
(External power charger plugged outlet but discor the product.)	d in the wall						
PTEC *		W	W	W			
Typical Energy	Consumption						
TEC * Typical Energy	Consumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy (Consumption	55.8 kWh/year	55.9kWh/year	57 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.6 + P _{sleep} x 0.1 + P _{idle} x 0.3)		
		P _{off} : Off Mode(S5) - I	WOL Enabled; P _{sleep}	: Sleep Mode(S3)	- WOL Enabled; P _{idle} : Idle State - WOL Enabled		
Display resolution	on* : 2.1 Mega						
Print Speed *	: Im	ages per minute					
Default time to e	enter energy sa	ve mode: 15 second	d			〒	
P9.2* Info	rmation about t	he energy save func	tion is provided wi	th the product.		$\overline{\Box}$	
P9.3* The	product meets	the energy requirem	ents of the followi	ng voluntary pro			
Oth	ers specify:	version: Version 6.0	dated June 1, 20	012 Tier: Pro	oduct category: <i>Display</i>		
	issions	Dealared according	t- 100 0000				
P10.1 Mod		Declared according to Mode description	10 150 9296	Declared	Declared A-weighted		
				A-weighted	sound pressure level L_{max} (dB)		
				sound power	31 5 1 5 1	-	
				level L_{WAd}	Desktop 🖂		
					or Desk side (only if product is not		
Idle	*	HDD:Idle		*	operator attended)		
Ope	eration *	HDD: Operating		*			
Oth	Other mode						
Mea	Measured according to: SO7779 ECMA-74						
D10.0		Other			with L _{pAm} measurement distance m)		
P10.2 The	0.2 The product meets the acoustic noise requirements of the following voluntary program/s:						

Model nu	ımber *	LT2223pw0	C MT	: 60A1-MAR2	2				
Issue dat	te *	2013/11/25				Logo	leno	VO.	
Product	environn	nental attributes	Market require	ements (continued)			Require	ment	met
Item	CITYITOIII	ionai attributos	markot roquire	omonto (continuou)			Yes	No	n.a.
	Chemica	al emissions from pr	inting products						
P10.3*		formed according to E			, other specify:			$\overline{\Box}$	
P10.4		emission rate (print ph	,	Lo 2000) dandara	, other openity.				
		Dust Ozone	Styrene	Benzene	TVOC				
P10.5	Chemica			ng voluntary program/s	are met for :				\boxtimes
		Ozon			zene	TVOC			
	Electron	nagnetic emissions							
P10.6	Compute		equirement for lov	w frequency electromag	netic fields of the fol	lowing voluntary	\boxtimes		
P11		nable materials for pr	rinting products						
P11.1*				ink/toner preparation, ev	ven if not legally requ	uired (see P4.3).			\boxtimes
P11.2*	Paper co		mer recycled fibe	ers can be used, provi	ded that it meets th	ne requirements	of		
P11.3*	2-sided ((duplex) printing/copyi	ng is an integrate	ed product function.					\boxtimes
P12	Ergonor	mics for computing p	oroducts						
P12.1*	The disp	lay meets the ergonor	mic requirements	of ISO 9241-307 for vis	sual display technolo	gies.	\boxtimes		
P12.2*	The phys	sical input device mee	ts the requirement	nts of ISO 9995 and ISO	O 9241-410.				\boxtimes
P13	Packagi	ng and documentation	on						
P13.1*		packaging material typ		weight (kg): 0.32					
		packaging material type		weight (kg): 0.044					
P13.2*		packaging material typolastic packaging is from		weight (kg): 1.07				_	$\overline{}$
				tion (tiple book)				_Ц	井
P13.3*	Electron	media for user and pro ic 🔲, Paper 📐, Oth	er 🗌	, ,					Ш
P13.4*	For pape fiber: 0		cumentation, ple	ease specify contained p	ercentage of post-c	onsumer recycled	İ		
P14		nal information (See					·		
	informati knowled	ion contained in this dege available at the tim	ocument. All info e of completion,	arantees, assurances or rmation provided by sup and supplier shall have informational purposes	oplier in this docume no obligation to upd	nt is provided bas ate such informat	sed on sup ion. The in	plier's forma	i

See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

information.

P9

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19