

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	LCD Monitor				
Commercial name *	T2224s				
Model number *	T2224sF				
Issue date *	2016/04/13				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🔀	

Model number *	T2224sF		
Issue date *	2016/04/13	Logo	Lenovo.

Product environmental attributes - Legal requirements				t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThnkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\boxtimes
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			\boxtimes
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			X
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	I 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	T2224sF		
Issue date *	2016/04/13	Logo	Lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design Re	quire	nent	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
D7.4*	Disassembly, recycling		$\overline{}$	_
P7.1*	Parts that have to be treated separately are easily separable		ᆜ	Щ.
P7.2*	Plastic materials in covers/housing have no surface coating.		<u>Ц</u>	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		<u>Ц</u>	Щ.
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		<u>Ц</u>	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Щ	<u>Ц</u>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		<u>Ш</u>	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools			\boxtimes
P7.9.	Spare parts are available after end of production for: 1.5 years			
P7.10	Service is available after end of production for: 1.5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
D7.40	Material type: ABS Material type: SGCC Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.	Щ.		_ <u>_</u> _
P7.13	Electrical cable insulation materials of signal cables are PVC free	Ц_		<u>Ц</u>
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #: Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:		П	\boxtimes
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 85 %.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batteries			
P8.1*	Battery chemical composition:			
P8 2	Batteries meet the requirements of the following voluntary program/s:			$\overline{\square}$

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	T2224sF		
Issue date *	2016/04/13	Logo	Lenovo.

Product environmental at	ct environmental attributes - Market requirements (continued) Requirement me					met		
Item	Yes No			n.a.				
P9 Energy consumpt	ion							
9.1 For the product the following power levels or energy consumptions are reported:								
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / S modes and test n		energy	
On mode	12.6 W	12.5 W	12.7 W		Follow energy s	tar 7.0 test m	ethod	
Sleep mode	0.4 W	0.4 W	0.5 W		Follow energy s	tar 7.0 test m	ethod	
Off mode	0.39 W	0.39 W	0.39 W		Follow energy s	tar 7.0 test m	ethod	
	W	W	W					
	W	W	W					\boxtimes
	W	W	W					\boxtimes
EPS No-load	W	W	W					\boxtimes
(External power supply / charger plugged in the wall outlet but disconnected from the product.)								
PTEC * Typical Energy Consumption	W	W	W					
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/we	ek				
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/yea	ar				
Display resolution* : 2.1	Megapixels		·					
Print Speed * : Im	ages per minute							
Default time to enter energy sa	ve mode: 1 minu	utes						
P9.2* Information about t	he energy save functio	n is provided with th	e product.	u				\boxtimes
ENERGY STAR® Others specify:	the energy requirement version: 7.0 Tier:	nts of the following v Product category		n/s:		×] [
P10 Emissions	5	100 0000						
	Declared according to lode description	ISO 9296	Declared		Declared A	waiahtad		Т
P10.1 Mode N	viode description		Declared A-weighted sound power		Declared A sound pressure le	-	В)	
			level $L_{W\!Ad}$ (B)	Oper	rator position	Bystander p	ositions	
					Desktop Or Desk side	(only if produ		
Idle *		*	*					
Operation *		Ą	•					
Other mode								
Measured according	• = -	ECMA-74 (only if not covered	by ECMA-74 witl	h L _{pAn}	n measurement dis	stance r	m)	
P10.2 The product meets	the acoustic noise req	uirements of the foll	owing voluntary	progra	am/s:			\square

Product environmental attributes - Market requirements (continued) Requirement	Model nu		T2224sF				
Item	Issue date	e *	2016/04/13	Logo	Lenovo.		
Item					_		
Chemical emissions from printing products P10.3* Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:	Product	environr	nental attributes - Market requirements (continued)				met
P10.3* Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:	Item				Yes	No	n.a.
P10.4 Typical emission rate (print phase) is (mg/h): Dust Ozone Styrene Benzene TVOC P10.5 Chemical emission requirements of the following voluntary program/s are met for: Dust Ozone Styrene Benzene TVOC Electromagnetic emissions P10.6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: P11.2 Consumable materials for printing products P11.1 A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2 Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of N12281. P11.3 -2-sided (duplex) printing/copying is an integrated product function. P12.1 Ergonomics for computing products P12.1 The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2 The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1 Product packaging material type(s): Carton weight (kg): 0.620 Product packaging material type(s): Carton weight (kg): 0.185 Product packaging material type(s): CSS weight (kg): 0.185 Product packaging material type(s): CSS weight (kg): 0.016 P13.3 Specify media for user and product documentation (tick box): Electronic Paper Other Ot		Chemic	al emissions from printing products				
Dust							\boxtimes
P10.5 Chemical emission requirements of the following voluntary program/s are met for: Dust	P10.4	Typical e	emission rate (print phase) is (mg/h):				\boxtimes
Dust							
Electromagnetic emissions	P10.5						\boxtimes
P10.6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: P11.1 A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2 Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. P11.3 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1 The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2 The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13 Packaging and documentation P13.1 Product packaging material type(s): Carton weight (kg): 0.620 Product packaging material type(s): EPS weight (kg): 0.185 Product packaging material type(s): QSG weight (kg): 0.016 P13.2 Product plastic packaging is free from PVC. P13.3 Specify media for user and product documentation (tick box): Electronic Paper Poly Other Poly Product packaging in fee from PVC. P13.4 For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: Corrugate 45 % P14 Additional information (See Note B4) NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more				TVOC			
P11 Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1* Product packaging material type(s): Carton weight (kg): 0.620 Product packaging material type(s): EPS weight (kg): 0.185 Product packaging material type(s): EPS weight (kg): 0.016 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic A Paper A Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: Corrugate 45 % P14 Additional information (See Note B4) NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more	B. ())						
P11.1* Consumable materials for printing products P11.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13 Packaging and documentation P13.1* Product packaging material type(s): Carton Product packaging material type(s): EPS Weight (kg): 0.620 Weight (kg): 0.185 Product packaging material type(s): QSG Weight (kg): 0.016 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic Paper Other Other Portion Paper Other Portion Paper Other Portion Paper	P10.6		, , , , , , , , , , , , , , , , , , , ,	lowing voluntary		Ш	
P11.2* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13 Packaging and documentation P13.1* Product packaging material type(s): Carton weight (kg): 0.620 Product packaging material type(s): EPS weight (kg): 0.185 Product packaging material type(s): QSG weight (kg): 0.016 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic Speper Additional for paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: Corrugate 45 % P14 Additional information (See Note B4) NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier' knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more	P11	Consun	nable materials for printing products				
EN12281. P11.3* 2-sided (duplex) printing/copying is an integrated product function. P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13 Packaging and documentation P13.1* Product packaging material type(s): Carton weight (kg): 0.620 Product packaging material type(s): EPS weight (kg): 0.185 Product packaging material type(s): QSG weight (kg): 0.016 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic Paper Of the For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: Corrugate 45 % P14 Additional information (See Note B4) NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier' knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more	P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	ired (see P4.3).			\boxtimes
P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1* Product packaging and documentation P13.1* Product packaging material type(s): Carton weight (kg): 0.620 Product packaging material type(s): EPS weight (kg): 0.185 Product packaging material type(s): QSG weight (kg): 0.016 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: Corrugate 45 % P14 Additional information (See Note B4) NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier' knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more	P11.2*			e requirements o	of		
P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13 Packaging and documentation P13.1* Product packaging material type(s): Carton weight (kg): 0.620 Product packaging material type(s): EPS weight (kg): 0.185 Product packaging material type(s): QSG weight (kg): 0.016 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: Corrugate 45 % P14 Additional information (See Note B4) NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier' knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more	P11.3*	2-sided	duplex) printing/copying is an integrated product function.				\boxtimes
P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13	P12	Ergonoi	nics for computing products				
P13.1* Product packaging material type(s): Carton weight (kg): 0.620 Product packaging material type(s): EPS weight (kg): 0.185 Product packaging material type(s): QSG weight (kg): 0.016 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic ⋈, Paper ⋈, Other □ P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: Corrugate 45 % P14 Additional information (See Note B4) NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier' knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more	P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolo	gies.	\boxtimes		
P13.1* Product packaging material type(s): Carton weight (kg): 0.620 Product packaging material type(s): EPS weight (kg): 0.185 Product packaging material type(s): QSG weight (kg): 0.016 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: Corrugate 45 % P14 Additional information (See Note B4) NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier' knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more	P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				\boxtimes
Product packaging material type(s): EPS weight (kg): 0.185 Product packaging material type(s): QSG weight (kg): 0.016 P13.2* Product plastic packaging is free from PVC. P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: Corrugate 45 % P14 Additional information (See Note B4) NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier' knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more	_	Packagi	ng and documentation				
P13.3* Specify media for user and product documentation (tick box): Electronic , Paper , Other P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: Corrugate 45 % P14 Additional information (See Note B4) NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier' knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more	_	Product Product	packaging material type(s): EPS weight (kg): 0.185 packaging material type(s): QSG weight (kg): 0.016				
Electronic , Paper , Other . P13.4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: Corrugate 45 % P14 Additional information (See Note B4) NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier' knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more	P13.2*						
fiber: Corrugate 45 % P14 Additional information (See Note B4) NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier' knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more	P13.3*						
NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier' knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more	P13.4*	fiber: C	Forrugate 45 %	onsumer recycled			
information contained in this document. All information provided by supplier in this document is provided based on supplier' knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more	P14	Addition	nal information (See Note B4)				
knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more		NOTE: S	Supplier makes no representations, guarantees, assurances or warranties whether	express or implied	d, regardin	g the	
provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more		informat	ion contained in this document. All information provided by supplier in this document	nt is provided base	ed on sup	olier'	S
provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more		knowled	ge available at the time of completion, and supplier shall have no obligation to upda	ate such informati	on. The in	format	tion
L							

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19