

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
	Alvin L Carter	_			
	1009 Think Place	Lenovo.			
	Building 2 / 5J3	Lei IOVO.			
	Morrisville, North Carolina 27560				
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at				
	http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	T2364tA			
Model number *	MT: 60E9-MAR1-WW			
Issue date *	2016/04/05			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control Requ			ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control suc as organized by IT-Företagen (see www.itecodeclaration.org).	h 🛛	

Model number *	T2364tA		
Issue date *	2016-4-5	Logo	Lenovo

Product	Product environmental attributes - Legal requirements			t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*				
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	X		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalen chromium by weight of these together.	t 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco (see legal reference). Comment: Legal reference has no maximum concentration values.	I 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	T2364tA		
Issue date *	2016-4-5	Logo	Lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design Rec	quire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable		_	
P7.1*				- -
	Plastic materials in covers/housing have no surface coating.			<u> </u>
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		<u> </u>	-
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Щ.	Щ.
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Щ.	Щ.
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
D7 7*	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		<u>Ц</u>	<u> </u>
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		<u>Ц</u>
P7.9.	Spare parts are available after end of production for: 5 years			Щ.
P7.10	Service is available after end of production for: 5 years			
5=	Material and substance requirements			
P7.11*	Product cover/housing material type: Meterial type: ARS Meterial type: PROMOTOR Meterial type: PROMOT			
P7.12	Material type: ABS Material type: PC Material type: SD-0150 Electrical cable insulation materials of power cables are PVC free.	$\overline{}$		$\overline{}$
P7.13	·	 	\overline{X}	+
	Electrical cable insulation materials of signal cables are PVC free		<u> </u>	-
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)	Ш	\boxtimes	Ш
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			
1 7.10	Marking:	ш		
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):	\boxtimes		
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name:, CAS #:			
	All O			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO		\boxtimes	
	1043-4:	Ш		Ш
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			\boxtimes
	concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier.			
	1. Chemical name: , CAS #: , Supplier:			
	2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier:			
	Alt. 2	Ш	Ш	\boxtimes
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40,	\boxtimes		
17.15	R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			Ш
P7.20	Of total plastic parts' weight >25g, recycled material content is 43.7%. (EPEAT calculation) / 85% (TCO			
	calculation)			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0% .			
P7.22	Light sources are free from mercury			
P8	Batteries			
P8.1*	Battery chemical composition:			
P8.2	Batteries meet the requirements of the following voluntary program/s:			IXI

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	T2364tA		
Issue date *	2016-4-5	Logo	Lenovo.
Product environmental attributes - Market requirements (continued) Requirement			

Product er	Product environmental attributes - Market requirements (continued) Requirement					
Item					Yes No	n.a.
	Energy consump	tion			100 110	111.01.
9.1 For the product the following power levels or energy consumptions are reported: See P14						
-	The product is ship	oped w/ WOL Enabled	d.	·		
Energy mode	e *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-m	ıax)	15.3W	14.8 ₩	15.0W	Full load	П
Category	· A					
	WOL Enabled	15.3W	14.8 W	15.0W	Use for Energy Star V5 registration(P _{idle})	
Sleep (S3) -	WOL Enabled	0.6W	0.6W	0.6W	Use for Energy Star V5 registration(P _{sleep})	
Sleep (S3) -	WOL Disabled	0.6W	0.6W	0.6W	Reference	
Off (S5) - W	OL Enabled	0.11W	0.11W	0.15W	Use for Energy Star V5 registration(Poff)	
Off (S5) - W	OL Disabled	0.11 W	0.11 W	<i>0.15</i> W	Use for ErP	
Category	В	•			1	ı
		W	W	W	(P _{idle})	
		W	W	W	(P _{sleep})	
		W	W	W		
		W	W	W	(P _{off})	
		W	W	W		
EPS No-load	d	W	W	W		
	ged in the wall connected from					
TEC Typical Energ	gy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energ	gy Consumption	41.31 kWh/year	40.0 kW h/year	40.73 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	
		Poff: Off Mode(S5) - I	NOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WO	L Enabled; P _{idle} : Idle State - WOL Enabled	l
Display resol	lution : 1920*10	80 Megapixels				
Print Speed	: Images p					
		/e mode: 15 seconds				
		he energy save function	on is provided with the	e product.		H
		the energy requireme	<u> </u>	•		
ı		version: Version6.0				
	Emissions		100			
		 Declared according to Mode description 	o ISO 9296	Declared	Declared A-weighted	l
F 10.1 1	iviode	wode description		A-weighted	sound pressure level L_{pAm} (dB)	
				sound power		
				level L_{WAd} (B)	Operator position Bystander positions	
					Desktop (only if product is not	
	or Desk side operator attended)					
l —	Idle	* HDD: Idle		*		
I —	Operation	* HDD: Operating		*		
l —	Other mode					
	Measured according	ng to: SO7779 Other	ECMA-74	d by ECMA 74 with	I moneurement dictance m\	
P10.2	The product meets	the acoustic noise re			L _{pAm} measurement distance m)	
–	p. Judot 1110010		-1 SSING OF BIO 1011		y: · · · · · · · · · · · · · · · · ·	$\boldsymbol{\succeq}$

Model nur	nber *	T2364tA				
Issue date	*	2016-4-5	Logo	Leno	VO.	
	environ	mental attributes - Market requirements (continued)		Require	ment	1
met				\/		
Item	Ol	dente de la constanta de la co		Yes	No	n.a.
P10.3*		al emissions from printing products				
		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				
P10.4	• •	emission rate (print phase) is (mg/h):				
7.0.7		Dust Ozone Styrene Benzene TVOC			_	
P10.5		Il emission requirements of the following voluntary program/s are met for : Oust Ozone Styrene Benzene	TVOC 🗌		Ш	
		nagnetic emissions	.,,,,,			
P10.6	Compute	er display meets the requirement for low frequency electromagnetic fields of the followin	g voluntary		\boxtimes	
D44		s: TCO 6.0				
P11 P11.1*		pable materials for printing products	(aaa D4 3)			
		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required		_	<u> </u>	
P11.2*	EN1228		e requirements	of	Ш	\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies	•	\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				\boxtimes
P13		ng and documentation				
P13.1*		packaging material type(s): EPS weight (kg): 0.33				
		packaging material type(s): PE Bag weight (kg): 0.04				
		packaging material type(s): Paper weight (kg): 0.08				
	Product	packaging material type(s):Carton weight (kg): 0.708				
P13.2*	Product	plastic packaging is free from PVC.	<u> </u>	7	$\overline{}$	$\overline{}$
1 13.2	Troduct	plastic packaging is tree from 1 vo.	Ľ	7	Ш	Ш
P13.3*	Specify r	nedia for user and product documentation (tick box):				
		c 🔲, Paper 🔲, Other 🔲				
P13.4*	For pape	r user and product documentation, please specify contained percentage of post-consu fiber: 70% (Japan only 70%)	mer			\boxtimes
P14		nal information (See Note B4)				
		Supplier makes no representations, guarantees, assurances or warranties whether exp	ress or implied, r	egarding th	ne	
	informati	on contained in this document. All information provided by supplier in this document is	provided based o	n supplier's	know	ledge
	available	at the time of completion, and supplier shall have no obligation to update such information	tion. The informat	ion provide	d here	is
		ate and provided for informational purposes only. See a Lenovo Account Representative				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19