

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_monitors.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statement	ts given in this declaration.				
Type of product *	Display				
Commercial name *	X24Pro				
Model number *	60E4				
Issue date *	2016.06.16				
Intended market *	☑ Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	60E4		
Issue date *	2016.06.16	Logo	Lenovo.

Product	duct environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\square	
	pentachlorophenol and derivatives (see legal reference).				
	Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\boxtimes		Ш	
	microgram/cm ² /week (see legal reference).				
P1.10*	Comment: Max limit in legal reference when tested according to EN1811:1998. REACH Article 33 information about substances in articles is available at (add URL or mail contact):				
1 1.10	http://www.lenovo.com/social_responsibility/us/en/materials.html		Ш	Ш	
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains				
F2.1	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)	Ш	Ш		
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)				
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the			X	
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical				
	or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			M	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	-H	Ħ		
1 4.0	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).		Ш		
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.				
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol				
	(see legal reference). Comment: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	60E4		
Issue date *	2016.06.16	Logo	Lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design	quire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\Box	$\overline{\boxtimes}$	$\overline{\Box}$
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Ħ	一百
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	$\overline{\boxtimes}$	币	一百
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		$\overline{\Box}$	币
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\boxtimes}$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
D7.40	Material type: PC Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.	<u></u>		<u> </u>
P7.13	Electrical cable insulation materials of signal cables are PVC free	Ц_	\boxtimes	<u> </u>
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes	
D7.40	Note B2)	_	_	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:		Ш	
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):			
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	\boxtimes	ш	Ш
	TBBI / (additive) , TBBI / (reductive) , Ottor, oriented flattic.			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	\boxtimes		
··	ISO 1043-4: <i>FR(16)</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			\boxtimes
	concentrations above 0.1%:	ш	Ш	
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #: Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
	onomical opcomications of name retards in places parts. 25g according 100 10 is			\boxtimes
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	\boxtimes		
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 6.3% .			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg	Ш	Ш	Ш
P8	Batteries			
P8.1*	Battery chemical composition:			
P8.2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	60E4		
Issue date *	2016.06.16	Logo	Lenovo

Product en	uct environmental attributes - Market requirements (continued) Requirement m					met
Item				n.a.		
P9 Energy consumption						
9.1 For the product the following power levels or energy consumptions are reported: See P14						
Energy mode	e *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-ma	ax)	39.11W	39.35 ₩	39.87 W	Full load	
Category	A					
Idle State - V	NOL Enabled	39.11 W	39.87 W	39.87 W	Use for ENERGY STAR V5 registration (P _{idle})	ПП
Sleep (S3) -	WOL Enabled	0.4 W	0.4 W	0.4 W	Use for ENERGY STAR registration(P _{sleep})	Ħ
Sleep (S3) -	WOL Disabled	0.4 W	0.4 W	0.4 W	Reference	Ħ
Off (S5) - W0	OL Enabled	0.3 W	0.3 W	0.3 W	Use for ENERGY STAR V5 registration(Poff)	
Off (S5) - W0	OL Disabled	0.3 W	0.3 W	0.3 W	Use for EuP	
Category	В					
	WOL Enabled	W	W	W	Use for ENERGY STAR V5 registration(Pidle)	
Sleep (S3) -	WOL Enabled	W	W	W	Use for ENERGY STAR V5 registration (Psleep)	
Sleep (S3) -	WOL Disabled	W	W	W	Reference	
Off (S5) - W0	OL Enabled	W	W	W	Use for ENERGY STAR V5 registration(Poff)	
Off (S5) - W0	OL Disabled	W	W	W	Use for EuP	
EPS No-load		W	W	W		
(External pov						
0 . 0.	ged in the wall connected from					
the product.)						
PTEC *		W	W	W		
Typical Ener	gy Consumption					
TEC *		kWh/week				
Typical Energ	gy Consumption		kWh/week	kWh/week		
ETEO *		404 692k/Mh/voor	405 04k\\/b/soc	405 22\\/\b/\/\car	F = (9760/4000) x /P x 0.6 L P x 0.4 L	
ETEC * Annual Energ	gy Consumption	104.682 kWh/year	105.01 kWh/yea r	105.33 Wh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	
District and the	1000440		WOL Enabled; P _{slee}	_p : Sleep Mode(S3)	- WOL Enabled; P _{idle} : Idle State - WOL Enabled	
	ution* : 1920*10					Ш
Print Speed *		nages per minute				
		ave mode: 15 second				
		the energy save funct	•	•		Ш
P9.3*		eets the energy requireR® version 7				
	Others specify:	version . version i	.v Her. / Produ	ci category. Disp		H
	Emissions					
		 Declared according the second s	to ISO 9296	Declared	Declared A-weighted	
1 10.1	wode	wode description		A-weighted	_	
				sound power	Dustandan nasitiana	-
				level L_{WAd} (B) 1 1 1 1 1 1 1 1 1	
					Desktop (only if product is not	
	dlo	* 40044		*	operator attended)	
<u> </u>	dle peration	* HDD:Idle * HDD: Operating		*		
<u> </u>	Other mode	TIDD. Operating				
<u> </u>		ng to: XISO7779	ECMA-74	1	-	1
"	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Other	•	red by ECMA-74	with L_{pAm} measurement distance m)	
P10.2 T	The product meets the acoustic noise requirements of the following voluntary program/s:					

Model number *	60E4		
Issue date *	2016.06.16	Logo	Lenovo

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item	·	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			X
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: <i>CE</i>			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): <i>EPS</i> weight (kg): 0.699			
	Product packaging material type(s): <i>PE Bag</i> weight (kg): 0.04			
	Product packaging material type(s): Paper weight (kg): 0.080			
P13.2*	Product packaging material type(s): Carton weight (kg): 1.465 Product plastic packaging is free from PVC.	\square		
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic , Paper , Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 70 %			
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied,			
	information contained in this document. All information provided by supplier in this document is provided based			
	knowledge available at the time of completion, and supplier shall have no obligation to update such information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representa			on
	information.	.uve ioi ii	nore	
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:			
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19