



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo.				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html						
Additional information		<u> </u>					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	ThinkVision S24e-10				
Model number *	61CA				
Issue date *	2018/4/28				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	61CA	Logo	Lonovo
Issue date *	2018/4/28		Lei IOVO.

Product	Product environmental attributes - Legal requirements							
Item		Yes	No	n.a.				
P1	Hazardous substances and preparations							
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes						
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.							
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.							
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes						
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀						
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.							
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html	\boxtimes						
P2	Batteries							
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)							
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)			\boxtimes				
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes				
P3	Conformity verification & Eco design (ErP)							
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www3.lenovo.com/us/en/social_responsibility/EU_DoC_monitors							
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	\boxtimes						
	Required information is; given in item P15 or added to this document,	\boxtimes						
P5	available at (add URL):							
P5.1*	Product packaging Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an	۸ 🔽	_					
P5.1	hexavalent chromium by weight of these together.							
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	s) 🔀						
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀						
	Comment: Legal reference has no maximum concentration values.							
P6	Treatment information							
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).							

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	61CA	Logo	Lanava
Issue date *	2018/4/28		Lei Iovo.

Product	t environmental attributes - Market requirements (See General NOTE GN below)								
	- Environmental conscious design Requirement met								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.					
P7	Design								
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable								
				-					
P7.2*	Plastic materials in covers/housing have no surface coating.			<u> </u>					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		_Ц						
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes							
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes							
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes							
	Product lifetime								
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			\boxtimes					
P7.8*	Upgrading can be done using commonly available tools			\boxtimes					
P7.9	Spare parts are available after end of production for: 5 years								
P7.10	Service is available after end of production for: 5 years								
	Material and substance requirements								
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):								
	Material type: PC Material type: PC Material type:								
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes						
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes						
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.								
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	N							
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			\boxtimes					
P7.17									
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:								
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations i concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "	n							
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:								
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:								
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)								
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes							
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 40.7%. (EPEAT calculation) / 85% (TCO calculation) or b) The weight of recycled material is 527.0 g. 								

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	el number * 61CA						Lenovo.			
Issue date	te * 2018/4/28					LEII		J _{TM}		
Product environmental attributes - Market requirements (continued)							Requi	remer	nt met	
Item							Yes	No	n.a.	
	Material and substance requirements (continued)									
P7.21*	P7.21* Biobased plastic material content is used in the product (See NOTE B7):									
If YES; at least one of the two alternatives below shall be answered;										
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage									
	of total plastic by weight) is 0%.									
	b) The weight of the biobased plastic material is 0 g.									
P7.22*			ree from mercury, i.e. specify: Number of lar	less than 0,1 mg/lamp.		or lamp: ma	\boxtimes			
P8	Batteries		specily. Number of lar	nps. and maxim	um mercury content p	er lamp: mg				
P8.1*			omposition:							
P9			tion (See NOTE B8)							
P9.1				s or energy consumption	ons are reported:					
Energy mo			Power level at	Power level at	Power level at	Reference/Standa	ard for e	nergy		
			100 V AC	115 V AC	230 V AC	modes and test m				
ENERGY S		Mode*	16.7W	16.9W	16.7W	ENERGY STAR®	0			
(System Idl	e)					Requirements for Monitors: Ver. 7.0				
ENERGY S	STAR® Lo	v Power				ENERGY STAR®				
Sleep Mode			0.1W	0.1W	0.2W	Requirements for	Computer			
						Monitors: Ver. 7.0				
ENERGY S	STAR® Off	:/	0.09W 0.09W		0.13W	ENERGY STAR® Requirements for				
Apparent C	off Mode*		0.0311	0.0311	0.75	Monitors: Ver. 7.0				
PTEC *			W	l w	W				$\overline{}$	
Typical Ene	ergy Consu	umption		**					ш	
ETEC *			44.45kWh/year	44.97 kWh/year	44.74 kWh/year	$E_{TEC} = (8760/1000)$		0.6 +		
Annual Ene						P _{sleep} x 0.1 + P _{idle}	x 0.3)			
External Po	wer Supp	ly Efficien	cy Level (Internationa	l Efficiency Marking Pro	otocol) * :					
Diaplay	alutian* .	4020*400	20 maganiyala			ENERGY STAR®				
Display les	olution .	1920 100	30 megapixels			Requirements for Monitors: Ver. 7.0				
						ENERGY STAR®				
Default time	e to enter e	energy sa	ve mode: 15 seconds			Requirements for				
P9.2*	Informati	b+ t	the energy save functi	an ia providad with the	n ro du at	Monitors: Ver. 7.0		_		
			0,	on is provided with the	·			Щ.		
P9.3"	P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 7.0 Product category: Display .									
P10	P10 Emissions									
540.4				ISO 9296 (See NOTE					(E)	
P10.1					I, LWA,c	(B)				
Idle *HDD: Idle *			*							
	Operation * HDD: Operating * Other mode Declared A-weighted sound pressure level (dB) L _{pAm} (operator position desktop – idle)									
	Other mo					osition desktop – idle)				
	Other mode $\frac{\text{Declared A-weighted sound pressure level (dB)}}{\text{Declared A-weighted sound pressure level (dB)}}$ (operator position desktop – operating)									
	Measure	d accordin	ng to: 🔀 ISO 7779	ECMA-74						
			Other	only if not covered by	ECMA-74)					

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

wodei nu	mber	61CA					Logo	Lon	21/0	
Issue date *		2018/4/28						Len		тм
Product	environr	mental attributes	- Market requiren	nents (cor	ntinued)			Requir	ement	met
Item								Yes	No	n.a.
		magnetic emission								
P10.4	program	(s):	e requirement for low f	frequency e	lectromagnetic fie	lds of the foll	owing volunta	ary		
P12		mics for computin								
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.									
P12.2*	The phys	sical input device m	eets the requirements	s of ISO 999	95 and ISO 9241-	410.				\boxtimes
P13		ng and document								
P13.1*	Product Product	packaging material packaging material packaging material packaging material	type(s): PE Bag type(s): Paper	weight (kg weight (kg weight (kg weight (kg	g): 0.03 g): 0.02					
P13.2*	Product	plastic primary pack	kaging is free from PV	/C.				\boxtimes		
P13.3*										
P13.4*										
P13.5	Ùser and		tem if paper documen ation on paper media							
	,	hlorine-free al chlorine-free								
	Process	ed chlorine-free								
P14		ry programs								
P14.1	The prod	duct meets the requ	irements of the follow	ing voluntar	y program(s):					
	Eco-labe	el:	Criteria version: 7.1 Criteria version: Criteria version:	1	Date: 4/25/18 Date: Date:	Product of Product of Product of		plays		
P15		nal information (Se								
P9			pecific configuration							
	informati knowled provided informati	ion contained in this ge available at the t I here is approximat ion.	epresentations, guara document. All inform ime of completion, an e and provided for inf	nation provio	led by supplier in shall have no oblig purposes only. Se	this documer pation to upda	nt is provided ate such infor	based on supmation. The i	oplier's nformat	ion
P9			Monitors & Displays fo products/office_equip				-			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1