



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo						
Company name *	Lenovo							
Contact information *	Lenovo Global Environmental Affairs		Lenovo					
e-mail address	Alvin L Carter		LETIOVO					
	alcarter@lenovo.com							
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html							
Additional information								

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	X24-20				
Model number *	F17238FX0(61BD)				
Issue date *	2017/8/28				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Issue date *		F17238FX0(61BD)	Logo	Long		
		2017/8/28		Lenovo		
Product environ		mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychyl (PCT) in preparations (see legal reference).				
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above ( al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	ek		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail vw.lenovo.com/social_responsibility/us/en/environment.html	contact):			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn e)	nium. (See lega	al		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)				$\boxtimes$
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	-	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements):	gal reference).			
P3.2*	, ,					
	Required	d information is;			Ш	
P5	Product	packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	y, cadmium a	nd 🔀		
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature se legal reference).		. ,		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.					
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\square$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	F17238FX0(61BD)	Logo	Lonovo
Issue date *	2017/8/28		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		П	
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		$\overline{\Box}$
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\mathbb{X}}$		$\overline{\Box}$
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	П		$\boxtimes$
P7.8*	Upgrading can be done using commonly available tools	$\overline{\Box}$	$\overline{\Box}$	$\overline{\boxtimes}$
P7.9	Spare parts are available after end of production for: 3 years			
P7.10	Service is available after end of production for: 3 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
5= 40	Material type: ABS Material type: SGCC			
P7.12	Insulation materials of external electrical cables are PVC free.	Ц_		
P7.13	Insulation materials of internal electrical cables are PVC free.	Ц_	$\underline{\underline{X}}$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and	$\boxtimes$		
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all ☑ PCBs > 25 g ☐ are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>Epoxy Resin</i> , CAS #: 26265-08-7			Ш
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			
P7.18	<u>Alt. 1:</u> Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: (See NOTE B4)			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	П		$\boxtimes$
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	$\overline{\Box}$	$\overline{\Box}$	
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 15 %.			
	or b) The weight of recycled material is <b>235</b> g.			
	-,gyaa g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	mber *	F17238F	X0(61BD)	Logo	Lenovo.				
Issue date	e *		Len	UVC	<b>J</b> <sub>H</sub>				
Product	Product environmental attributes - Market requirements (continued)  Requirement me								it met
Item	rem							No	n.a.
	Material and substance requirements (continued)								
P7.21*	Biobased	d plastic m	naterial content is used	in the product (See N	OTE B7):			$\boxtimes$	
If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.  or  b) The weight of the biobased plastic material is g.									
P7.22*			ree from mercury, i.e. specify: Number of lar	less than 0,1 mg/lamp mps: and maxim	um mercury content pe	r lamp: mg			
P8	Batteries	S		•					
P8.1*	Battery o	hemical c	omposition:						$\boxtimes$
P9	Energy	consump	tion (See NOTE B8)						
P9.1	For the p	roduct the		s or energy consumpti					
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standar modes and test me		nergy	
ENERGY S (System Id		n Mode*	14.6 W	14.35 W	14.6 W	ENERGY STAR® Requirements for 0 Monitors: Ver. 7.1			
ENERGY STAR® Low Power Sleep Mode*  0.187 W  0.191 W  0.265 W			<b>0.265</b> W	ENERGY STAR® Requirements for 0 Monitors: Ver. 7.1	Computer				
Apparent Off Mede*  0.25 W  0.25 W  0.25 W  Requirement			ENERGY STAR® Requirements for 0 Monitors: Ver. 7.1						
PTEC *			10/	10/	10/	1			
Typical En	ergy Cons	umption	W	W	W				
ETEC * Annual En	ergy Cons	umption	45.8 kWh/year	<b>45.1</b> kWh/year	46.3 kWh/year				
External Po	ower Supp	ly Efficien	cy Level (Internationa	l Efficiency Marking Pro	otocol) * : XI				
Display res	solution* :	<b>2.1</b> mega	ıpixels			ENERGY STAR® Requirements for 0 Monitors: Ver. 7.1	Computer		
	Default time to enter energy save mode: 0.5 minutes  ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1								
P9.2*				on is provided with the		_	$\boxtimes$		
P9.3*			the energy requirement version: <b>7.1</b> Product c	ents of the following volategory: <b>Display</b> .	untary program/s:				
P10	Emissio	ns							
	1			ISO 9296 (See NOTE					
P10.1	Mode Mode description Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (Idle *			(B)					
	Operatio	n *			*				$\square$
	Other mo	ode D		d pressure level (dB) $L_{p{\sf An}}$		sition desktop – idle)			
	Other mo			d pressure level (dB) $L_{p{\sf An}}$		sition desktop – opera	ting)		
	Measure	d accordir	ng to: ISO 7779 Other	ECMA-74 (only if not covered by	ECMA-74)				

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model nu	imber *	F17238FX0(61BD	)				Logo	Long	110	
Issue date *		2017/8/28						Lenc		тм
Product	environr	nental attributes	- Market requirer	ments (cont	inued)			Require	ment	me
Item								Yes	No	n.a
		nagnetic emission								
P10.4	program	(s):	requirement for low	v frequency ele	ctromagnet	tic fields of the fol	lowing voluntar	у		$\boxtimes$
P12		nics for computin								
P12.1*	The disp	lay meets the ergor	nomic requirements o	of ISO 9241-3	07 for visua	l display technolo	ogies.	$\boxtimes$		
P12.2*	The phys	sical input device m	eets the requirement	nts of ISO 9995	and ISO 92	241-410.				X
P13	Packagi	ng and document	ation							
P13.1*	Product	packaging material packaging material packaging material	type(s): <b>EPS</b>	weight (kg) weight (kg) weight (kg)	0.285					
P13.2*	Product	plastic primary pacl	kaging is free from P\	VC.						
P13.3*	consume	er recovered fiber co			fy the conta	ained percentage	e of minimum p	oost-		
P13.4*		media for user and ronic, Paper,	oroduct documentation	ion (tick box):						
P13.5	Ùser and		tem if paper docume ation on paper media		ee:					
	Element	hlorine-free al chlorine-free ed chlorine-free								
P14		ry programs								
P14.1		<del>, , , , , , , , , , , , , , , , , , , </del>	irements of the follow	wing voluntary	nrogram(s)	١٠				
	ENERG` Eco-labe Eco-labe	Y STAR® el: el:	Criteria version: Criteria version: Criteria version:		Date: Date: Date:	Product Product	category: category: category:			
P15		nal information (Se								
P9			pecific configuration							
	informati knowled provided informati	on contained in this ge available at the t here is approximat on.	epresentations, guara document. All inforn ime of completion, and e and provided for in	mation provide and supplier sh nformational pu	ed by supplic all have no urposes only	er in this docume obligation to upd	nt is provided b ate such inform	ased on support of the in-	plier's format	
P9			Monitors & Displays for products/office_equip							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1