



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		ONOVO			
e-mail address	Alvin L Carter		Lenovo			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	TIO22 Gen 3				
Model number *	MT: 10R1				
Issue date *	2017/6/26				
Intended market *	☑ Global   Europe   Asia, Pacific & Japan   Americas   Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	MT: 10R1	Logo	Lanava
Issue date *	2017/6/20		LEI IOVO"

Product	Product environmental attributes - Legal requirements					
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$				
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.	$\boxtimes$				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	$\boxtimes$				
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference).					
D.1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)	I				
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			$\boxtimes$		
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	X				
	The Declaration of Conformity can be requested at (add link or e-mail address):			_		
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).					
	Required information is; given in item P15 or added to this document,					
_	available at (add URL):					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	,				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀				
	Comment: Legal reference has no maximum concentration values.					
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	A17TIO22	Logo	Lanava
Issue date *	2017/6/26		LEHOVO.

Product	t environmental attributes - Market requirements (See General NOTE GN below)				
	- Environmental conscious design	Require	ment	met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design				
D7.4*	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable			井	
P7.2*	Plastic materials in covers/housing have no surface coating.			Щ.	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.				
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$			
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$			
P7.9	Spare parts are available after end of production for: 5 years				
P7.10	Service is available after end of production for: 5 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):				
	Material type: ABS Material type: POM Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.	<u> </u>		<u>Ц</u>	
P7.13	Insulation materials of internal electrical cables are PVC free.				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an	d			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in part containing more than 25% post-consumer recycled content.	:S			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	w			
P7.16					
	Marking:				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name, CAS #:				
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g				
	according ISO 1043-4:				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	n			
	concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)		$\boxtimes$	Ш	
	2. Chemical name: , CAS #: (See NOTE B4)				
	3. Chemical name: , CAS #: "				
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		$\boxtimes$		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		$\overline{\Box}$	∺	
	assigned the following Risk phrases; and Hazard statements:				
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)				
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$			
	ICVEO at least one of the transfer of the least of the latest terms of the latest term				
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as				
	a percentage of total plastic by weight) is 54.6%. (EPEAT calculation) / 85% (TCO calculation)				
	or				
	b) The weight of recycled material is 960.8 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	MT: 10R1		Logo	Lenovo.					
Issue date	ssue date * 2017/6/26					Len		<b>J</b> <sub>TM</sub>	
Product 6	Product environmental attributes - Market requirements (continued) Requirement me								t met
Item	Item							No	n.a.
	Material and substance requirements (continued)								
P7.21*	P7.21* Biobased plastic material content is used in the product (See NOTE B7):								
	If YES; at least one of the two alternatives below shall be answered;								
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage								
	of total plastic by weight) is $0\%$ .								
	b) The weight of the biobased plastic material is $\theta$ g.								
P7.22*			ree from mercury, i.e. specify: Number of lar	less than 0,1 mg/lamp. mps: and maxim	um mercury content pe	er lamp: mg			
P8	Batteries								
P8.1*	Battery c	hemical c	omposition:						$\boxtimes$
P9			tion (See NOTE B8)						
P9.1		roduct the		s or energy consumption		In ( (0) 1			
Energy mo	de ^		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standa modes and test m		nergy	
ENERGY S	STAR® Or	Mode*	15.1W	15.1W	15.7W	ENERGY STAR®			
(System Idl		iviodo				Requirements for	0		
. ,						Monitors: Ver. 7.0			
ENERGY S		w Power	0.4W	0.4W	0.4W	ENERGY STAR® Requirements for			
Sleep Mode	e*					Monitors: Ver. 7.0			
ENEDOY C		c /	0.25W	0.25W	0.33W	ENERGY STAR® Program			
ENERGY S Apparent C		1 /				Requirements for			
, .ppa. o						Monitors: Ver. 7.0			
PTEC *			14.83 W	14.85 W	15.25 W				
Typical Ene	erav Cons	umption	14.03 VV	14.03 VV	13.23 VV				Ш
ETEC *	3,		48.9kWh/year	48.9 kWh/year	51.0kWh/year	$E_{TEC} = (8760/1000)$	0) x (P <sub>off</sub> x	0.6 +	
Annual Ene	0,	•				P <sub>sleep</sub> x 0.1 + P <sub>idle</sub>	x 0.3)		
External Po	ower Supp	ly Efficien	cy Level (International	l Efficiency Marking Pro	otocol) * : VI				
Diamin.	** .	4000*400	20			ENERGY STAR®			
Display res	iolution :	1920-108	30 megapixels			Requirements for Monitors: Ver. 7.0			
						ENERGY STAR®			
Default time	e to enter	energy sa	ve mode: 15 seconds			Requirements for	Computer		
D0.0*	Monitors: Ver. 7.0								
P9.2*			0,	on is provided with the	•			<u>Ң</u>	_닏
P9.3*	P9.3* The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: <b>7.0</b> Product category: <b>Display</b> .							Ш	
P10 Emissions									
	Noise er	nission –		ISO 9296 (See NOTE					
P10.1	Mode Mode description Statistical upper limit A-weighted sound power level, L <sub>WA,c</sub> (B)			(B)					
	Idle		HDD: Idle		^				Щ.
	Operation * HDD: Operating *								
	Other mo			d pressure level (dB) $L_{p m An}$		sition desktop – idle)			
Other mode Declared A-weighted sound pressure level (dB) $L_{p\text{Am}}$ (operator position desktop – o					sition desktop – oper	ating)			
	Measure	d accordir	ng to: 🔀 ISO 7779 🗌	ECMA-74	•				
			Other	(only if not covered by	ECMA-74)				

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model nu	mber *	MT: 10R1				Logo	Long	)\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
Issue date	e *	2017/6/26					Lend		•
Product	environr	nental attribu	ites - Market require	ments (continue	ed)		Require	ment	met
Item							Yes	No	n.a.
	Electron	magnetic emiss	sions						
P10.4	Compute		the requirement for low	frequency electror	nagnetic fields of the fol	lowing volun	tary		$\boxtimes$
P12		mics for comp	uting products						
P12.1*			rgonomic requirements	of ISO 9241-307 fo	r visual display technolo	gies.	$\square$		$\overline{\Box}$
P12.2*			e meets the requiremen						
P13	Packagi	ing and docum	entation						
P13.1*	Product Product Product	packaging mate packaging mate packaging mate	erial type(s): <i>EPS</i> erial type(s): <i>PE Bag</i> erial type(s): <i>Paper</i> erial type(s): <i>Carton</i>	weight (kg): 0.3 weight (kg): 0.0 weight (kg): 0.0 weight (kg): 1.0	5 5				
P13.2*	Product	plastic primary	packaging is free from P	VC.			$\boxtimes$		
P13.3*		duct primary co er recovered fib	rrugated fiberboard paceer content: 0 %	kaging, specify the	e contained percentage	of minimur	n post-		
P13.4*	Specify		and product documentati	on (tick box):					
P13.5	Ùser and		his item if paper docume nentation on paper medi						
	Totally o	hlorine-free							
	•	al chlorine-free					i i		
	Process	ed chlorine-free					Ħ		
P14	Volunta	ry programs							
P14.1			equirements of the follow	wing voluntary prog	ram(s):				
	Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date Date Date	: Product	category: category: category:			
P15			(See NOTE B10)						
P9			of specific configuratio						
	informat knowled	ion contained in ge available at t I here is approxi	no representations, guar this document. All informathe time of completion, a imate and provided for in	mation provided by and supplier shall ha	supplier in this docume ave no obligation to upd	nt is provided ate such info	d based on sup ormation. The ir	plier's formati	on
P9	See Ene	ergy Star Qualifi	ed Monitors & Displays f gov/products/office_equi		ation:				
						· · · · · · · · · · · · · · · · · · ·	<u> </u>		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1