



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor					
Commercial name *	Tiny-In-One 24 Gen 3					
Model number *	MT: 10QY					
Issue date *	2017/6/26					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	MT: 10QY	Logo	Lonovo
Issue date *	2017/6/20		LEI IOVO"

Product	Requirement met			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5 \mu g/cm^2/week$ (see legal reference).	(<u> </u>		
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			
F2.1	symbol. Information on proper disposal is provided in user manual. (See legal reference)	Ш	ш	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)	I		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at (add link or e-mail address):			_
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	\boxtimes		
	Required information is; given in item P15 or added to this document,	\boxtimes		
	available at (add URL):			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.	ıd 🔀	Ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material (used (see legal reference).	s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference).	al 🔀		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	MT: 10QY	Logo	Lanava
Issue date *	2017/6/26		LEI IOVO"

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		$\overline{\boxtimes}$	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\overline{\boxtimes}$		\Box
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\overline{\mathbb{X}}$	Ħ	市
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\boxtimes}$	Ħ	一
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: POM Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.	-H	\overline{X}	∺
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	6		∺
7.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in particular polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in particular polyvinyl chloride or 0,3% weight (3000 ppm) chlorine in particular polyvinyl chloride or 0,3% weight (3000 ppm) chlorine in particular polyvinyl chloride or 0,3% weight (3000 ppm) chloride in particular polyvinyl chloride or 0,3% weight (3000 ppm) chloride in particular polyvinyl chloride or 0,3% weight (3000 ppm) chloride in particular polyvinyl chloride or 0,3% weight (3000 ppm) chloride in particular polyvinyl chloride or 0,3% weight (3000 ppm) chloride in particular polyvinyl chloride or 0,3% weight (3000 ppm) chloride in particular polyvinyl chloride or 0,3% weight (3000 ppm) chloride in particular polyvinyl chloride or 0,3% weight (3000 ppm) chloride in particular polyvinyl chloride or 0,3% weight (3000 ppm) chloride in particular polyvinyl chloride or 0,3% weight (3000 ppm) chloride in particular polyvinyl chloride or 0,3% weight (3000 ppm) chloride in particular polyvinyl chloride or 0,3% weight (3000 ppm) chloride in particular polyvinyl chloride in p	d		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	v		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name, CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "	, <u> </u>		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 53.2%. (EPEAT calculation) / 85% (TCO calculation) or b) The weight of recycled material is 1021.9 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Product environmental attributes - Market requirements (continued) Requirement metalism Yes No n.a.	Model nur	nber *	MT: 10Q	ĮΥ		Logo				
Material and substance requirements (continued)	Material and substance requirements (continued) P7.21* Biobased plastic material content is used in the product (See NOTE B7): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If imercury is used specify. Number of lamps: and maximum mercury content per lamp: mg mg mg mg mg mg mg m	Issue date	*	2017/6/26						J _H	
Material and substance requirements (continued)	Material and substance requirements (continued) P7.21* Biobased plastic material content is used in the product (See NOTE B7):	Product	Product environmental attributes - Market requirements (continued) Requ							remen	ıt met
P7.211 Biobased plastic material content is used in the product (See NOTE B7):	P7.21* Biobased plastic material content is used in the product (See NOTE B7):	Item				<u> </u>			Yes	No	n.a.
If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 6%. or b) The weight of the biobased plastic material is 6g. P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify. Number of lamps: and maximum mercury content per lamp: mg P8 Batteries P8.1* Batter chemical composition: P9 Energy consumption (See NOTE 88) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode Power level at Power level at Power level at 230 V AC Mode and test method 100 V AC 115 V AC 230 V AC Mode and test method 100 V AC 115 V AC 230 V AC Mode and test method 100 V AC 115 V AC 230 V AC Mode and test method 100 V AC 115 V AC 230 V AC Mode and test method 100 V AC 115 V AC 230 V AC Mode and test method 100 V AC 115 V AC 230 V AC MODE ACC MODE	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. or b) The weight of the biobased plastic material is 0g. P7.22' Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify. Number of lamps: and maximum mercury content per lamp: mg R8 Batteries P8.1' Battery Comsumption (See NOTE B8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode* Power level at 100 V AC 115 V AC 230 V AC modes and test method.* ENERGY STAR® On Mode* (System Idle) ENERGY STAR® Low Power Sleep Mode* ENERGY STAR® Off / Apparent Off Mode* ENERGY STAR® Off / Apparent Off Mode* O.27W 0.28W 0.35W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Off / Apparent Off Mode* ENERGY Consumption W W W W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 PTEC 4.8.72kWh/year 48.78 kWh/year 50.81 kWh/year Ergc (8760/1000) x (Part x 0.6 + Palsey x 0.1 + Palsey x		Material	and subs	stance requirements	(continued)					
a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg P8 Batteries P9. Energy consumption (See NOTE B8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode* Power level at 100 V Ac 115 V AC 230 V AC 100 V Monitors: Ver. 7.0 ENERGY STAR® On Mode' (System Idle) ENERGY STAR® On Mode' (System Idle) ENERGY STAR® Low Power Sleep Mode* Sleep Mode* ENERGY STAR® Off / Apparent Off Mode' Apparent Off Mode' PT.9W 0.28W 0.35W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Off / Apparent Off Mode' Apparent Off Mode' Apparent Off Mode' Apparent Off Mode' Batteries W W W W W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 EXERGY STAR® Off / Apparent Off Mode' Apparent Off Mode' Apparent Off Mode' Batteries W W W W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 EXERGY STAR® Off / Apparent Off Mode' Batteries W W W W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 EXERGY STAR® Off / Apparent Off Mode' Batteries Requirements for Computer Monitors: Ver. 7.0 EXERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 EXERTING ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 EXERTING ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 EXERTING ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 EXERTING ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 EXERCISE ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 EXERCISE ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 EXERTING ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 EXERCISE ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 EXERCISE	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0% or b) The weight of the biobased plastic material is 0g. P7.22* Light sources are free from mercury, i.e. less than 0.1 mg/lamp. If mercury is used specify. Number of lamps: and maximum mercury content per lamp: mg P8 Batteries P8.1* Battery chemical composition: P9 Energy consumption (See NOTE B8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode * Power level at 100 V AC 115 V AC 230 V AC modes and test method * ENERGY STAR® On Mode* (System Idle) ENERGY STAR® Low Power 0.3W 0.3W 18.5W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Off / Apparent Off Mode* 0.27W 0.28W 0.35W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Off Mode* 0.27W 0.28W 0.35W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Off Mode* 0.27W 0.28W 0.35W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Off Mode* 0.27W 0.28W 0.35W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Off Mode* 0.27W 0.28W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Off Mode* 0.27W 0.28W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 Display resolution* : 1920*1080 megapixels ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® version: 7.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9298 (See NOTE B9) F10.1 Mode Mode description Statistical upper limit A-weighted sound power level, Lims, (B)	P7.21*	Biobased	d plastic m	naterial content is used	in the product (See N	OTE B7):			\boxtimes	
If mercury is used specify. Number of lamps: and maximum mercury content per lamp: mg	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg P8 Batteries P8.1* Battery chemical composition:		a) Of to of to	otal plasti otal plastic	ic parts' weight > 25 g c by weight) is <i>0</i> %.	, the biobased plastic	•	ated as a percentag	je		
P8.1* Battery chemical composition: P9 Energy consumption (See NOTE B8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode * Power level at 100 V AC 115 V AC 230 V AC modes and test method * 100 V AC 115 V AC 230 V AC modes and test method * 100 V AC 115 V AC 230 V AC modes and test method * 100 V AC 115 V AC 230 V AC Monitors: Ver. 7.0 ENERGY STAR® On Mode* (System Idle) ENERGY STAR® Drogram Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Low Power Sleep Mode* ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Off / Apparent Off Mode* O.27W 0.28W 0.35W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Off / Apparent Off Mode* O.27W 0.28W 0.35W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Off / Apparent Off Mode* DEFEC* W W W W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 EXTERMINENT OF MODE SUPPLY STAR® Program Requirements for Computer Monitors: Ver. 7.0 EXTERMINENT OF MODE SUPPLY Efficiency Level (International Efficiency Marking Protocol) *: ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 Display resolution*: 1920*1080 megapixels Default time to enter energy save mode: 15 seconds Default time to enter energy save mode: 15 seconds ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program	P8.1* Battery chemical composition: P9 Energy consumption (See NOTE 88) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode * Power level at 100 V AC 115 V AC 230 V AC modes and test method * 17.9W 17.9W 18.5W ENERGY STAR® On Mode (System Idle) ENERGY STAR® On Mode (System Idle) ENERGY STAR® Low Power Sleep Mode * 0.3W 0.3W 0.4W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Coff / Apparent Off Mode * 0.27W 0.28W 0.35W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Off / Apparent Off Mode * 0.27W 0.28W 0.35W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Off / Apparent Off Mode * 0.27W 0.28W 0.35W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Off / Apparent Off Mode * 0.27W 0.28W 0.35W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Off / Apparent Off Mode * 0.27W 0.28W 0.35W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 EXECUTED AND STAR® OFF (STAR® Program Requirements of Computer Monitors: Ver. 7.0 External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for the following voluntary program/s: ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg									
P9 Energy consumption (See NOTE B8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode * Power level at 100 V AC 115 V AC 230 V AC 100 V AC 115 V AC 1230 V AC 115 V AC 230 V AC 100 V AC 115 V AC 1230 V AC 115 V AC 1230 V AC 115 V AC 115 V AC 1230 V AC 115 V AC 115 V AC 1230 V AC 115 V AC 115 V AC 1230 V AC 115 V AC	P9. Energy consumption (See NOTE B8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode * Power level at Power level at 100 V AC 115 V AC 230 V AC										
P9.1 For the product the following power levels or energy consumptions are reported: Energy mode* Power level at Power level at 115 V AC 230 V AC	P9.1 For the product the following power levels or energy consumptions are reported: Energy mode *				•						\boxtimes
Energy mode * Power level at 100 V AC 115 V AC 230 V AC modes and test method * 100 V AC 115 V AC 230 V AC modes and test method * 17.9W 115 V AC 230 V A	Energy mode *		Energy	consump	tion (See NOTE B8)						
100 V AC 115 V AC 230 V AC modes and test method *	100 V AC			roduct the				Tp ((0) 1			
System Idle Requirements for Computer Monitors: Ver. 7.0	Requirements for Computer Monitors: Ver. 7.0	Energy mo	de *							nergy	
Requirements for Computer Monitors: Ver. 7.0	Requirements for Computer Monitors: Ver. 7.0			n Mode*	17.9W	17.9W	18.5W	Requirements for	U		
PTEC * W W W W Typical Energy Consumption ETEC * Annual Energy Consumption ETEC * Annual Energy Consumption External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 Fexery STAR® Program Requirements for Computer Monitors: Ver. 7.0 P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 7.0 Product category: Display. P10 Emissions Noise emission — Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, LwAc (B) Idle *HDD: Idle (Operation *HDD: Operating Other mode Declared A-weighted sound pressure level (dB) LpAm (Operator position desktop – operating)	Requirements for Computer Monitors: Ver. 7.0 PTEC *		Requirements for Computer								
Typical Energy Consumption ETEC * 48.72kWh/year 48.78 kWh/year 50.81 kWh/year \$E_{TEC} = (8760/1000) x (P_{off} x 0.6 + P_{sleep} x 0.1 + P_{Islee} x 0.3)\$ External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: Display resolution*: 1920*1080 megapixels Default time to enter energy save mode: 15 seconds Default time to enter energy save mode: 15 seconds P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® program Requirements for Computer Monitors: Ver. 7.0 P10 Emissions Noise emission — Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,C} (B) Idle *HDD: Idle * (Operation Declared A-weighted sound pressure level (dB) L _{pAm} (operator position desktop — idle) Other mode Declared A-weighted sound pressure level (dB) L _{pAm} (operator position desktop — operating)	Typical Energy Consumption ETEC * Annual Energy Consumption External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: Display resolution*: 1920*1080 megapixels Default time to enter energy save mode: 15 seconds Percondition is provided with the product. P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 7.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B) Indicate in the product of the product is provided with the product in the p	ENERGY STAR® Off /			0.35W	Requirements for					
Typical Energy Consumption ETEC * 48.72kWh/year 48.78 kWh/year 50.81 kWh/year \$E_{TEC} = (8760/1000) x (P_{off} x 0.6 + P_{sleep} x 0.1 + P_{Islee} x 0.3)\$ External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: Display resolution*: 1920*1080 megapixels Default time to enter energy save mode: 15 seconds Default time to enter energy save mode: 15 seconds P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® program Requirements for Computer Monitors: Ver. 7.0 P10 Emissions Noise emission — Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,C} (B) Idle *HDD: Idle * (Operation Declared A-weighted sound pressure level (dB) L _{pAm} (operator position desktop — idle) Other mode Declared A-weighted sound pressure level (dB) L _{pAm} (operator position desktop — operating)	Typical Energy Consumption ETEC * Annual Energy Consumption External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: Display resolution*: 1920*1080 megapixels Default time to enter energy save mode: 15 seconds Percondition is provided with the product. P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 7.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B) Indicate in the product of the product is provided with the product in the p				T	T	T	T			
Annual Energy Consumption P _{sleep} x 0.1 + P _{Idle} x 0.3) External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: Display resolution*: 1920*1080 megapixels ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 Default time to enter energy save mode: 15 seconds ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 P9.2* Information about the energy save function is provided with the product. Monitors: Ver. 7.0 P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 7.0 Product category: Display. P10 Emissions Noise emission - Declared according to ISO 9296 (See NOTE B9) Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B) Idle	Annual Energy Consumption External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: Display resolution*: 1920*1080 megapixels Default time to enter energy save mode: 15 seconds ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 7.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA.c} (B) Idle * HDD: Idle *	_	ergy Cons	umption	W	W					
Display resolution*: 1920*1080 megapixels ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 7.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B) Idle * HDD: Idle * Operation * HDD: Operating Other mode Declared A-weighted sound pressure level (dB) L _{pAm} (operator position desktop – idle) Other mode Declared A-weighted sound pressure level (dB) L _{pAm} (operator position desktop – operating)	Display resolution*: 1920*1080 megapixels ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 7.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B) Idle * HDD: Idle *		ergy Cons	umption	48.72 kWh/year	48.78 kWh/year	50.81 kWh/year			0.6 +	
Display resolution*: 1920*1080 megapixels Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 7.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA.c} (B) Idle * HDD: Idle * Operation * HDD: Operating Other mode Declared A-weighted sound pressure level (dB) L _{pAm} (operator position desktop – idle) Other mode Declared A-weighted sound pressure level (dB) L _{pAm} (operator position desktop – operating)	Display resolution*: 1920*1080 megapixels Requirements for Computer Monitors: Ver. 7.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 7.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B) Idle * HDD: Idle *	External Po	ower Supp	ly Efficien	ncy Level (International	l Efficiency Marking Pr	otocol) * :				
Default time to enter energy save mode: 15 seconds Requirements for Computer Monitors: Ver. 7.0 P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 7.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B) Idle * HDD: Idle * Operation * HDD: Operating Other mode Declared A-weighted sound pressure level (dB) L _{pAm} (operator position desktop – idle) Other mode Declared A-weighted sound pressure level (dB) L _{pAm} (operator position desktop – operating)	Default time to enter energy save mode: 15 seconds Requirements for Computer Monitors: Ver. 7.0 P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 7.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B) Idle * HDD: Idle *	Display res	solution* :	1920*108	80 megapixels			Requirements for Monitors: Ver. 7.0	Computer		
P9.3* The product meets the energy requirements of the following voluntary program/s:	P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 7.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B) Idle * HDD: Idle *	Default time to enter energy save mode: 15 seconds Requirements for Computer									
ENERGY STAR® version: 7.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B) Idle * HDD: Idle * Operation * HDD: Operating (operator position desktop – idle) Other mode Declared A-weighted sound pressure level (dB) L_{pAm} (operator position desktop – operating)	ENERGY STAR® version: 7.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B) Idle * HDD: Idle *	P9.2*									
P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B) Idle * HDD: Idle *	P10 Emissions Noise emission - Declared according to ISO 9296 (See NOTE B9)	P9.3*					luntary program/s:				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Noise emission - Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B) Idle	P10				<u>-</u>					
	Idle * HDD: Idle *		Noise er	nission –	Declared according to	ISO 9296 (See NOTE	E B9)				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		P10.1						(B)			
Other mode $Declared A-weighted sound pressure level (dB) L_{pAm} (operator position desktop – idle) Other mode Declared A-weighted sound pressure level (dB) L_{pAm} (operator position desktop – operating)$	Operation * HDD: Operating *			*							
Other mode Declared A-weighted sound pressure level (dB) L_{pAm} (operator position desktop – operating)					*						
Other mode Declared A-weighted sound pressure level (dB) L_{pAm} (operator position desktop – operating)	Other mode Declared A-weighted sound pressure level (dB) L_{pAm} (operator position desktop – idle)		Other mode Declared A-weighted sound pressure level (dB) $L_{n\Delta m}$			n (operator pos	sition desktop – idle)				
	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)		Measure	d accordir			, FCMΔ-74)				

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

wodei nu	mber	MT: 10QY			Logo	Long	VO	
Issue dat	Issue date * 2017/6/26			Leno	VO _{TH}			
Product	environr	nental attribut	es - Market requirer	ments (continued)		Require	ment	met
Item						Yes	No	n.a.
	Electron	nagnetic emissi	ons					
P10.4	Compute program		the requirement for low	frequency electromagnetic fields of	of the following volunta	ry		
P12	Ergonoi	mics for comput	ting products					
P12.1*	The disp	lay meets the er	gonomic requirements o	of ISO 9241-307 for visual display t	echnologies.	\boxtimes		
P12.2*	The phys	sical input device	meets the requirement	s of ISO 9995 and ISO 9241-410.				X
P13		ing and docume						
P13.1*	Product Product Product	packaging mater packaging mater	ial type(s): <i>PE Bag</i> ial type(s): <i>Paper</i> ial type(s): <i>Carton</i>	weight (kg): 0.36 weight (kg): 0.05 weight (kg): 0.05 weight (kg): 1.17				
P13.2*	Product	plastic primary pa	ackaging is free from P\	VC.				
P13.3*		duct primary corr er recovered fiber		kaging, specify the contained per	centage of minimum	post-		
P13.4*		media for user an ronic, ⊠Paper,	nd product documentation Other	on (tick box):				
P13.5	Ùser and		is item if paper docume entation on paper media					
	•	hlorine-free al chlorine-free						
	Process	ed chlorine-free						
P14	Volunta	ry programs						
P14.1	The prod	duct meets the re	quirements of the follow	ving voluntary program(s):				
	Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: F	Product category: Product category: Product category:			
P15		nal information (· · · · · · · · · · · · · · · · · · ·					
P9				n may vary; description of the te				
	informati knowled provided informati	ion contained in t ge available at th I here is approxin ion.	his document. All inforn the time of completion, an mate and provided for in	antees, assurances or warranties wantion provided by supplier in this on supplier shall have no obligation formational purposes only. See a L	document is provided in to update such inforr	based on supp	olier's formation	on
P9			d Monitors & Displays foov/products/office_equip	or the latest information: pment/displays				
L								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1